

#### **BY-LAW NO. 2021-**

A By-law to Amend Zoning By-law 2010-0050, as amended, for lands described as PART OF LOTS 11 & 12, CONCESSION 11, Town of Halton Hills, Regional Municipality of Halton Georgetown

**WHEREAS** Council is empowered to enact this By-law by virtue of the provisions of Section 34 of the Planning Act, R.S.O. 1990, c. P.13, as amended;

**AND WHEREAS** Council has recommended that Zoning By-law 2010-0050 be amended as hereinafter set out;

| AND WH<br>Halton H | <b>HEREAS</b> said recommendation will conform to the Offi lills;   | icial Plan for the Town of   |
|--------------------|---|--|
| ,                  | HEREFORE, BE IT RESOLVED THAT THE COUNCII<br>WN OF HALTON HILLS ENACTS AS FOLLOWS:  | L OF THE CORPORATION OF  |
| 1.                 | That Schedule "A1" of Zoning By-law 2010-0050, as a amended by rezoning the lands described as PART (11, from Agriculture (A) Zone to Low Density Resider Low Density Residential 1 – Exception BB (LDR1-BB Exception CC (LDR1-CC), Medium Density Residen Mixed Use 1 – Exception EE (MU1-EE), Open Space and Open Space 3 Zone – Exception GG (OS3 – GG | OF LOTS 11 & 12, CONCESSION ntial 1 – Exception AA (LDR1-AA), b), Low Density Residential 1 – tial 1 – Exception DD (MDR1-DD), b 2 Zone – Exception FF (OS2-FF), |
| 2.                 | That Table 13.0: Exceptions is hereby amended by a contained in Schedule "2" attached to and forming pa   |  |
| BY-LAW             | <b>V</b> read and passed by the Council for the Town of Halto, 2025.  | on Hills thisday of  |
|                    |   | MAYOR – ANN LAWLOF   |
|                    |   | CLERK – VALERIE PETRYNIA   |

SCHEDULE 2 to By-law 2020-\_\_\_\_ Zoning regulations from the parent By-law shown in Red Zoning regulations not in parent By-law (NIP) shown in Green

#### 13.1 EXCEPTIONS - LDR1-AA

| <u> 1 J.</u> | I EXCEPTIONS -                   | - LDRT-AA   |  |  |
|--------------|----------------------------------|---|--|--|
| 1            | Exception Number                 | AA  |  |  |
| 2            | Zone                             | Low Density Residential   |  |  |
| 3            | Municipal Address                | PART OF LOTS 11 & 12, CONCESSION 11   |  |  |
| 4            | Additional Permitted Uses:       | <ul> <li>a) Dwelling. Single Detached, subject to LDR1-AA zone regulations</li> <li>b) Dwelling. Single Detached Dual Frontage, subject to LDR1-BB zone regulations</li> <li>c) Dwelling. Single Detached, subject to LDR1-CC zone regulations</li> <li>d) Dwelling, Semi Detached</li> </ul>   |  |  |
| 5            | Additional<br>Complementary Uses | e) Dwelling, Duplex  a) Home Occupations b) Private Home Daycares c) Bed and Breakfast Establishments in single detached dwellings d) Day Nurseries e) Accessory Apartments f) Garden Suites g) Special Needs Housing h) Group Homes Type 1 i) Second Level Loding Homes j) Treatment Centers k) Private Elementary Schools l) Child Care Centres m) Places of Worship n) Public Elementary Schools |  |  |
| 6            | Only Permitted Uses              | N/A   |  |  |
| 7            | Uses Prohibited                  | N/A   |  |  |
| 8            | Special Provisions               |   |  |  |
|              | i)                               | Notwithstanding anything to the contrary, no non-conformity will be created as a result of any severance of the land for the purpose of mortgaging or conveying to a condominium corporation or any public authority.   |  |  |
|              | ii)                              | Minimum Required Rear Yard Setback  |  |  |
|              |                                  | a) Single Detached Dwellings  | 7.0 m, one storey may project into the rear yard with a minimum setback of 1.5 m for a maximum of 45% of the dwelling width measured at the rear of the main building. (7.5 m) |  |
|              | iii)                             | Minimum Required Front Yard Setback   |  |  |
|              |                                  | a) Single Detached Dwellings  | 2.0 m, 5.5 m to garage (6.0 m/5.5 m)   |  |
|              | iv)                              | Minimum Required Exterior Side Yard   |  |  |
|              |                                  | a) Single Detached Dwellings  | 2.0 m (3.0 m)  |  |
|              | v)                               | Minimum Required Interior Side Yard   | , ,  |  |
|              |                                  | Single Detached Dwellings   | 1.0 m & 0.6 m (1.2 m)  |  |
|              | vi)                              | Maximum Height  | The mac one m (TE m)   |  |
|              | 1.2)                             | Single Detached Dwellings   | 12.5 m or 3 storeys (11 m)   |  |
|              | vii)                             | Minimum Lot Frontage  | 12.5 11 01 5 50010/5 (11 11)   |  |
|              | <b>, 11</b> )                    | a) Single Detached Dwellings  | 9.0 m (18.0 m)   |  |
|              | viii)                            | Minimum Number of Parking Spaces  | 1 210 III (1010 III)   |  |
|              | · <del></del> /                  | a) Single Detached Dwellings  | 2 spaces / unit (2 spaces / unit)  |  |
|              |                                  | b) Accessory Apartments & Dwelling Units  | 0 spaces / unit (1 space / unit)   |  |
|              | ix)                              | Minimum Density   | 24 upnh (NIP)  |  |
|              | x)                               | Maximum Density   | 30 upnh (NIP)  |  |
|              |                                  | · ·   |  |  |

| xi)    | Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55%  |
|--------|---|
|        | (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  |
| xii)   | Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse Dwellings in the Urban Residential (UR) Zone, contained in Table 6.5;  |
| xiii)  | Notwithstanding Section 4.4 a) air conditioners shall be permitted in the front yard for all dwelling units   |
| xiv)   | Air conditioners shall be located a minimum of 0.6 metres (1.0 m) from the front, exterior and interior lot line.   |
| xv)    | Notwithstanding Section 4.6.2 decks and stairs to access a deck shall be permitted no closer than 0.6 metres to the interior, exterior and rear lot line. (3.0 m to rear)   |
| xvi)   | Notwithstanding Section 4.8 a) balconies may encroach into a minimum front yard or exterior side yard up to 1.0 metres (1.5 m) from the front or exterior lot line and are not subject to maximum total projection.         |
| xvii)  | Notwithstanding Section 4.8 c) a bay or box out window may encroach into a required front, rear and exterior side yard for a maximum distance of 1.0 metres, for a width up to 4.0 metres with or without foundation. (NIP) |
| xviii) | Notwithstanding Section 4.15 a) 10 (5) model homes shall be permitted.  |
| xix)   | Notwithstanding Section 4.25.2 a porch shall be permitted to encroach no closer than 0.6 metres (1.5 m) to the front exterior and interior side lot lines, the maximum elevation of a porch of 5.0 meters (4.0 m)           |
| xx)    | Notwithstanding Section 4.25.2 b porch shall be permitted to encroach into the required rear yard a distance of 4.5 meters (3.0 m)  |
| xxi)   | Notwithstanding Section 4.32, Table 4.4, a 4.5 metres (7.0 m) sight triangle shall be permitted on local and collector streets.   |
| xxii)  | Notwithstanding Section 5.2.10 a) on a corner lot the parking space may be a length of 5.0 metres (5.5 m) to a daylight triangle.   |
| xxiii) | Notwithstanding Section 5.2.10 c) and d) obstructions may encroach 0.3 metres into required parking space width and 0.6 metres into required length. (NIP)  |
| xxiv)  | Notwithstanding Section 5.2.14 b) The maximum driveway width is 7.0 metres provided a minimum of 25% (40%) of the front or exterior side yard in which the driveway is located is the site of soft landscaping.             |
| xxv)   | For the purposes of this zone, Table 6.1, Footnote 2 shall not apply.   |

# 13.2 EXCEPTIONS - LDR1-BB

| 1 | Exception Number                              | BB   |   |  |
|---|---|--|---|--|
| 1 |   |  |   |  |
| 2 | Zone  | Low Density Residential  |   |  |
| 4 | Municipal Address  Additional Permitted Uses: | PART OF LOTS 11 & 12, CONCESSION 11  a) Dwelling. Single Detached Dual Frontage, subject to LDR1-BB zone regulations b) Dwelling. Single Detached, subject to LDR1-AA zone regulations c) Dwelling. Single Detached, subject to LDR1-CC zone regulations d) Dwelling, Semi Detached e) Dwelling, Duplex  |   |  |
| 5 | Additional<br>Complementary Uses              | a) Home Occupations b) Private Home Daycares c) Bed and Breakfast Establishments in single detached dwellings d) Day Nurseries e) Accessory Apartments f) Garden Suites g) Special Needs Housing h) Group Homes Type 1 i) Second Level Loding Homes j) Treatment Centers k) Private Elementary Schools l) Child Care Centres m) Places of Worship n) Public Elementary Schools |   |  |
| 6 | Only Permitted Uses                           | N/A  |   |  |
| 7 | Uses Prohibited                               | N/A  |   |  |
| 8 | Special Provisions                            |  |   |  |
|   | i)  | Notwithstanding anything to the contrary, no non-conformity will be created as a result of any severance of the land for the purpose of mortgaging or conveying to a condominium corporation or any public authority.  |   |  |
|   | ii)   | Minimum Required Rear Yard Setback   |   |  |
|   |   | a) Single Detached Dual Frontage     Dwellings   | 2.0 m, 5.5 m, garage is in the rear (7.5 m)               |  |
|   | iii)  | Minimum Required Front Yard Setback  |   |  |
|   |   | a) Single Detached Dual Frontage     Dwellings   | 2.0 m, N/A, garage is in the rear to garage (6.0 m/5.5 m) |  |
|   | iv)   | Minimum Required Exterior Side Yard  |   |  |
|   |   | a) Single Detached Dual Frontage     Dwellings   | 2.0 m (3.0 m)   |  |
|   | v)  | Minimum Required Interior Side Yard  |   |  |
|   |   | a) Single Detached Dual Frontage     Dwellings   | 1.0 m & 0.6 m (1.2 m)                                     |  |
|   | vi)   | Maximum Height   |   |  |
|   |   | a) Single Detached Dual Frontage     Dwellings   | 12.5 m or 3 storeys (11 m)                                |  |
|   | vii)  | Minimum Lot Frontage   |   |  |
|   |   | a) Single Detached Dual Frontage     Dwellings   | 9.0 m (18.0 m)  |  |
|   | viii)   | Minimum Number of Parking Spaces   |   |  |
|   |   | a) Single Detached Dual Frontage     Dwellings   | 2 spaces / unit (2 spaces / unit)                         |  |
|   |   | b) Accessory Apartments & Dwelling<br>Units  | 0 spaces / unit (1 space / unit)                          |  |
|   | ix)   | Minimum Density  | 24 upnh (NIP)   |  |
|   | x)  | Maximum Density  | 30 upnh (NIP)   |  |
|   | xi)   | Notwithstanding Table 6.3 Lot Coverage Standar   | rds for all Dwelling Types shall be 65%                   |  |

|        | (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  |
|--------|---|
| xii)   | Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse Dwellings in the Urban Residential (UR) Zone, contained in Table 6.5;  |
| xiii)  | Notwithstanding Section 4.4 a) air conditioners shall be permitted in the front yard for all dwelling units   |
| xiv)   | Air conditioners shall be located a minimum of 0.6 m (1 m) from the front, exterior and interior lot lin  |
| xv)    | Notwithstanding Section 4.6.2 decks and stairs to access a deck shall be permitted no closer than 0.6 metres to the interior, exterior and rear lot line. (3.0 m to rear)   |
| xvi)   | Notwithstanding Section 4.8 a) balconies may encroach into a minimum front yard or exterior side yaup to 1.0 m (1.5 m) from the front or exterior lot line and are not subject to maximum total projection                  |
| xvii)  | Notwithstanding Section 4.8 c) a bay or box out window may encroach into a required front, rear and exterior side yard for a maximum distance of 1.0 metres, for a width up to 4.0 metres with or without foundation. (NIP) |
| xviii) | Notwithstanding Section 4.15 a) 10 (5) model homes shall be permitted.  |
| xix)   | Notwithstanding Section 4.25.2 a porch shall be permitted to encroach no closer than 0.6 metres (1.5 m) to the front exterior and interior side lot lines, the maximum elevation of a porch of 5.0 meters (4. m)            |
| xx)    | Notwithstanding Section 4.25.2 b porch shall be permitted to encroach into the required rear yard a distance of 4.5 meters (3.0 m)  |
| xxi)   | Notwithstanding Section 4.32, Table 4.4, a 4.5 metres (7.0 m) sight triangle shall be permitted on loc and collector streets.   |
| xxii)  | Notwithstanding Section 5.2.10 a) on a corner lot the parking space may be a length of 5.0 metres (5. m) to a daylight triangle.  |
| xxiii) | Notwithstanding Section 5.2.10 c) and d) obstructions may encroach 0.3 metres into required parking space width and 0.6 metres into required length. (NIP)  |
| xxiv)  | Notwithstanding Section 5.2.14 b) The maximum driveway width is 7.0 metres provided a minimum 25% (40%) of the front or exterior side yard in which the driveway is located is the site of soft landscaping.                |
| xxv)   | For the purposes of this zone, Table 6.1, Footnote 2 shall not apply.   |

# 13.3 EXCEPTIONS - LDR1-CC

| Exception Number   Cc   |   |                      | CC CC   |   |  |
|---|---|----------------------|---|---|--|
| Municipal Address   | 1 | Exception Number     |   |   |  |
| Additional Permitted Uses:     a) Dwelling. Single Detached, subject to LDR1-CC zume regulations   Dwelling. Single Detached Duel Frontage, subject to LDR1-BB zone regulations   Dwelling. Single Detached, subject to LDR1-AA zume regulations   Dwelling. Duplex   |   |                      |   |   |  |
| Notwithstanding anything to the contrary, no non-conformity will be created as a result of any severance of the land for the purpose of mortgaging or conveying to a condominium corporation or any public authority.    Notwithstanding anything to the contrary, no non-conformity will be created as a result of any severance of the land for the purpose of mortgaging or conveying to a condominium corporation or any public authority.  |   | Additional Permitted | <ul> <li>a) Dwelling. Single Detached, subject to LDR1-CC zone regulations</li> <li>b) Dwelling. Single Detached Dual Frontage, subject to LDR1-BB zone regulations</li> <li>c) Dwelling. Single Detached, subject to LDR1-AA zone regulations</li> <li>d) Dwelling. Semi Detached</li> </ul>                                 |   |  |
| To   Uses Prohibited   N/A  | 5 |                      | b) Private Home Daycares c) Bed and Breakfast Establishments in single detached dwellings d) Day Nurseries e) Accessory Apartments f) Garden Suites g) Special Needs Housing h) Group Homes Type 1 i) Second Level Loding Homes j) Treatment Centers k) Private Elementary Schools l) Child Care Centres m) Places of Worship |   |  |
| Special Provisions  | 6 | Only Permitted Uses  | N/A   |   |  |
| i) Notwithstanding anything to the contrary, no non-conformity will be created as a result of any severance of the land for the purpose of mortgaging or conveying to a condominium corporation or any public authority.  ii) Minimum Required Rear Yard Setback  a) Single Detached Dwellings  7.0 m, one storey may project into the rear yard with a minimum setback of 1.5 m for a maximum of 45% of the dwelling width measured at the rear of the main building. (7.5 m)  Minimum Required Front Yard Setback  a) Single Detached Dwellings  2.0 m, 5.5 m to garage (6.0 m/5.5 m)  Minimum Required Exterior Side Yard  a) Single Detached Dwellings  2.0 m (3.0 m)  v) Minimum Required Interior Side Yard  a) Single Detached Dwellings  1.0 m & 0.6 m (1.2 m)  Maximum Height  a) Single Detached Dwellings  12.5 m or 3 storeys (11 m)  vii) Minimum Lot Frontage  a) Single Detached Dwellings  10.50 m (18.0 m)  viii) Minimum Number of Parking Spaces  a) Street Townhouse Dwelling  b) Accessory Apartments & Dwelling  10 spaces / unit (2 spaces / unit)  units  ix) Minimum Density  24 upnh (NIP)  x) Maximum Density  30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55%  (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  viii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse | 7 | Uses Prohibited      | N/A   |   |  |
| severance of the land for the purpose of mortgaging or conveying to a condominium corporation or any public authority.    Minimum Required Rear Yard Setback  | 8 | Special Provisions   |   |   |  |
| a) Single Detached Dwellings 7.0 m, one storey may project into the rear yard with a minimum setback of 1.5 m for a maximum of 45% of the dwelling width measured at the rear of the main building. (7.5 m)  iii) Minimum Required Front Yard Setback  a) Single Detached Dwellings 2.0 m, 5.5 m to garage (6.0 m/5.5 m)  iv) Minimum Required Exterior Side Yard  a) Single Detached Dwellings 2.0 m (3.0 m)  vi) Maximum Required Interior Side Yard  a) Single Detached Dwellings 1.0 m & 0.6 m (1.2 m)  wii) Maximum Height  a) Single Detached Dwellings 12.5 m or 3 storeys (11 m)  vii) Minimum Lot Frontage  a) Single Detached Dwellings 10.50 m (18.0 m)  viii) Minimum Number of Parking Spaces  a) Street Townhouse Dwellings b) Accessory Apartments & Dwelling Units ix) Minimum Density 2.4 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   | i)                   | severance of the land for the purpose of mortgaging or conveying to a condominium corporation or an   |   |  |
| with a minimum setback of 1.5 m for a maximum of 45% of the dwelling width measured at the rear of the main building. (7.5 m)    Minimum Required Front Yard Setback  |   | ii)                  | Minimum Required Rear Yard Setback  |   |  |
| a) Single Detached Dwellings 2.0 m, 5.5 m to garage (6.0 m/5.5 m)  iv) Minimum Required Exterior Side Yard  a) Single Detached Dwellings 2.0 m (3.0 m)  v) Minimum Required Interior Side Yard  a) Single Detached Dwellings 1.0 m & 0.6 m (1.2 m)  vi) Maximum Height  a) Single Detached Dwellings 12.5 m or 3 storeys (11 m)  vii) Minimum Lot Frontage  a) Single Detached Dwellings 10.50 m (18.0 m)  viii) Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  units  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   |                      | a) Single Detached Dwellings  | with a minimum setback of 1.5 m for a maximum of 45% of the dwelling width measured at the rear |  |
| iv)    Minimum Required Exterior Side Yard  |   | iii)                 | Minimum Required Front Yard Setback   |   |  |
| a) Single Detached Dwellings 2.0 m (3.0 m)  Winimum Required Interior Side Yard  a) Single Detached Dwellings 1.0 m & 0.6 m (1.2 m)  vi) Maximum Height  a) Single Detached Dwellings 12.5 m or 3 storeys (11 m)  vii) Minimum Lot Frontage  a) Single Detached Dwellings 10.50 m (18.0 m)  viii) Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   |                      | Single Detached Dwellings   | 2.0 m, 5.5 m to garage (6.0 m/5.5 m)  |  |
| v)  Minimum Required Interior Side Yard  a) Single Detached Dwellings 1.0 m & 0.6 m (1.2 m)  vi)  Maximum Height  a) Single Detached Dwellings 12.5 m or 3 storeys (11 m)  vii)  Minimum Lot Frontage  a) Single Detached Dwellings 10.50 m (18.0 m)  viii)  Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse  |   | iv)                  | Minimum Required Exterior Side Yard   |   |  |
| a) Single Detached Dwellings 1.0 m & 0.6 m (1.2 m)  Vi) Maximum Height  a) Single Detached Dwellings 12.5 m or 3 storeys (11 m)  Vii) Minimum Lot Frontage  a) Single Detached Dwellings 10.50 m (18.0 m)  Viii) Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse  |   |                      | a) Single Detached Dwellings  | 2.0 m (3.0 m)   |  |
| vi)  Maximum Height  a) Single Detached Dwellings 12.5 m or 3 storeys (11 m)  vii)  Minimum Lot Frontage  a) Single Detached Dwellings 10.50 m (18.0 m)  Viii)  Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  Units  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse  |   | v)                   | Minimum Required Interior Side Yard   |   |  |
| a) Single Detached Dwellings 12.5 m or 3 storeys (11 m)  Wiii) Minimum Lot Frontage  a) Single Detached Dwellings 10.50 m (18.0 m)  Viii) Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  units  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse  |   |                      | a) Single Detached Dwellings  | 1.0 m & 0.6 m (1.2 m)   |  |
| viii)  Minimum Lot Frontage  a) Single Detached Dwellings 10.50 m (18.0 m)  Viii)  Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse  |   | vi)                  | Maximum Height  |   |  |
| a) Single Detached Dwellings 10.50 m (18.0 m)  Wiii) Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  Units  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   |                      | a) Single Detached Dwellings  | 12.5 m or 3 storeys (11 m)  |  |
| viii)  Minimum Number of Parking Spaces  a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse  |   | vii)                 | Minimum Lot Frontage  |   |  |
| a) Street Townhouse Dwellings 2 spaces / unit (2 spaces / unit)  b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   |                      | a) Single Detached Dwellings  | 10.50 m (18.0 m)  |  |
| b) Accessory Apartments & Dwelling 0 spaces / unit (1 space / unit)  ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse  |   | viii)                | Minimum Number of Parking Spaces  |   |  |
| ix) Minimum Density 24 upnh (NIP)  x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55% (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   |                      | a) Street Townhouse Dwellings   | 2 spaces / unit (2 spaces / unit)   |  |
| x) Maximum Density 30 upnh (NIP)  xi) Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55%  (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   |                      |   | 0 spaces / unit (1 space / unit)  |  |
| xi)  Notwithstanding Table 6.3 Lot Coverage Standards for all Dwelling Types shall be 55%  (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii)  Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   | ix)                  | Minimum Density   | 24 upnh (NIP)   |  |
| (40% for 1 and 1.5 storeys, 35% for 2 and 2.5 storeys)  xii)  Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse  |   | x)                   | Maximum Density   | 30 upnh (NIP)   |  |
| xii) Unless otherwise stated, all Dwellings shall conform to the standards applying to Street Townhouse   |   | xi)                  |   | - · ·   |  |
|   |   | ::)                  |   |   |  |
| · · · · · · · · · · · · · · · · · · ·   | L | X11)                 |   |   |  |

| xiii)  | Notwithstanding Section 4.4 a) air conditioners shall be permitted in the front yard for all dwelling units   |
|--------|---|
| xiv)   | Air conditioners shall be located a minimum of 0.6 metres (1.0 m) from the front, exterior and interior lot line.   |
| xv)    | Notwithstanding Section 4.6.2 decks and stairs to access a deck shall be permitted no closer than 0.6 metres to the interior, exterior and rear lot line. (3.0 m to rear)   |
| xvi)   | Notwithstanding Section 4.8 a) balconies may encroach into a minimum front yard or exterior side yard up to 1.0 metres (1.5 m) from the front or exterior lot line and are not subject to maximum total projection.         |
| xvii)  | Notwithstanding Section 4.8 c) a bay or box out window may encroach into a required front, rear and exterior side yard for a maximum distance of 1.0 metres, for a width up to 4.0 metres with or without foundation. (NIP) |
| xviii) | Notwithstanding Section 4.15 a) 10 (5) model homes shall be permitted.  |
| xix)   | Notwithstanding Section 4.25.2 a porch shall be permitted to encroach no closer than 0.6 metres (1.5 m) to the front exterior and interior side lot lines, the maximum elevation of a porch of 5.0 meters (4.0 m)           |
| xx)    | Notwithstanding Section 4.25.2 b porch shall be permitted to encroach into the required rear yard a distance of 4.5 meters (3.0 m)  |
| xxi)   | Notwithstanding Section 4.32, Table 4.4, a 4.5 metres (7.0 m) sight triangle shall be permitted on local and collector streets.   |
| xxii)  | Notwithstanding Section 5.2.10 a) on a corner lot the parking space may be a length of 5.0 metres (5.5 m) to a daylight triangle.   |
| xxiii) | Notwithstanding Section 5.2.10 c) and d) obstructions may encroach 0.3 metres into required parking space width and 0.6 metres into required length. (NIP)  |
| xxiv)  | Notwithstanding Section 5.2.14 b) The maximum driveway width is 7.0 metres provided a minimum of 25% (40%) of the front or exterior side yard in which the driveway is located is the site of soft landscaping.             |
| xxv)   | For the purposes of this zone, Table 6.1, Footnote 2 shall not apply.   |

# 13.4 EXCEPTIONS - MDR1-DD

| 1 | Exception Number                    | DD  |  |  |
|---|-------------------------------------|---|--|--|
| 2 | Zone                                | MDR1 - Medium Density Residential   |  |  |
| 3 | Municipal Address                   | PART OF LOTS 11 & 12, CONCESSION 11   |  |  |
| 4 | Additional<br>Permitted Uses:       | <ul> <li>a) Dwelling, Dual Frontage Townhouse, subject to MDR1-Ib</li> <li>b) Dwelling, Street Townhouse, subject to MDR1-DD zone</li> <li>c) Dwelling, Back-to-Back Townhouse. subject to MDR1-D</li> <li>d) Dwelling, Block Townhouse Dwellings</li> <li>e) Dwelling, Semi Detached</li> <li>f) Dwelling, Triplex</li> <li>g) Dwelling, Quattroplex</li> <li>h) Dwelling, Apartment</li> <li>i) Dwelling, Multiple</li> <li>j) Dwelling, Stacked Townhouse</li> </ul>   | regulations  |  |
| 5 | Additional<br>Complementary<br>Uses | <ul> <li>a) Home Occupations</li> <li>b) Accessory Apartments</li> <li>c) Garden Suites</li> <li>d) Special Needs Housing</li> <li>e) Long Term Care and Retirement Facilities,</li> <li>f) Private Home Daycares</li> <li>g) Day nurseries</li> <li>h) Private Elementary Schools</li> <li>i) Child Care Centres</li> <li>j) Places of Worship</li> <li>k) Public Elementary Schools</li> <li>l) Live/work units which may include residential or non-res</li> </ul>   | Accessory Apartments Garden Suites Special Needs Housing Long Term Care and Retirement Facilities, Private Home Daycares Day nurseries Private Elementary Schools Child Care Centres Places of Worship Public Elementary Schools |  |
| 6 | Definitions                         | <ul> <li>a) Dwelling, Back-to-Back Townhouse – A building where each unit is divided vertically by common walls, including a common rear wall, and has an independent entrance to the unit from the outside accessed through the front yard or exterior side yard.</li> <li>b) Dwelling, Dual Frontage Townhouse - A townhouse dwelling which is fronting a public street with a pedestrian access only and have a driveway access from the rear yard.</li> <li>c) Dwelling, Stacked Townhouse – A three or four-storey building divided horizontally and vertically by common walls with more than 5 dwelling units and each unit having an individual entrance directly from the outside and no common corridor. Stacked townhouses may have a common rear wall.</li> </ul> |  |  |
| 7 | Only Permitted Uses                 | N/A   |  |  |
| 8 | Uses Prohibited                     | N/A   |  |  |
| 9 | Special Provisions                  |   |  |  |
|   | i)                                  | Notwithstanding anything to the contrary, no non-conformity will be of the land for the purpose of mortgaging or conveying to a condom authority.   |  |  |
|   | ii)                                 | Minimum Required Rear Yard Setback  |  |  |
|   |                                     | a) Dwelling, Dual Frontage Townhouse  | 2.0 m, 5.5 m to garage (7.5 m)   |  |
|   | iii)                                | b) Dwelling, Street Townhouse,  | 6.0 m (7.5 m)  |  |
|   | iv)                                 | c) Dwelling, Back-to-Back Townhouse   | 0.0 m (NIP)  |  |
|   | v)                                  | Minimum Required Front Yard Setback   |  |  |
|   |                                     | a) Dwelling, Dual Frontage Townhouse  | 2.0 m (4.5 m)  |  |
|   | vi)                                 | b) Dwelling, Street Townhouse,  | 2.0 m, 5.5 m to garage (7.5 m)   |  |
|   | vii)                                | c) Dwelling, Back-to-Back Townhouse   | 2.0 m, 5.5 m to garage (NIP)   |  |
|   | viii)                               | Minimum Required Exterior Side Yard   | 2.0 m (3.0 m)  |  |
|   | iv)                                 | <ul><li>a) Dwelling, Dual Frontage Townhouse</li><li>b) Dwelling, Street Townhouse,</li></ul>   | 2.0 m (7.5 m)  |  |
|   | ix)                                 | -   |  |  |
|   | x)                                  | c) Dwelling, Back-to-Back Townhouse   | 2.0 m (NIP)  |  |
|   | xi)                                 | Minimum Required Interior Side Yard   | 10 (12)  |  |
|   |                                     | a) Dwelling, Dual Frontage Townhouse  | 1.0 m (1.2 m)  |  |
|   | xii)                                | b) Dwelling, Street Townhouse,  | 1.0 m (7.5 m)  |  |

| xiii)   | c) Dwelling, Back-to-Back Townhouse   | 1.0 m (NIP)   |  |  |
|---|---|---|--|--|
| xiv)  | Maximum Height  |   |  |  |
|   | a) Dwelling, Dual Frontage Townhouse  | 3 storeys or 12.5 m (11.0 m)  |  |  |
| xv)   | b) Dwelling, Street Townhouse,  | 3 storeys or 12.5 m (7.5 m)   |  |  |
| xvi)  | c) Dwelling, Back-to-Back Townhouse   | 3 storeys or 12.5 m (NIP)   |  |  |
| xvii)   | Minimum Lot Frontage  |   |  |  |
|   | a) Dwelling, Dual Frontage Townhouse  | 5.0 m (5.5 m)   |  |  |
| xviii)  | b) Dwelling, Street Townhouse,  | 5.0 m (5.5 m)   |  |  |
| xix)  | c) Dwelling, Back-to-Back Townhouse   | 5.0 m (NIP)   |  |  |
| xx)   | Minimum Number of Parking Spaces  |   |  |  |
|   | a) Dwelling, Dual Frontage Townhouse  | 2 spaces / unit (2 spaces / unit)   |  |  |
|   | b) Dwelling, Street Townhouse,  | 2 spaces / unit (2 spaces / unit)   |  |  |
|   | c) Dwelling, Back-to-Back Townhouse   | 2 spaces / unit (NIP)   |  |  |
|   | d) Accessory Apartments & Dwelling Units  | 0 spaces / unit (1 space / unit)  |  |  |
| xxi)  | Minimum Density   | 24 upnh (NIP)   |  |  |
| xxii)   | Maximum Density   | 150 upnh (NIP)  |  |  |
| xxiii)  | The maximum building height shall be 6 storeys  |   |  |  |
| xxiv)   | Lot Coverage Standards for all Dwelling Types shall be 809  | % (NIP)   |  |  |
| xxv)  | Notwithstanding Table 6.3 Lot Coverage Standards for all I  |   |  |  |
| xxvi)   | Unless otherwise stated, all Dwellings shall conform to the Dwellings in the Urban Residential (UR) Zone, contained in  | standards applying to Street Townhouse  |  |  |
| xxvii)  | Unless otherwise stated, all Back-to-Back Townhouse Dwe and Street Townhouse Dwellings shall conform to the stand Dwellings in the Medium Density Residential 1 (MDR1) Ze | llings, Dual Frontage Townhouse Dwelling<br>lards applying to Street Townhouse                              |  |  |
| xxviii)   | Notwithstanding Section 4.4 a) air conditioners shall be per  | Notwithstanding Section 4.4 a) air conditioners shall be permitted in the front yard for all dwelling units |  |  |
| xxix)   | Air conditioners shall be located a minimum of 0.6 m (1.0)  | from the front, exterior and interior lot line  |  |  |
| xxx)  | Notwithstanding Section 4.6.2 decks and stairs to access a cometres to the interior, exterior and rear lot line. (3 m to rear   |   |  |  |
| xxxi)  Notwithstanding Section 4.8 a) balconies may encroach into a minimum front yard or exterior to 1.0 metres (1.5 m) from the front or exterior lot line and are not subject to maximum projection.   |   |   |  |  |
| xxxii)  | Notwithstanding Section 4.8 a) balconies may project into a lot line. (1.5 m)   | all yards and shall be permitted 0.0 metres   |  |  |
| xxxiii)   | Notwithstanding Section 4.8 c) a bay or box out window mexterior side yard for a maximum distance of 1.0 metres, for foundation. (NIP)                                    |   |  |  |
| xxxiv)  | Notwithstanding Section 4.15 a) 10 (5) model homes shall l  | be permitted.   |  |  |
| xxxv)   | Notwithstanding Section 4.25.2 a porch shall be permitted to the front exterior and interior side lot lines, the maximum  |   |  |  |
| xxxvi)  | Notwithstanding Section 4.25.2 b porch shall be permitted to distance of 4.5 meters (3.0 m)   | to encroach into the required rear yard a   |  |  |
| xxxvii)   | Notwithstanding Section 4.32, Table 4.4, a 4.5 metres (7.0 and collector streets.   | m) sight triangle shall be permitted on loca  |  |  |
| xxxviii)  | Notwithstanding Section 5.2.10 a) on a corner lot the parkinm) to a daylight triangle.  | ng space may be a length of 5.0 metres (5.5   |  |  |
| Notwithstanding Section 5.2.10 c) and d) obstructions may encroach 0.3 metres into requise space width and 0.6 metres into required length. (NIP)  xl)  Notwithstanding Section 5.2.14 b) The maximum driveway width is 7.0 metres provided 25% (40%) of the front or exterior side yard in which the driveway is located is the site of landscaping. |   | encroach 0.3 metres into required parking   |  |  |
|   |   |   |  |  |

| xli)   | Notwithstanding Section 5.2.14 a) the minimum driveway width shall be 3.0 metres (3.0 m)   |
|--------|--|
| xlii)  | In the MDR1-DD Zone, Regulation 5.2.14(b) shall not apply. In its place, the following regulation shall apply: The maximum driveway width is 7.0 metres provided a minimum of 25% (40%) of the front or exterior side yard in which the driveway is located is the site of soft landscaping. |
| xliii) | For the purposes of this zone, Table 6.1, Footnote 2 shall not apply.  |

#### 13.5 EXCEPTIONS - MUI-EE

| 1   | <b>Exception Number</b>                       | EE  |
|-----|---|---|
| 2   | Zone  | MUI (Local Commercial Mixed Use Area)   |
|     |   |   |
| 3 4 | Municipal Address  Additional Permitted Uses: | PART OF LOTS 11 & 12, CONCESSION 11  a) Dwelling, Apartment; subject to MUI- EE zone regulations; b) Long term care facilities and retirement homes; subject to MUI- EE zone regulations; c) Mixed Use Buildings; subject to MUI- EE zone regulations; d) Dwelling, Dual Frontage Townhouse, subject to MDR1-DD zone regulations e) Dwelling, Street Townhouse, subject to MDR1-DD zone regulations f) Dwelling, Back-to-Back Townhouse. Subject to MDR1-DD zone regulations g) Dwelling, Back-to-Back Townhouse. h) Dwelling, Duplex, i) Dwelling, Triplex, j) Dwelling, Multiple k) Places of Worship l) Commercial Fitness Centres m) Financial Institutions and Services n) Office Uses o) Places of Entertainment; p) Private and Commercial Schools q) Public Service Uses and other Institutional Uses r) Specialty Food Stores s) Supermarkets, Pharmacies and Grocery Stores t) Open Air Famers Market u) Community Centre v) Childcare Centres w) Emergency Service Facility x) Library y) Museum z) Public Use aa) School, Private bb) School, Private bb) School, Public cc, Retail Stores dd) Restaurants, Restaurants take-out ee) Service Commercial |
|     |   | ff) Medical Offices gg) Day Nurseries   |
| 5   | Additional<br>Complementary Uses              | a) Home Occupations b) Accessory Apartments c) Special Needs Housing d) Private Home Daycares   |
| 6   | Definitions                                   | <ul> <li>a) Dwelling, Back-to-Back Townhouse – A building where each unit is divided vertically by common walls, including a common rear wall, and has an independent entrance to the unit from the outside accessed through the front yard or exterior side yard.</li> <li>b) Dwelling, Dual Frontage Townhouse - A townhouse dwelling which is fronting a public street with a pedestrian access only and have a driveway access from the rear yard.</li> <li>c) Mixed Use Buildings - A building which contains a combination of permitted nonresidential uses and residential dwelling units.</li> <li>d) Dwelling, Stacked Townhouse – A three or four-storey building divided horizontally and vertically by common walls with more than 5 dwelling units and each unit having an individual entrance directly from the outside and no common corridor. Stacked townhouses may have a common rear wall.</li> </ul>  |
| 7   | Only Permitted Uses                           | N/A   |
| 8   | Uses Prohibited                               | N/A   |
| 9   | Special Provisions                            |   |

|        | public authority.   | 1  |  |
|--------|---|--|--|
| ii)    | Minimum Required Front Yard   | 0.0 m (4.5 m)  |  |
| iii)   | Minimum Required Rear Yard  | 0.0 m (7.5 m)  |  |
| iv)    | Minimum Required Interior Side Yard   | 0.0 m (3.0 m)  |  |
| v)     | Minimum Required Exterior Side Yard   | 0.0 m (6.0 m)  |  |
| vi)    | Maximum Height  | 8 Storeys, (NIP)   |  |
| vii)   | Minimum Density   | 75 upnh(NIP)   |  |
| viii)  | Maximum Density   | 250 upnh (NIP)   |  |
| ix)    | Minimum setback of a parking garage   | 0 m (NIP)  |  |
| x)     | Notwithstanding Section 5.2.11, minimum width of parking aisle  | 6 m (6.7 m)  |  |
| xi)    | Notwithstanding Section 5.5.2, minimum required loading spaces  | 1 space (increases bas<br>on GFA)  |  |
| xii)   | Minimum number of parking spaces – Apartment Dwelling and Multiple Dwelling Units   | 0.90 spaces / unit (1.5 spaces / unit  |  |
| xiii)  | Minimum number of visitor parking spaces – apartment dwellings and multiple dwellings.  | 0.20 spaces / unit (0.2 spaces / unit)   |  |
| xiv)   | Accessory Apartments & Dwelling Units   | 0 spaces / unit (1 spacunit)   |  |
| xv)    | Maximum number of combined visitor and resident parking spaces – Long Term Care Facilities and Retirement Homes   | 0.5 spaces / unit (0.5 spaces / bed)   |  |
| xvi)   | Minimum non-residential parking requirement   | 1 space / 80 sq m (va<br>by use)   |  |
| xvii)  | Maximum commercial GFA shall be 2,300 sq.m  |  |  |
| xviii) | Vehicles associated with a car share program shall be permitted to be park  | ed in required visitor spa   |  |
| xix)   | The total number of minimum required parking spaces may be reduced by parking space provided.   | The total number of minimum required parking spaces may be reduced by 10 for every car-share parking space provided. |  |
| xx)    | For the purposes of this By-law, condominium roads shall be considered public roads for the purpose determining zoning compliance;  |  |  |
| xxi)   | Notwithstanding Section 4.8 a) balconies may project into all yards and sh lot line. (1.5 m)  | all be permitted 0 metres  |  |
| xxii)  | Notwithstanding Section 4.4 air conditioners shall be permitted in the fron front, exterior and interior lot line where the front lot line abuts an OS zone associated with a registered plan of condominium. |  |  |
| xxiii) | For the purposes of this zone, Table 6.1, Footnotes 3, 4, 5 and 8 shall not a   | nnly   |  |

# 13.6 EXCEPTIONS - OS2 - FF

| 1 | Exception Number                 | FF                                  |  |  |
|---|----------------------------------|-------------------------------------|--|--|
| 2 | Zone                             | OS2                                 |  |  |
| 3 | Municipal Address                | PART OF LOTS 11 & 12, CONCESSION 11 |  |  |
| 4 | Additional Permitted Uses:       | a) Neighbourhood Park b) Parkette   |  |  |
| 5 | Additional<br>Complementary Uses | N/A                                 |  |  |
| 6 | Only Permitted Uses              | N/A                                 |  |  |
| 7 | Uses Prohibited                  | N/A                                 |  |  |
| 8 | Special Provisions               |                                     |  |  |
|   | i)                               | N/A                                 |  |  |

# 13.7 EXCEPTIONS - OS3 - GG

| 1 | Exception Number                 | GG  |
|---|----------------------------------|---|
| 2 | Zone                             | OS3   |
| 3 | Municipal Address                | PART OF LOTS 11 & 12, CONCESSION 11   |
| 4 | Additional Permitted Uses:       | <ul> <li>a) Stormwater Management Pond</li> <li>b) Stormwater Management Infrastructure</li> <li>c) Greenbelt Lands</li> <li>d) Parks</li> <li>e) Trails</li> </ul> |
| 5 | Additional<br>Complementary Uses | N/A   |
| 6 | Only Permitted Uses              | N/A   |
| 7 | Uses Prohibited                  | N/A   |
| 8 | Special Provisions               |   |
|   | ii)                              | N/A   |

