



37 King Street Georgetown, Ontario

Update Phase One Environmental Site Assessment

Project Location:

37 King Street, Georgetown, ON

Prepared for:


Habitat for Humanity Halton-Mississauga-Dufferin
1800 Appleby Line, Unit 10
Burlington, ON L7L 6A1

Prepared by:

MTE Consultants
1016 Sutton Drive, Unit A
Burlington, ON L7L 6B8

February 18, 2025

MTE File No.: 60793_001





Contents

1.0	EXECUTIVE SUMMARY	1
2.0	INTRODUCTION	2
(a)	Phase One Property Information	2
3.0	SCOPE OF INVESTIGATION	2
4.0	RECORDS REVIEW	3
(a)	General	3
(i)	Phase One Study Area Determination	3
(ii)	First Developed Use Determination	3
(iii)	Fire Insurance Plans	3
(iv)	Chain of Title	3
(v)	Environmental Reports	3
(b)	Environmental Source Information	4
(i)	Environment Canada	4
(ii)	PCB Information	4
(iii)	Environmental Registry	5
(iv)	Inventory of Coal Gasification Plants	5
(v)	Environmental Incidents, Orders, Offences, Spills and Discharges	5
(vi)	Waste Management Records	5
(vii)	Reports Submitted to the MECP	5
(viii)	Technical Standards and Safety Authority – Fuel Safety Branch	5
(ix)	Access Environment	5
(x)	Areas of Natural Significance	5
(xi)	Landfills	5
(c)	Physical Setting Sources	5
(i)	Aerial Photographs	5
(ii)	Topography, Hydrology, Geology	5
(iii)	Fill Material	6
(iv)	Water Bodies and Areas of Natural Significance	6
(v)	Well Records	6
(d)	Site Operating Records	6
(i)	Regulatory Permits and Records	6
(ii)	Materials Safety Data Sheets (MSDS)	6
(iii)	Underground Utility Drawings	6

	(iv) Inventories of Chemicals and Chemical Storage Areas.....	6
	(v) Inventories of Aboveground and Underground Storage Tanks.....	6
	(vi) Environmental Monitoring Data.....	6
	(vii) Waste Management Records.....	7
	(viii) Process, Production and Maintenance Documents.....	7
	(ix) Records of Spills and Discharges	7
	(x) Spill Prevention, Emergency Response and Contingency Plans.....	7
	(xi) Environmental Audit Reports	7
	(xii) Site Plan of Facility	7
5.0	INTERVIEWS.....	7
6.0	SITE RECONNAISSANCE	7
	(a) General Requirements.....	7
	(b) Specific Observations at Phase One Property	7
	(i) Enhanced Investigation Property	8
	(c) Written Description of Investigation.....	8
	(d) Surrounding Properties in the Phase One Study Area	8
7.0	Review and Evaluation of Information	8
	(i) Current and Past Uses.....	8
	(ii) Potentially Contaminating Activity	8
	(iii) Areas of Potential Environmental Concern.....	9
	(iv) Phase One Conceptual Site Model	9
8.0	CONCLUSIONS	12
9.0	SIGNATURES AND LIMITATIONS	13
10.0	REFERENCES.....	14

Figures

Figure 1	Site Location Map
Figure 2	Site Layout and Features
Figure 3	On-Site PCAs
Figure 4	Off-Site PCAs and Study Area
Figure 5	Areas of Potential Environmental Concern

Appendices

Appendix A	Plan of Survey
Appendix B	ERIS Report
Appendix C	Site Photographs, Interview Questionnaire, Site Inspection
Appendix D	PCA Summary Table
Appendix E	APEC Table
Appendix F	Table of Current and Past Uses

1.0 EXECUTIVE SUMMARY

MTE Consultants Inc. (MTE) was retained by Habitat for Humanity Halton-Mississauga (Habitat for Humanity) to prepare an Update Phase One Environmental Site Assessment (ESA) for the property located at municipal address 37 King Street, Georgetown, Ontario (the “Phase One Property” or “Site”).

This report was completed to update a previous Phase One ESA for the Site that was completed in 2019, and to determine if there have been any changes to the Site or surrounding area since the original report was completed that may result in the identification of new Potentially Contaminating Activities (PCAs) and Areas of Potential Environmental Concern (APECs).

It is noted that this Update Phase One ESA report does not reproduce all the results from the 2019 Phase One ESA report. This Update Phase One ESA report only includes sections where there was additional information, a change in the information presented from the 2019 Phase One ESA report, or where there were additions or modifications to appendices or figures applicable to the current Phase One Property. As a result, this Update Phase One ESA report should be read together with the 2019 Phase One ESA report.

Site Description and History

The Phase One Property is approximately 0.14 hectares (0.34 acres) in area and is located at the northwest corner of the intersection of King Street and Queen Street in a mixed residential and commercial area of Georgetown, Ontario. The Phase One Property is vacant land surrounded by construction fencing.

Historical records indicated that the Exchange Hotel was the first and only previous use of the Site and operated from the 1850s to 2003. The Phase One Property has been unoccupied since 2003 and the former hotel building was removed in 2019.

Previous Phase One and Two ESA Results and Site Remediation

The 2019 Phase One ESA identified APECs at the Site related to former on-Site uses (potential for fill placement and fuel oil and coal use) and because of historical uses at other nearby properties. A Phase Two ESA of the Site was completed to assess the APECs through the collection of soil and groundwater samples. The Phase Two ESA sampling identified contaminants of concern (COCs) in soil fill in the southwestern portion of the Site. Soil remediation through excavation and off-Site disposal was subsequently completed, which was successful in reducing the concentrations of the soil COCs to below the applicable Ministry of the Environment, Conservation and Parks (MECP) 2011 Table 2 Site Condition Standards (SCSs) for residential land use and coarse textured soil. Off-Site PCAs were assessed through groundwater sampling at the Site during the Phase Two ESA. No groundwater COCs were identified.

Following soil remediation, the Site was interpreted to meet the applicable 2011 Table 2 SCSs and a Record of Site Condition (RSC) for residential use (RSC #226109) was filed in October 2019.

Update Phase One ESA Results and Conclusions

During this Update Phase One ESA no new PCAs or APECs were identified, and no additional Phase Two ESA sampling is recommended. The RSC filed in October 2019 is still considered to be valid based on the results of this Update Phase One ESA and the previous Phase Two ESA report.

2.0 INTRODUCTION

(a) Phase One Property Information

The Phase One Property is approximately 0.14 hectares (0.34 acres) in area and is located at the northwest corner of the intersection of King Street and Queen Street in a mixed residential and commercial area of Georgetown, Ontario. The Site is currently unoccupied and there are no buildings on the Site. Refer to **Figure 1** for the Site Location.

The current registered owner of the Site is Habitat for Humanity Halton-Mississauga who was also the registered owner at the time of the 2019 Phase One ESA report.

The property identification number (PIN) for the Site is 25039-0411 (LT). The legal description for the Phase One Property is as follows:

Lots 8, 9 & 10, Plan 37, North of King Street and South of Station Ground; Town of Halton Hills

A Plan of Survey for the Site is included in **Appendix A**.

For ease of discussion, all directions in this Phase One ESA report are in reference to project north as depicted on **Figure 2**, unless otherwise specified.

3.0 SCOPE OF INVESTIGATION

The purpose of this Update to Phase One ESA was to determine if there were new Potentially Contaminating Activities (PCAs) on the Site or in the Phase One Study Area that have occurred since the previous 2019 Phase One ESA, Phase Two ESA and soil remediation were completed. This Update Phase One ESA was prepared under the supervision of a Qualified Person (QP_{ESA}) to support the future filing of a Record of Site Condition (RSC).

The scope of work for the Update Phase One ESA included:

- Review of the 2019 MTE Phase One ESA and Phase Two ESA reports prepared for the Site;
- Review of MECP records on Access Environment and available aerial photographs of the Site and Study Area since 2019;
- Review of a new Environmental Risk Information Services Ltd. (ERIS) environmental database report for the Site and Study Area;
- Site reconnaissance to observe the Phase One Property, adjacent properties, and other properties within the Study Area as they could be viewed from the Phase One Property or public lands;
- Interview with a representative for the current Site owner;
- Review of the PCAs and APECs previously identified in the 2019 Phase One ESA, and updating the on and off-Site PCAs and APECs based on the Update Phase One ESA results (if required); and
- Preparing this Update Phase One ESA report.

4.0 RECORDS REVIEW

The following subsections of Section 4 from the 2019 Phase One ESA were updated to include new information, where obtained. Where no new information was obtained during the Update Phase One ESA, the section has been indicated as “no change”.

(a) General

(i) *Phase One Study Area Determination*

No change. Refer to **Figure 3** for the illustration of the Phase One Study Area.

(ii) *First Developed Use Determination*

No change.

(iii) *Fire Insurance Plans*

No change.

(iv) *Chain of Title*

No change.

(v) *Environmental Reports*

Following the completion of the 2019 Phase One ESA, a Phase Two ESA was completed (MTE, 2019). No other new environmental site assessment reports have been completed. The Phase Two ESA was conducted in accordance with the requirements of O.Reg.153/04 to assess soil and groundwater quality in each of the APECs and support a future Record of Site Condition (RSC) filing.

The scope of work for the Phase Two ESA included the following:

- Drilling nine boreholes, three of which were completed as monitoring wells (see **Figure 4**);
- Collecting soil samples from each borehole for field screening of organic vapour using a field instrument and for possible laboratory analysis;
- Submitting selected soil samples for laboratory analysis of the contaminants of potential concern (COPCs), which included: metals, hydride-forming metals (As, Sb, Se), mercury (Hg), hexavalent chromium (Cr(VI)), sodium adsorption ratio (SAR), electrical conductivity EC), hot water soluble boron (B-HWS), cyanide (CN-), polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), petroleum hydrocarbons (PHCs), benzene, toluene, ethylbenzene, xylene (BTEX) and volatile organic compounds (VOCs) according to chain-of-custody procedures;
- Hand excavation of seven additional test pits to delineate the lateral extent of PCBs in soil;
- Developing and purging monitoring wells and monitoring field chemistry parameters during well development and prior to sampling; and

- Collecting groundwater samples from the monitoring wells for laboratory analysis of one or more of the groundwater COPCs which included metals, As, Sb, Se, Hg, Cr (VI), chloride, cyanide, organochlorine (OC) pesticides, PCBs, PHCs, BTEX and VOCs.

During the Phase Two ESA, the upper soil unit was found to consist of silty sand fill from ground surface to depths up to 3.0m below ground surface (bgs). Some non-soil materials including brick and glass were observed in the fill layer at BH103-18 and MW105-18. Native soil below the fill consisted of fine sand to depths of approximately 12.2m bgs overlying sand and gravel to a depth of approximately 23m bgs.

The results of the Phase Two ESA determined that contaminants of concern (COCs) were present in soil in the southwestern portion of the Site at concentrations above the applicable Ontario Ministry of Environment, Conservation and Parks (MECP) 2011 Table 2 Site Condition Standards (SCSs) for residential land use and coarse textured soil. The COCs identified in soil on the Site included metals (lead), PAHs, and PCBs.

Soil remediation activities (excavation and off-Site disposal) were completed during the Phase Two ESA to remove soil impacted by metals, PAHs, and PCBs at concentrations above the 2011 Table 2 SCSs. The remediation is documented in Appendix B of the Phase Two ESA report. During the remediation approximately 700 tonnes of soil fill was removed from the Site and transported to an MECP approved waste disposal facility as non-hazardous waste. The final remediation area was approximately 108m² and 3.0m deep.

Confirmatory soil samples were collected from the sidewalls and base of the remedial excavation and submitted for analysis of the COCs. The analytical results for all confirmatory soil samples were below the 2011 Table 2 SCSs and therefore the remediation was concluded to be successful. No soil was brought to the Site following the soil remediation. No COCs were identified in groundwater on the Site.

Following the soil remediation, an RSC for residential use (RSC #226109) was filed for the Site in October 2019.

Environmental Risk Information Services Report

MTE contracted Environmental Risk Information Services Ltd. (ERIS), an environmental database and information service company, to commission an updated search of government and private records for information pertaining to the Update Phase One Property and surrounding area. ERIS searched 65 federal, provincial, and private databases. A copy of the ERIS report is provided in **Appendix B**.

No new environmentally significant records were found for the Phase One Property.

A new Ontario Spills database record was identified at 55 Queen Street (Metrolinx) regarding the release of 606L of coolant to the rail line ballast from a train in 2020. The spill was cleaned up and no impacts to the environment were expected. This spill was not interpreted to be a new PCA in the Study Area.

(b) Environmental Source Information

(i) Environment Canada

No change.

(ii) PCB Information

No change.

(iii) Environmental Registry

No change.

(iv) Inventory of Coal Gasification Plants

No change.

(v) Environmental Incidents, Orders, Offences, Spills and Discharges

No change.

(vi) Waste Management Records

No change.

(vii) Reports Submitted to the MECP

No change.

(viii) Technical Standards and Safety Authority – Fuel Safety Branch

No change.

(ix) Access Environment

RSC #226109 for residential use was filed for the Site in October 2019. No new records of environmental concern were identified.

(x) Areas of Natural Significance

No change.

(xi) Landfills

No change. No landfills are located within the Phase One Study Area.

(c) Physical Setting Sources

(i) Aerial Photographs

MTE reviewed additional aerial images of the Site dated October 2019, July 2020, and April 2024 on Google Earth (online). The photo review indicated that former hotel building was removed between October 2019 and July 2020. No other significant changes to the Site or the surrounding land use were observed.

No new PCAs were identified on the Site or in the Study Area based on the supplemental aerial photo review.

(ii) Topography, Hydrology, Geology

Based on the results of Phase Two ESA, the following are updated descriptions of the Site geology and hydrogeology.

Geology

The upper soil unit consisted of silty sand fill from ground surface to depths up to 3.0m bgs. Some non-soil materials including brick and glass were observed in the fill layer at boreholes

BH103-18 and MW105-18. Native soil below the fill consisted of fine sand to depths of approximately 12.2m overlying sand and gravel to a depth of approximately 23m.

Hydrogeology

Hydrogeological characteristics of the Site were assessed through the installation of three monitoring wells with screen depths of between 18.3m and 22.9m bgs. Monitoring well screens were placed with well screens that cross the water table. The depth to groundwater ranged between 20.4 and 21.3m bgs.

Groundwater flow contours were developed during the Phase Two ESA and the inferred groundwater flow direction was southeast.

(iii) Fill Material

The results of the Phase Two ESA borehole drilling identified existing soil fill on the Site. The fill mainly consisted of silty sand. Some non-soil materials including glass and brick, were observed in the upper fill unit. Sampling of the fill was completed during the 2019 Phase Two ESA, which identified COCs including metals (lead), PAHs, and PCBs. Fill containing COCs was removed from the Site during the soil remediation work in 2019.

No soil or excess soil was brought to the Site since the 2019 Phase One ESA was completed.

(iv) Water Bodies and Areas of Natural Significance

No change.

(v) Well Records

A search of MECP water well records identified two new wells installed at 55 Queen Street in 2022 and records for the three wells installed on the Site during the previous Phase Two ESA.

(d) Site Operating Records

(i) Regulatory Permits and Records

No change.

(ii) Materials Safety Data Sheets (MSDS)

No change.

(iii) Underground Utility Drawings

No change.

(iv) Inventories of Chemicals and Chemical Storage Areas

No change.

(v) Inventories of Aboveground and Underground Storage Tanks

No change.

(vi) Environmental Monitoring Data

No change. There was no current environmental monitoring data available for the Site.

(vii) Waste Management Records

No change. No waste management records were available for the Site.

(viii) Process, Production and Maintenance Documents

No change. There were no process, production, or maintenance documents available for review.

(ix) Records of Spills and Discharges

No change. No new records of spills were identified.

(x) Spill Prevention, Emergency Response and Contingency Plans

No change.

(xi) Environmental Audit Reports

No change. There were no environmental compliance audit reports available for the Phase One Property.

(xii) Site Plan of Facility

A copy of the survey plan for the Site is included in **Appendix A**. The approximate locations of historic and current features on the Site are illustrated on **Figure 2**.

5.0 INTERVIEWS

Sarah Golan, Senior Manager, and representative for Habitat for Humanity confirmed that the Site has remained unused land since the 2019 Phase One ESA was completed. It was confirmed that the former building and foundation was removed in early 2019, prior to the Record of Site Condition (RSC) filing in October 2019. No new PCAs were identified based on the updated discussions with the Site owner.

6.0 SITE RECONNAISSANCE

(a) General Requirements

Supplemental Phase One ESA Site reconnaissance was completed on February 4, 2025 by Mr. Mahmoud Mousa, B.Eng. and Mr. Spencer Buck, B.Sc. of MTE. The weather was overcast, and the temperature was approximately -5°C. All areas of the Phase One Property were accessible, but the Site was covered in snow at the time of the Site reconnaissance that limited the ability to observe some surface conditions. Current photographs of the Phase One Property and the Inspection Report are included in **Appendix C**.

(b) Specific Observations at Phase One Property

The Phase One Property is currently unoccupied and there are no buildings on the Site. The Site surface varies in elevation due to the soil remediation excavation completed in the southwestern corner and following the removal of the building in the northeastern corner of the Site in 2019. Three monitoring wells were observed on the Site that were installed during the Phase Two ESA (MTE, 2019) in the northeastern corner, southcentral portion, and the northwestern corner of the Site. The Site is currently secured with construction fencing.

No new environmental concerns were observed and no new on-Site PCAs were identified based on the Site reconnaissance.

(i) Enhanced Investigation Property

No change. The Phase One Property was not classified as an Enhanced Investigation Property.

(c) Written Description of Investigation

During this 2025 Update to Phase One ESA, MTE completed the following:

- Updated review of records since the 2019 Phase One ESA was completed including MECP records through Access Environment, aerial photographs, and an updated ERIS environmental database report;
- Interview with a representative of the Site owner for current information about the Phase One Property;
- Site reconnaissance to observe the Site and Study Area; and
- Re-evaluation of the PCAs and APECs identified in the 2019 Phase One ESA.

(d) Surrounding Properties in the Phase One Study Area

Properties surrounding the Site included:

Direction	Address	Property Use or Occupant
North	55 Queen Street	GO station/Metrolinx
South	King Street, then 60 Queen Street	Public road Residential
East	Queen Street, then 39 King Street	Public road Residential
West	33 King Street	Residential

During the Phase One ESA Site reconnaissance no new environmental concerns were observed and no new off-Site PCAs were identified on surrounding or nearby properties as they could be viewed from the Site or public lands.

7.0 Review and Evaluation of Information

(i) Current and Past Uses

The Table of Current and Past Uses for the Phase One Property is included in **Appendix F**.

(ii) Potentially Contaminating Activity

No new PCAs were identified during this Update Phase One ESA. The PCA Summary Table is included in **Appendix D**. The on-Site PCA locations are illustrated on **Figure 4** and the off-Site PCA locations are illustrated on **Figure 3**.

(iii) Areas of Potential Environmental Concern

No new APECs were identified during this Update Phase One ESA. The APEC Table is included in **Appendix E**. The APEC locations are illustrated on **Figure 4**.

(iv) Phase One Conceptual Site Model

The following was noted with respect to the Phase One CSM:

- (i) There are no buildings on the Site as illustrated on **Figure 2**.
- (ii) There are no water bodies located on or within 30m of the Site.
- (iii) The Phase One Property is not defined as an Environmentally Sensitive Area under O.Reg. 153/04.
- (iv) There are no drinking water wells on the Phase One Property.
- (v) Roads located near the Phase One Property include Queen Street to the southeast and King Street to the south. Other roads within the Study Area are indicated on **Figure 3**.
- (vi) Properties adjoining the Phase One Property include King Street to the south, Queen Street to the east, the Georgetown GO Station/Metrolinx to the north, and a residential dwelling to the west.
- (vii) The locations of the PCAs in the Study Area are illustrated on **Figure 3**. The locations of the PCAs on the Phase One Property are illustrated on **Figure 4**; and
- (viii) The locations of APECs on the Phase One Property are illustrated on **Figure 4**.

Phase One Property Description

The Phase One Property is approximately 0.14 hectares (0.34 acres) in area and is located at the northwest corner of the intersection of King Street and Queen Street in a mixed residential and commercial area of Georgetown, Ontario. The Site is currently unoccupied and there are no buildings on the Site. The general surface topography of the Phase One Property decreases in elevation in the southwest direction.

Phase One Property History

Historical records indicated that the Exchange Hotel was the first and only use of the Site and operated from the 1850s to 2003. The Phase One Property has been unoccupied since 2003, and the building was removed from the Site in 2019.

Proposed Future Use

The proposed future use of the Phase One Property is a new residential development.

Enhanced Investigation Property (EIP)

There have been no industrial uses, drycleaners, or gasoline service stations at the Phase One Property. As a result, the Phase One Property is not classified as an enhanced investigation property (EIP) according to Ontario Regulation 153/04 (as amended).

Areas Where Potentially Contaminating Activity On or Potentially Affecting the Phase One Property Has Occurred

No new PCAs or APECs were identified during this Update Phase One ESA. The PCAs identified on the Site and in the Study Area during the 2019 Phase One ESA are summarized in the PCA Summary Table in **Appendix D** of this report. The on-Site PCA locations are illustrated on **Figure 4** and the off-Site PCA locations are illustrated on **Figure 3**. The APEC locations are illustrated on **Figure 4**. The APEC Table is included in **Appendix E**.

The boundaries of the APECs and the COPCs in each APEC were defined as follows:

- APEC 1 was defined as the entire Phase One Property where fill material of unknown quality (PCA#30) was either encountered during a previous investigation or may have historically been placed. The COPCs in APEC 1 included Metals, As, Sb, Se, Hg, B-HWS, CN-, PAHs, PHCs, BTEX, VOCs, SAR, and EC in soil.
- APEC 2 was defined as the Northern portion of the Phase One Property where gasoline and associated products storage in fixed tanks (PCA#28) were encountered during the Phase One ESA (MTE, 2019) investigation. The COPCs in APEC 2 included PHCs and BTEX in soil.
- APEC 3 was defined as the entire Phase One Property where potential former coal usage and storage was identified during the Phase One ESA (MTE, 2019). The COPCs in APEC 3 included Metals, As, Sb, Se, Hg, PHCs, PAHs in soil.
- APEC 4 was identified as the northern portion of the Phase One Property to assess the potential for contaminants to be migrating to the Site in groundwater from a historical railway corridor (PCA#46) at the north adjoining property. The COPCs in APEC 4 included Metals, As, Sb, Se, OC Pesticides, PHCs, BTEX, and VOCs in groundwater.
- APEC 5 was defined as the northern portion of the Phase One Property to assess the potential for contaminants to be migrating to the Site in groundwater from a former paper mill (PCA#45) operating at 1 & 2 Rosetta Street. The COPCs in APEC 5 included Metals, As, Sb, Se, Hg, Cr(VI), PHCs, BTEX, and VOCs in groundwater.
- APEC 6 was defined as the northeastern portion of the Phase One Property to assess the potential for contaminants to be migrating to the Site in groundwater from two former woodworking companies at 1 Elgin Street that potentially stored paints and solvents (PCA#39,51). The COPCs in APEC 6 included Metals, As, Sb, Se, Hg, Cr(VI), OC Pesticides, PHCs, BTEX, and VOCs in groundwater.
- APEC 7 was defined as the northeastern portion of the Phase One Property to assess the potential for contaminants to be migrating to the Site in groundwater from former greenhouses located at 46-56 King Street that potentially stored and used pesticides (PCA#40). The COPCs in APEC 7 included Metals, As, Sb, Se, Hg, and OC Pesticides in groundwater.
- APEC 8 was defined as the northeastern portion of the Phase One Property to assess the potential for contaminants to be migrating to the Site in groundwater from a former auto repair shop (PCA#27) located at 49 King Street. The COPCs in APEC 8 included Metals, As, Sb, Se, PHCs, BTEX, and VOCs in groundwater.

- APEC 9 was defined as the northeastern portion of the Phase One Property to assess the potential for contaminants to be migrating to the Site in groundwater from a former UST at 49 King Street (PCA#28). The COPCs in APEC 9 included PHCs and BTEX in groundwater.

Potential for Underground Utilities to Affect Contaminant Distribution

The water table occurs at depths greater than 20m and no groundwater contamination was identified at the Site during the Phase Two ESA. Underground utilities are not interpreted to have the potential to affect contaminant distribution.

Regional or site specific geological and hydrogeological information

The Phase One Property is located within a broad physiographic region known as the Niagara Escarpment, which runs from the Niagara River to the northern tip of the Bruce Peninsula, and on through the Manitoulin Islands. The Niagara Escarpment exhibits an association of landforms unique to Ontario that includes steep sided valleys, morainic deposits, and areas stripped of soil and overburden. (Chapman and Putnam, 1984).

The soil stratigraphy at the Site as observed during the 2019 Phase Two ESA consisted of 1.2m to 3.0m bgs of silty sand fill. Native soil below the fill consisted of fine sand to depths of approximately 12.2m bgs overlying sand and gravel to a depth of approximately 23m bgs.

The geodetic ground surface elevation of the Site is approximately 256m above sea level and the UTM coordinates for the approximate center of the Phase One Property are 587,184 metres east and 4,834,106 metres north. The regional surface topography decreases in elevation to the southwest toward Silver Creek.

The depth to groundwater measured in the monitoring wells installed on the Site during the Phase Two ESA (MTE, 2019) ranged from 20.44 and 21.25m bgs. The inferred groundwater flow direction was southeasterly.

Stormwater drainage is directed towards lower lying areas on the Site and catch basins located along the adjoining municipal roadways.

Uncertainty or absence of information that could affect the validity of the CSM

There were no limitations to the Phase One ESA that were interpreted to affect the conclusions or the validity of the CSM.

Phase Two ESA and Soil Remediation

A Phase Two ESA of the Site was completed to assess the APECs listed above as identified by the 2019 Phase One ESA through the collection of soil and groundwater samples. The Phase Two ESA sampling identified contaminants of concern (COCs) in soil fill in the southwestern portion of the Site. Soil remediation through excavation and off-Site disposal was subsequently completed, which was successful in reducing the concentrations of the soil COCs to below the applicable 2011 Table 2 SCSs. Off-Site PCAs were assessed through groundwater sampling at the Site during the Phase Two ESA. No groundwater COCs were identified.

Following soil remediation, the Site was interpreted to meet the applicable 2011 Table 2 SCSs and a Record of Site Condition (RSC) for residential use (RSC #226109) was filed in October 2019.

8.0 CONCLUSIONS

During this Update Phase One ESA no new PCAs or APECs were identified, and no additional Phase Two ESA sampling is recommended.

The RSC filed in October 2019 is still considered to be valid based on the results of this Update Phase One ESA and the previous Phase Two ESA report.

9.0 SIGNATURES AND LIMITATIONS

Services performed by **MTE Consultants Inc.** (MTE) were conducted in a manner consistent with the level of care and skill ordinarily exercised by members of the Environmental Engineering & Consulting profession. No other warranty or representation expressed or implied as to the accuracy of the information, conclusions or recommendations is included or intended in this report.

This report was completed for the sole use of MTE and Habitat for Humanity Halton-Mississauga in accordance with the Scope of Work referred to in Section 3. As such, this report may not deal with all issues potentially applicable to the site and may omit issues, which are or may be of interest to the reader. MTE makes no representation that the present report has dealt with any and all of the important features, including any or all important environmental features, except as provided in the Scope of Work. All findings and conclusions presented in this report are based on site conditions, as they existed during the time period of the investigation. In addition, MTE has relied on information provided by the persons interviewed as part of this study (identified herein) as being accurate and representative. This report is not intended to be exhaustive in scope or to imply a risk-free facility or conditions.

Any use which a third party makes of this report, or any reliance on, or decisions to be made based upon it, are the responsibility of such third parties. MTE accepts no responsibility for liabilities incurred by or damages, if any, suffered by any third party as a result of decisions made or actions taken, based upon this report. Others with interest in the site should undertake their own investigations and studies to determine how or if the condition affects them or their plans.

It should be recognized that the passage of time may affect the views, conclusions, and recommendations (if any) provided in this report because environmental conditions of a property can change. Should additional or new information become available, MTE recommends that it be brought to our attention in order that we may re-assess the contents of this report.

All of which is respectfully submitted,

MTE Consultants Inc.

Spencer Buck, B.Sc.
Manager, Environmental Site Assessment
905-639-2552 ext. 2441
sbuck@mte85.com

Thomas Jones, P.Eng., QP_{ESA}
Division Manager, Environmental
905-639-2552 ext. 2406
tjones@mte85.com

Mahmoud Mousa, B.Eng., EIT
Environmental Engineer-In-Training
905-639-2552 ext. 2466
mmousa@mte85.com

MM/tjj:jmm


M:\60793_001\Environmental\Update Phase One ESA\60793_001_2025-02-18_rpt_Update Phase One ESA_37 King Street, Georgetown.docx


10.0 REFERENCES

The following list of references and sources were reviewed for the purposes of preparing the report:

1. MTE Consultants Inc., February 19, 2019, Phase One Environmental Site Assessment, 37 King Street, Georgetown, ON.
2. MTE Consultants Inc., June 20, 2019, Phase Two Environmental Site Assessment, 37 King Street, Georgetown, ON.


Figures





Engineers, Scientists, Surveyors


PROJECT			PHASE I ENVIRONMENTAL SITE ASSESSMENT UPDATE 37 KING STREET GEORGETOWN, ON		
TITLE					
SITE LOCATION MAP					
Drawn	SXS	Scale	1:200,000	Figure	1
Checked		Project No.	60793_001		
Date (YYYY-MM-DD)		Rev No.	0		
2025-02-19					



LEGEND

- Property Line
- Bell
- Water Line
- Excavation Area





Engineers, Scientists, Surveyors

PROJECT


**PHASE I ENVIRONMENTAL
SITE ASSESSMENT UPDATE**

37 KING STREET
GEORGETOWN, ON

TITLE

SITE LAYOUT AND FEATURES


Drawn	SXS	Scale	1:300	Figure	2
Checked		Project No.	60793_001	Rev No.	
Date (YYYY-MM-DD)					




LEGEND

- Property Line
- 28 PCA
- 28 PCA Resulting in APEC
- 433 Municipal Address
- Inferred Groundwater Flow Direction

- 10. Commercial Autobody Shops
- 27. Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles
- 28. Gasoline and Associated Products Storage in Fixed Tanks
- 34. Metal Fabrication
- 39. Paints Manufacturing, Processing and Bulk Storage
- 40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-scale Applications
- 45. Pulp, Paper and Paperboard Manufacturing and Processing
- 46. Rail Yards, Tracks and Spurs
- 51. Solvent Manufacturing, Processing and Bulk Storage
- 55. Transformer Manufacturing, Processing and Use






Engineers, Scientists, Surveyors


PROJECT		PHASE I ENVIRONMENTAL SITE ASSESSMENT UPDATE 37 KING STREET GEORGETOWN, ON	
TITLE			
ON-SITE PCAs & AREAS OF POTENTIAL ENVIRONMENTAL CONCERN			
Drawn	SXS	Scale	1:2,500
Checked		Project No.	60793_001
Date (YYYY-MM-DD)	2025-02-19	Rev No.	0

Figure
3



- APEC 1 (PCA 30) - Importation of Fill of Unknown Quality (Entire Phase One Property)
- APEC 3 - Potential Former Coal Use (Entire Phase One Property)
- APEC 2 (PCA 28) - Former Heating Oil ASTs in Northwest Portion of Basement of Hotel
- APEC 4 (PCA 46) - Railway Corridor on North Adjoining Property
- APEC 5 (PCA 45) - Former Pulp and Paper Mills to the North
- APEC 6 (PCA 39 and 51) - Former Wood Products and Woodworking Facility to the Northeast
- APEC 7 (PCA 40) - Former Greenhouses to Southeast
- APEC 8 (PCA 27) - Former Auto Repair Shop to Northeast
- APEC 9 (PCA 28) - Former Gasoline UST to Northeast





Engineers, Scientists, Surveyors

PROJECT

PHASE I ENVIRONMENTAL SITE ASSESSMENT UPDATE

37 KING STREET
GEORGETOWN, ON

TITLE

ON-SITE PCAs & AREAS OF POTENTIAL ENVIRONMENTAL CONCERN


Drawn	SXS	Scale	1:300	Figure
Checked		Project No.	60793_001	4
Date (YYYY-MM-DD)		Rev No.	0	
			2025-02-19	

Appendix A

Plan of Survey

HABITAT FOR HUMANITY HALTON
37 KING STREET, GEORGETOWN
PLAN ILLUSTRATING TOPOGRAPHIC DETAIL

HABITAT FOR HUMANITY HALTON
37 KING STREET, GEORGETOWN



VERSION NOTES:		
#	DATE	COMMENTS
1	AUGUST 26, 2015	ORIGINAL - EXISTING TOPOGRAPHIC DETAIL
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		
25		
26		
27		
28		
29		
30		
31		
32		
33		
34		
35		
36		
37		
38		
39		
40		
41		
42		
43		
44		
45		
46		
47		
48		
49		
50		
51		
52		
53		
54		
55		
56		
57		
58		
59		
60		
61		
62		
63		
64		
65		
66		
67		
68		
69		
70		
71		
72		
73		
74		
75		
76		
77		
78		
79		
80		
81		
82		
83		
84		
85		
86		
87		
88		
89		
90		
91		
92		
93		
94		
95		
96		
97		
98		
99		
100		

HABITAT FOR HUMANITY HALTON
37 KING STREET, GEORGETOWN

SURVEYOR'S CERTIFICATE		
I CERTIFY THAT:		
1. THE FIELD WORK ON THIS PLAN WAS COMPLETED ON THE 11th DAY OF AUGUST, 2015.		
LOCAL BENCHMARK - SPIKE IN S.W. FACE OF HYDRO POLE, 0.25 ABOVE GRADE, NORTH SIDE OF KING STREET, WEST SIDE OF QUEEN STREET - ELEVATION 258.15m GEODETIC.		
DATE	AUGUST 26, 2015	DAN C. DOLLIVER Ontario Land Surveyor

NOTE:	
THIS PLAN REFLECTS CONDITIONS AT THE TIME OF THE SURVEY. UPDATING MAY BE REQUIRED IN ORDER TO ISSUE ADDITIONAL COPIES SUBSEQUENT TO DATE OF THIS PLAN.	
LOCAL BENCHMARK - SPIKE IN S.W. FACE OF HYDRO POLE, 0.25 ABOVE GRADE, NORTH SIDE OF KING STREET, WEST SIDE OF QUEEN STREET - ELEVATION 258.15m GEODETIC.	
© DSI 2015 NO PERSON MAY COPY, REPRODUCE, DISTRIBUTE OR ALTER THIS PLAN IN WHOLE OR IN PART WITHOUT WRITTEN PERMISSION FROM DOLLIVER SURVEYING INC.	

LEGEND	
+	DENOTES HYDRO SERVICE
-	NATURAL GAS SERVICE
o	BELL CANADA SERVICE
h	HYDRO POLE
l	LIGHT POLE
o	CONFEROUS TREE 0.10 DIAMETER
o	DECIDUOUS TREE 0.10 DIAMETER
o	MANHOLE
o	CATCH BASIN
o	WATER VALVE
o	NOT TO SCALE

NOTES	
1) BEARINGS SHOWN HEREON ARE GRID BEARINGS AND ARE DERIVED FROM NETWORK REAL TIME GPS OBSERVATIONS AND REFERRED TO THE UTM PROJECTION ZONE 17, NAD83(CSRS 2010)	
2) BOUNDARIES SHOWN IN HEAVY OUTLINE ARE IN ACCORDANCE WITH PRIOR PLANS AND DEEDS. INDIVIDUAL BEARINGS ROTATED TO A COMMON BASE AS REQUIRED.	
METRIC	
ALL DISTANCES & ELEVATIONS SHOWN HEREON ARE IN METRES AND CAN BE CONVERTED TO FEET BY DIVIDING BY 0.3048.	

VERTICAL DATUM	
ELEVATIONS SHOWN HEREON ARE GEODETIC AND ARE DERIVED FROM NETWORK REAL TIME GPS OBSERVATIONS ON PERMANENT GPS REFERENCE STATIONS. DATUM IS KNOWN AS CANADIAN GEODETIC VERTICAL DATUM 1928 (CGVD28), HYBRIDIZED AS HEIGHT-TRANSFER SYSTEM 2000+ (ALSO KNOWN AS HT2000)	
HORIZONTAL DATUM	
NAD 83 (CSRS-2010)	
PROJECTION	
UNIVERSAL TRANSVERSE MERCATOR - UTM ZONE 17	
COMBINED SCALE FACTOR	
0.99968868	

KEY PLAN - NOT TO SCALE	
THIS PLAN ILLUSTRATING TOPOGRAPHIC DETAIL IS NOT A PLAN OF SURVEY, NOR A SURVEYOR'S REAL PROPERTY REPORT. IT SHALL NOT BE USED FOR MORTGAGE OR TRANSACTIONAL PURPOSES.	
NOTE THAT ANY AND ALL SERVICES ARE SHOWN IN APPROXIMATE POSITIONS ONLY AND ALL SERVICES INCLUDING BUT NOT LIMITED TO NATURAL GAS, BELL CANADA, HYDRO, SANITARY AND STORM SEWERS MUST BE LOCATED BY THE RESPECTIVE UTILITY PRIOR TO CONSTRUCTION OR EXCAVATION OF ANY KIND.	
THE DEPTH AND SIZES OF BURIED SERVICES CANNOT BE GUARANTEED AND MUST BE EXCAVATED TO DETERMINE SIZES, LOCATIONS AND DEPTHS.	
OTHER BURIED UTILITIES MAY EXIST WHICH ARE NOT SHOWN BECAUSE OF INSUFFICIENT INFORMATION.	

DOLLIVER SURVEYING INC.	
ONTARIO LAND SURVEYOR	
54 MILL STREET EAST HALTON HILLS (ACTON), ONTARIO L7J 1H3	
TEL (519) 853-2502	
E-mail: surveys@dolliver.com	
Plot Scale: 1:150	File No: 897-3GR1D

Appendix B

ERIS Report



DATABASE REPORT

Project Property:	<i>37 King Street, Georgetown 37 King Street Georgetown ON L7G 2G9</i>
Project No:	<i>60793_001</i>
Report Type:	<i>Standard Report</i>
Order No:	<i>25012400440</i>
Requested by:	<i>MTE Consultants Inc.</i>
Date Completed:	<i>January 27, 2025</i>

Environmental Risk Information Services

A division of Glacier Media Inc.

1.866.517.5204 | info@erisinfo.com | erisinfo.com

Table of Contents

Table of Contents.....	2
Executive Summary.....	3
Executive Summary: Report Summary.....	4
Executive Summary: Site Report Summary - Project Property.....	7
Executive Summary: Site Report Summary - Surrounding Properties.....	8
Executive Summary: Summary By Data Source.....	17
Map.....	29
Aerial.....	30
Topographic Map.....	31
Detail Report.....	32
Unplottable Summary.....	109
Unplottable Report.....	111
Appendix: Database Descriptions.....	126
Definitions.....	136

Notice: IMPORTANT LIMITATIONS and YOUR LIABILITY

Reliance on information in Report: This report DOES NOT replace a full Phase I Environmental Site Assessment but is solely intended to be used as a database review of environmental records.

License for use of information in Report: No page of this report can be used without this cover page, this notice and the project property identifier. The information in Report(s) may not be modified or re-sold.

Your Liability for misuse: Using this Service and/or its reports in a manner contrary to this Notice or your agreement will be in breach of copyright and contract and ERIS may obtain damages for such mis-use, including damages caused to third parties, and gives ERIS the right to terminate your account, rescind your license to any previous reports and to bar you from future use of the Service.

No warranty of Accuracy or Liability for ERIS: The information contained in this report has been produced by ERIS Information Limited Partnership ("ERIS") using various sources of information, including information provided by Federal and Provincial government departments. The report applies only to the address and up to the date specified on the cover of this report, and any alterations or deviation from this description will require a new report. This report and the data contained herein does not purport to be and does not constitute a guarantee of the accuracy of the information contained herein and does not constitute a legal opinion nor medical advice. Although ERIS has endeavored to present you with information that is accurate, ERIS disclaims, any and all liability for any errors, omissions, or inaccuracies in such information and data, whether attributable to inadvertence, negligence or otherwise, and for any consequences arising therefrom. Liability on the part of ERIS is limited to the monetary value paid for this report.

Trademark and Copyright: You may not use the ERIS trademarks or attribute any work to ERIS other than as outlined above. This Service and Report (s) are protected by copyright owned by ERIS Information Limited Partnership. Copyright in data used in the Service or Report(s) (the "Data") is owned by ERIS or its licensors. The Service, Report(s) and Data may not be copied or reproduced in whole or in any substantial part without prior written consent of ERIS.

Executive Summary

Property Information:

Project Property: 37 King Street, Georgetown
37 King Street Georgetown ON L7G 2G9

Project No: 60793_001

Coordinates:

Latitude: 43.6549761
Longitude: -79.9186799
UTM Northing: 4,834,109.19
UTM Easting: 587,183.30
UTM Zone: 17T

Elevation: 842 FT
256.54 M

Order Information:

Order No: 25012400440
Date Requested: January 24, 2025
Requested by: MTE Consultants Inc.
Report Type: Standard Report

Historical/Products:

ERIS Xplorer [ERIS Xplorer](#)

Executive Summary: Report Summary

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
AAGR	<i>Abandoned Aggregate Inventory</i>	Y	0	0	0
AGR	<i>Aggregate Inventory</i>	Y	0	0	0
AMIS	<i>Abandoned Mine Information System</i>	Y	0	0	0
ANDR	<i>Anderson's Waste Disposal Sites</i>	Y	0	0	0
AST	<i>Aboveground Storage Tanks</i>	Y	0	0	0
AUWR	<i>Automobile Wrecking & Supplies</i>	Y	0	0	0
BORE	<i>Borehole</i>	Y	0	0	0
CA	<i>Certificates of Approval</i>	Y	0	2	2
CDRY	<i>Dry Cleaning Facilities</i>	Y	0	0	0
CFOT	<i>Commercial Fuel Oil Tanks</i>	Y	0	2	2
CHEM	<i>Chemical Manufacturers and Distributors</i>	Y	0	0	0
CHM	<i>Chemical Register</i>	Y	0	0	0
CNG	<i>Compressed Natural Gas Stations</i>	Y	0	0	0
COAL	<i>Inventory of Coal Gasification Plants and Coal Tar Sites</i>	Y	0	0	0
CONV	<i>Compliance and Convictions</i>	Y	0	0	0
CPU	<i>Certificates of Property Use</i>	Y	0	0	0
DRL	<i>Drill Hole Database</i>	Y	0	0	0
DTNK	<i>Delisted Fuel Tanks</i>	Y	0	0	0
EASR	<i>Environmental Activity and Sector Registry</i>	Y	0	0	0
EBR	<i>Environmental Registry</i>	Y	0	0	0
ECA	<i>Environmental Compliance Approval</i>	Y	0	14	14
EEM	<i>Environmental Effects Monitoring</i>	Y	0	0	0
EHS	<i>ERIS Historical Searches</i>	Y	1	11	12
EIIS	<i>Environmental Issues Inventory System</i>	Y	0	0	0
EMHE	<i>Emergency Management Historical Event</i>	Y	0	0	0
EPAR	<i>Environmental Penalty Annual Report</i>	Y	0	0	0
EXP	<i>List of Expired Fuels Safety Facilities</i>	Y	0	0	0
FCON	<i>Federal Convictions</i>	Y	0	0	0
FCS	<i>Contaminated Sites on Federal Land</i>	Y	0	0	0
FOFT	<i>Fisheries & Oceans Fuel Tanks</i>	Y	0	0	0
FRST	<i>Federal Identification Registry for Storage Tank Systems (FIRSTS)</i>	Y	0	0	0
FST	<i>Fuel Storage Tank</i>	Y	0	0	0
FSTH	<i>Fuel Storage Tank - Historic</i>	Y	0	0	0
GEN	<i>Ontario Regulation 347 Waste Generators Summary</i>	Y	0	45	45
GHG	<i>Greenhouse Gas Emissions from Large Facilities</i>	Y	0	0	0
HINC	<i>TSSA Historic Incidents</i>	Y	0	0	0
IAFT	<i>Indian & Northern Affairs Fuel Tanks</i>	Y	0	0	0

Database	Name	Searched	Project Property	Within 0.25 km	Total
INC	<i>Fuel Oil Spills and Leaks</i>	Y	0	5	5
LIMO	<i>Landfill Inventory Management Ontario</i>	Y	0	0	0
MINE	<i>Canadian Mine Locations</i>	Y	0	0	0
MNR	<i>Mineral Occurrences</i>	Y	0	0	0
NATE	<i>National Analysis of Trends in Emergencies System (NATES)</i>	Y	0	0	0
NCPL	<i>Non-Compliance Reports</i>	Y	0	0	0
NDFT	<i>National Defense & Canadian Forces Fuel Tanks</i>	Y	0	0	0
NDSP	<i>National Defense & Canadian Forces Spills</i>	Y	0	0	0
NDWD	<i>National Defence & Canadian Forces Waste Disposal Sites</i>	Y	0	0	0
NEBI	<i>National Energy Board Pipeline Incidents</i>	Y	0	0	0
NEBP	<i>National Energy Board Wells</i>	Y	0	0	0
NEES	<i>National Environmental Emergencies System (NEES)</i>	Y	0	0	0
NPCB	<i>National PCB Inventory</i>	Y	0	6	6
NPR2	<i>National Pollutant Release Inventory</i>	Y	0	0	0
NPRI	<i>National Pollutant Release Inventory - Historic</i>	Y	0	0	0
OGWE	<i>Oil and Gas Wells</i>	Y	0	0	0
OOGW	<i>Ontario Oil and Gas Wells</i>	Y	0	0	0
OPCB	<i>Inventory of PCB Storage Sites</i>	Y	0	0	0
ORD	<i>Orders</i>	Y	0	0	0
PAP	<i>Canadian Pulp and Paper</i>	Y	0	0	0
PCFT	<i>Parks Canada Fuel Storage Tanks</i>	Y	0	0	0
PES	<i>Pesticide Register</i>	Y	0	0	0
PFAS	<i>Ontario PFAS Spills</i>	Y	0	0	0
PFCH	<i>NPRI Reporters - PFAS Substances</i>	Y	0	0	0
PFHA	<i>Potential PFAS Handlers from NPRI</i>	Y	0	0	0
PINC	<i>Pipeline Incidents</i>	Y	0	1	1
PPHA	<i>Potential PFAS Handlers from EASR</i>	Y	0	0	0
PRT	<i>Private and Retail Fuel Storage Tanks</i>	Y	0	0	0
PTTW	<i>Permit to Take Water</i>	Y	0	0	0
REC	<i>Ontario Regulation 347 Waste Receivers Summary</i>	Y	0	1	1
RSC	<i>Record of Site Condition</i>	Y	1	0	1
RST	<i>Retail Fuel Storage Tanks</i>	Y	0	0	0
SCT	<i>Scott's Manufacturing Directory</i>	Y	0	6	6
SPL	<i>Ontario Spills</i>	Y	0	4	4
SRDS	<i>Wastewater Discharger Registration Database</i>	Y	0	0	0
TANK	<i>Anderson's Storage Tanks</i>	Y	0	0	0
TCFT	<i>Transport Canada Fuel Storage Tanks</i>	Y	0	0	0
VAR	<i>Variances for Abandonment of Underground Storage Tanks</i>	Y	0	0	0
WDS	<i>Waste Disposal Sites - MOE CA Inventory</i>	Y	0	0	0
WDSH	<i>Waste Disposal Sites - MOE 1991 Historical Approval Inventory</i>	Y	0	0	0
WWIS	<i>Water Well Information System</i>	Y	3	6	9

<i>Database</i>	<i>Name</i>	<i>Searched</i>	<i>Project Property</i>	<i>Within 0.25 km</i>	<i>Total</i>
<hr/>					
		Total:	5	103	108

Executive Summary: Site Report Summary - Project Property

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev diff (m)	Page Number
<u>1</u>	WWIS		37 KING STREET GEORGETOWN ON <i>Well ID:</i> 7310130	SE/13.6	-0.37	<u>32</u>
<u>2</u>	RSC	HABITAT FOR HUMANITY HALTON/MISSISSAUGA	37 KING STREET ON Halton Hills ON	NE/16.6	0.36	<u>35</u>
<u>3</u>	EHS		37 King Street Georgetown ON	ENE/16.8	0.36	<u>35</u>
<u>4</u>	WWIS		37 KING ST GEORGETOWN ON <i>Well ID:</i> 7310131	W/21.3	-1.38	<u>36</u>
<u>5</u>	WWIS		37 KIG STREET GEORGETOWN ON <i>Well ID:</i> 7310132	ENE/30.5	1.07	<u>39</u>

Executive Summary: Site Report Summary - Surrounding Properties

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>6</u>	EHS		King St Queen St Georgetown ON	NNW/54.1	0.95	<u>42</u>
<u>7</u>	WWIS		55 QUEEN ST ON Well ID: 7291954	NW/61.4	0.66	<u>42</u>
<u>8</u>	GEN	GO Transit	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>45</u>
<u>8</u>	GEN	GO Transit	55 Queen Street Georgetown ON	N/62.7	1.36	<u>45</u>
<u>8</u>	GEN	GO Transit	55 Queen Street Georgetown ON	N/62.7	1.36	<u>46</u>
<u>8</u>	GEN	GO Transit	55 Queen Street Georgetown ON	N/62.7	1.36	<u>46</u>
<u>8</u>	GEN	GO Transit	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>46</u>
<u>8</u>	EHS		55 Queen St Halton Hills ON L7G2G2	N/62.7	1.36	<u>47</u>
<u>8</u>	GEN	Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>47</u>
<u>8</u>	GEN	Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>47</u>
<u>8</u>	GEN	GO Transit	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>48</u>
<u>8</u>	GEN	Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>48</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
<u>8</u>	EHS		55 Queen St Halton Hills ON L7G2G2	N/62.7	1.36	<u>48</u>
<u>8</u>	GEN	Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>49</u>
<u>8</u>	SPL	Metrolinx	55 Queen St Georgetown Halton Hills ON L7G 2G9	N/62.7	1.36	<u>49</u>
<u>8</u>	GEN	Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>50</u>
<u>8</u>	GEN	Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N/62.7	1.36	<u>50</u>
<u>9</u>	EHS		between John St. and King St. Halton Hills ON	N/73.6	1.78	<u>53</u>
<u>10</u>	INC		50 Queen Street, Georgetown ON	S/109.5	-3.79	<u>53</u>
<u>11</u>	EHS		Georgetown GO Station Halton Hills ON	NE/110.4	3.08	<u>54</u>
<u>12</u>	WWIS		55 QUEEN ST ON Well ID: 7291955	W/120.4	-4.07	<u>54</u>
<u>13</u>	WWIS		55 QUEEN ST ON Well ID: 7291953	NW/128.8	2.01	<u>57</u>
<u>14</u>	CA	The Regional Municipality of Halton	Within the right-of-way of Queen Street and Murdock St Georgetown Halton Hills ON	SW/132.5	-6.36	<u>59</u>
<u>14</u>	ECA	The Regional Municipality of Halton	Within the right-of-way of Queen Street and Murdock St Georgetown Halton Hills ON L6M 3L1	SW/132.5	-6.36	<u>60</u>
<u>15</u>	CFOT	DOUG WILTSHIRE	35 ALBERT ST GEORGETOWN ON	SSE/134.3	-2.42	<u>60</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
16	INC		4 Murdock Street, Georgetown ON	S/139.0	-3.69	60
17	NPCB	PROVINCIAL PAPERS	DIV. OF ABITIBI-PRICE; 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NNE/163.7	3.31	61
17	GEN	ABITIBI/PROVINCIAL PAPERS	1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NNE/163.7	3.31	61
17	GEN	ABITIBI-PRICE INC.	PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	NNE/163.7	3.31	61
17	GEN	ABITIBI-PRICE (OUT OF BUS) 01-001	PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	NNE/163.7	3.31	62
17	GEN	ABITIBI-PRICE (OUT OF BUS)	PROVINCIAL PAPERS DIVISION 1 ROSETTA STREET HALTON HILLS ON L7C 3P1	NNE/163.7	3.31	63
17	GEN	Kingsbury Technologies	1 Rosetta St., Unit 4 Georgetown ON L7G 3P1	NNE/163.7	3.31	64
17	NPCB	Abitibi- Price (was PROVINCIAL PAPERS)	1 ROSETTA STREET DIV. OF ABITIBI-PRICE Georgetown ON L7G 3P1	NNE/163.7	3.31	64
17	SCT	Toronto Ornamental Precast Inc	1 Rosetta St Unit 7 Georgetown ON L7G 3P1	NNE/163.7	3.31	65
17	NPCB	ABITIBI-PRICE(WAS PROVINCIAL PAPERS)	DIV. OF ABITIBI-PRICE 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NNE/163.7	3.31	65
17	CA	792873 Ontario Limited	1 Rosetta St Halton Hills ON	NNE/163.7	3.31	69
17	GEN	Kingsbury Technologies	1 Rosetta St., Unit 4 Georgetown ON	NNE/163.7	3.31	69

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
17	ECA	792873 Ontario Limited	1 Rosetta St Halton Hills ON L5N 3E7	NNE/163.7	3.31	70
17	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE/163.7	3.31	70
17	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE/163.7	3.31	70
17	GEN	Byron Equities Inc	1 Rosetta St Unit 1 Georgetown ON L7G 3P1	NNE/163.7	3.31	71
17	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE/163.7	3.31	72
17	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE/163.7	3.31	72
17	GEN	Furniture Renew Inc	1 Rosetta St. Unit 12 Georgetown ON L7G 3P1	NNE/163.7	3.31	72
17	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE/163.7	3.31	74
17	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE/163.7	3.31	74
17	REC	ABITIBI/PROVINCIAL PAPERS	1/2LOT 30 CONC. 5, HALTON HILLS 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NNE/163.7	3.31	74
17	GEN	KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE/163.7	3.31	76
18	WWIS		JOHN ST. AND MCNABB ST GEORGETOWN ON Well ID: 7191307	W/167.5	-4.90	79
19	EHS		Georgeotwn Layover Halton Hills ON L7G	WNW/169.6	1.73	81

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>20</u>	WWIS		JOHN ST + MCNABB ST GEORGETOWN ON Well ID: 7191309	WNW/173.2	-1.12	<u>81</u>
<u>21</u>	CFOT	ROBERT MARCHAND	6 KING ST GEORGETOWN ON	WSW/175.5	-7.70	<u>84</u>
<u>22</u>	INC		36 Queen Street, Georgetown ON L7G 2E6	SSW/193.3	-6.58	<u>84</u>
<u>23</u>	SPL	MAPLE LEAF FOODS INC.	1 ELGIN STREET, ACTON ACTON - BEARDMORE TANNERY. 1 ELGIN STREET HALTON HILLS TOWN ON L7G 3M2	ENE/193.6	3.31	<u>85</u>
<u>23</u>	EHS		1 Elgin Street Halton Hills (Georgetown) ON L7G 3M2	ENE/193.6	3.31	<u>86</u>
<u>23</u>	EHS		1 Elgin St Halton Hills ON L7G3M2	ENE/193.6	3.31	<u>86</u>
<u>23</u>	ECA	FRB Five Inc.	1 Elgin St Halton Hills ON L7G 3M2	ENE/193.6	3.31	<u>86</u>
<u>23</u>	SPL	Canadian National Railway	1 Elgin St Halton Hills ON L7G 3M2	ENE/193.6	3.31	<u>87</u>
<u>23</u>	EHS		1 Elgin Street Georgetown ON L7G 3M2	ENE/193.6	3.31	<u>87</u>
<u>24</u>	WWIS		55 QUEEN ST ON Well ID: 7291952	NW/203.5	3.31	<u>88</u>
<u>25</u>	EHS		59-63 King Street Halton Hills ON	E/205.8	3.31	<u>90</u>
<u>26</u>	EHS		1 Rosetta Street Georgetown ON L7G 3P1	NNE/206.6	3.57	<u>90</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>91</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>91</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>91</u>
<u>27</u>	ECA	Corporation of the Town of Halton Hills	Halton Hills ON L7G 5G2	S/241.9	-3.33	<u>91</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>92</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>92</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>92</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>92</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>93</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>93</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L5J 1L3	S/241.9	-3.33	<u>93</u>
<u>27</u>	ECA	The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S/241.9	-3.33	<u>94</u>
<u>28</u>	NPCB	ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>94</u>
<u>28</u>	SCT	LABELMASTERS	2 ROSETTA ST GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>94</u>
<u>28</u>	SCT	CANADIAN COATED PAPERS INC.	2 ROSETTA ST GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>94</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>28</u>	SCT	Applied Wiring (Georgetown) Inc.	2 Rosetta St Georgetown ON L7G 3P2	NE/242.6	2.75	<u>95</u>
<u>28</u>	SCT	Applied Wiring Assemblies Inc.	2 Rosetta St Georgetown ON L7G 3P2	NE/242.6	2.75	<u>95</u>
<u>28</u>	GEN	LABELMASTERS	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>95</u>
<u>28</u>	GEN	LABELMASTERS	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>95</u>
<u>28</u>	GEN	LABELMASTERS 24-330	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>96</u>
<u>28</u>	GEN	Engineered Data Products Inc.	2 Rosetta Street Georgetown ON L7G 3P2	NE/242.6	2.75	<u>96</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>97</u>
<u>28</u>	SCT	Applied Wiring Assemblies Inc.	2 Rosetta St Georgetown ON L7G 3P2	NE/242.6	2.75	<u>97</u>
<u>28</u>	NPCB	ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET Georgetown ON L7G 3P2	NE/242.6	2.75	<u>98</u>
<u>28</u>	NPCB	ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>98</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	NE/242.6	2.75	<u>99</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	NE/242.6	2.75	<u>99</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	NE/242.6	2.75	<u>99</u>

Map Key	DB	Company/Site Name	Address	Dir/Dist (m)	Elev Diff (m)	Page Number
<u>28</u>	GEN	engineered data products	2 Rosetta Street Georgetown ON	NE/242.6	2.75	<u>100</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>100</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	NE/242.6	2.75	<u>100</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>101</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>101</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>101</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>102</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>102</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>102</u>
<u>28</u>	GEN	APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE/242.6	2.75	<u>103</u>
<u>29</u>	SPL	Union Gas Limited	24 John St. Halton Hills ON	WNW/244.1	3.31	<u>105</u>
<u>29</u>	PINC	PIPELINE HIT 1 1/4"	24 JOHN ST.,,HALTON,ON,L7G 2J7,CA ON	WNW/244.1	3.31	<u>106</u>
<u>30</u>	INC		10 JOHN STREET, HALTON HILLS ON	WNW/247.3	0.84	<u>106</u>

<i>Map Key</i>	<i>DB</i>	<i>Company/Site Name</i>	<i>Address</i>	<i>Dir/Dist (m)</i>	<i>Elev Diff (m)</i>	<i>Page Number</i>
31	INC		8 JOHN STREET, GEORGETOWN ON L7G 2J7	W/248.0	0.26	107

Executive Summary: Summary By Data Source

CA - Certificates of Approval

A search of the CA database, dated 1985-Oct 30, 2011* has found that there are 2 CA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
792873 Ontario Limited	1 Rosetta St Halton Hills ON	NNE	163.73	<u>17</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
The Regional Municipality of Halton	Within the right-of-way of Queen Street and Murdock St Georgetown Halton Hills ON	SW	132.48	<u>14</u>

CFOT - Commercial Fuel Oil Tanks

A search of the CFOT database, dated Oct 2023 has found that there are 2 CFOT site(s) within approximately 0.25 kilometers of the project property.

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
DOUG WILTSHIRE	35 ALBERT ST GEORGETOWN ON	SSE	134.27	<u>15</u>
ROBERT MARCHAND	6 KING ST GEORGETOWN ON	WSW	175.54	<u>21</u>

ECA - Environmental Compliance Approval

A search of the ECA database, dated Oct 2011-Oct 31, 2024 has found that there are 14 ECA site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
792873 Ontario Limited	1 Rosetta St Halton Hills ON L5N 3E7	NNE	163.73	<u>17</u>
FRB Five Inc.	1 Elgin St Halton Hills ON L7G 3M2	ENE	193.61	<u>23</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
<u>Lower Elevation</u>				
The Regional Municipality of Halton	Within the right-of-way of Queen Street and Murdock St Georgetown Halton Hills ON L6M 3L1	SW	132.48	<u>14</u>
The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S	241.86	<u>27</u>
The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S	241.86	<u>27</u>
The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S	241.86	<u>27</u>
The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S	241.86	<u>27</u>
Corporation of the Town of Halton Hills	Halton Hills ON L7G 5G2	S	241.86	<u>27</u>
The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S	241.86	<u>27</u>
The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S	241.86	<u>27</u>
The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S	241.86	<u>27</u>
The Regional Municipality of Halton	Halton Hills ON L5J 1L3	S	241.86	<u>27</u>
The Regional Municipality of Halton	Halton Hills ON L6M 3L1	S	241.86	<u>27</u>

EHS - ERIS Historical Searches

A search of the EHS database, dated 1999-Aug 31, 2024 has found that there are 12 EHS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	37 King Street Georgetown ON	ENE	16.76	3
	King St Queen St Georgetown ON	NNW	54.07	6
	55 Queen St Halton Hills ON L7G2G2	N	62.74	8
	55 Queen St Halton Hills ON L7G2G2	N	62.74	8
	between John St. and King St. Halton Hills ON	N	73.58	9
	Georgetown GO Station Halton Hills ON	NE	110.44	11
	Georgeotwn Layover Halton Hills ON L7G	WNW	169.64	19
	1 Elgin Street Georgetown ON L7G 3M2	ENE	193.61	23
	1 Elgin St Halton Hills ON L7G3M2	ENE	193.61	23

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	1 Elgin Street Halton Hills (Georgetown) ON L7G 3M2	ENE	193.61	<u>23</u>
	59-63 King Street Halton Hills ON	E	205.84	<u>25</u>
	1 Rosetta Street Georgetown ON L7G 3P1	NNE	206.56	<u>26</u>

GEN - Ontario Regulation 347 Waste Generators Summary

A search of the GEN database, dated 1986-Nov 30, 2022 has found that there are 45 GEN site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
GO Transit	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>
GO Transit	55 Queen Street Georgetown ON	N	62.74	<u>8</u>
GO Transit	55 Queen Street Georgetown ON	N	62.74	<u>8</u>
GO Transit	55 Queen Street Georgetown ON	N	62.74	<u>8</u>
GO Transit	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>
Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>
Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
GO Transit	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>
Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>
Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>
Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>
Metrolinx	55 Queen Street Georgetown ON L7G 2E5	N	62.74	<u>8</u>
ABITIBI/PROVINCIAL PAPERS	1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NNE	163.73	<u>17</u>
ABITIBI-PRICE INC.	PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	NNE	163.73	<u>17</u>
ABITIBI-PRICE (OUT OF BUS) 01-001	PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1	NNE	163.73	<u>17</u>
ABITIBI-PRICE (OUT OF BUS)	PROVINCIAL PAPERS DIVISION 1 ROSETTA STREET HALTON HILLS ON L7C 3P1	NNE	163.73	<u>17</u>
Kingsbury Technologies	1 Rosetta St., Unit 4 Georgetown ON L7G 3P1	NNE	163.73	<u>17</u>
Kingsbury Technologies	1 Rosetta St., Unit 4 Georgetown ON	NNE	163.73	<u>17</u>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE	163.73	<u>17</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE	163.73	<u>17</u>
Byron Equities Inc	1 Rosetta St Unit 1 Georgetown ON L7G 3P1	NNE	163.73	<u>17</u>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE	163.73	<u>17</u>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE	163.73	<u>17</u>
Furniture Renew Inc	1 Rosetta St. Unit 12 Georgetown ON L7G 3P1	NNE	163.73	<u>17</u>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE	163.73	<u>17</u>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE	163.73	<u>17</u>
KINGSBURY WOOD FINISHING INC.	1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	NNE	163.73	<u>17</u>
LABELMASTERS	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>
LABELMASTERS	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>
LABELMASTERS 24-330	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Engineered Data Products Inc.	2 Rosetta Street Georgetown ON L7G 3P2	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	NE	242.59	<u>28</u>
engineered data products	2 Rosetta Street Georgetown ON	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	28
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	28
APPLIED WIRING ASSEMBLIES INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	28

INC - Fuel Oil Spills and Leaks

A search of the INC database, dated 31 Oct, 2023 has found that there are 5 INC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	10 JOHN STREET, HALTON HILLS ON	WNW	247.33	30
	8 JOHN STREET, GEORGETOWN ON L7G 2J7	W	248.01	31

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	50 Queen Street, Georgetown ON	S	109.51	10
	4 Murdock Street, Georgetown ON	S	138.99	16
	36 Queen Street, Georgetown ON L7G 2E6	SSW	193.29	22

NPCB - National PCB Inventory

A search of the NPCB database, dated 1988-2008* has found that there are 6 NPCB site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Abitibi- Price (was PROVINCIAL PAPERS)	1 ROSETTA STREET DIV. OF ABITIBI- PRICE Georgetown ON L7G 3P1	NNE	163.73	17
PROVINCIAL PAPERS	DIV. OF ABITIBI-PRICE; 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NNE	163.73	17
ABITIBI-PRICE(WAS PROVINCIAL PAPERS)	DIV. OF ABITIBI-PRICE 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NNE	163.73	17
ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	28
ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET Georgetown ON L7G 3P2	NE	242.59	28
ENGINEERED DATA PRODUCTS INC.	2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NE	242.59	28

PINC - Pipeline Incidents

A search of the PINC database, dated Feb 28, 2021 has found that there are 1 PINC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
PIPELINE HIT 1 1/4"	24 JOHN ST., HALTON, ON, L7G 2J7, CA ON	WNW	244.15	29

REC - Ontario Regulation 347 Waste Receivers Summary

A search of the REC database, dated 1986-1990, 1992-2021 has found that there are 1 REC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
ABITIBI/PROVINCIAL PAPERS	1/2 LOT 30 CONC. 5, HALTON HILLS 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NNE	163.73	17

RSC - Record of Site Condition

A search of the RSC database, dated 1997-Sept 2001, Oct 2004-Dec 2024 has found that there are 1 RSC site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
HABITAT FOR HUMANITY HALTON/MISSISSAUGA	37 KING STREET ON Halton Hills ON	NE	16.57	<u>2</u>

SCT - Scott's Manufacturing Directory

A search of the SCT database, dated 1992-Mar 2011* has found that there are 6 SCT site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Toronto Ornamental Precast Inc	1 Rosetta St Unit 7 Georgetown ON L7G 3P1	NNE	163.73	<u>17</u>
Applied Wiring Assemblies Inc.	2 Rosetta St Georgetown ON L7G 3P2	NE	242.59	<u>28</u>
Applied Wiring Assemblies Inc.	2 Rosetta St Georgetown ON L7G 3P2	NE	242.59	<u>28</u>
Applied Wiring (Georgetown) Inc.	2 Rosetta St Georgetown ON L7G 3P2	NE	242.59	<u>28</u>
CANADIAN COATED PAPERS INC.	2 ROSETTA ST GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>
LABELMASTERS	2 ROSETTA ST GEORGETOWN ON L7G 3P2	NE	242.59	<u>28</u>

SPL - Ontario Spills

A search of the SPL database, dated 1988-Jun 2024; Aug 2024; Oct 2024 has found that there are 4 SPL site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
Metrolinx	55 Queen St Georgetown Halton Hills ON L7G 2G9	N	62.74	<u>8</u>
Canadian National Railway	1 Elgin St Halton Hills ON L7G 3M2	ENE	193.61	<u>23</u>
MAPLE LEAF FOODS INC.	1 ELGIN STREET, ACTON ACTON - BEARDMORE TANNERY. 1 ELGIN STREET HALTON HILLS TOWN ON L7G 3M2	ENE	193.61	<u>23</u>
Union Gas Limited	24 John St. Halton Hills ON	WNW	244.15	<u>29</u>


WWIS - Water Well Information System

A search of the WWIS database, dated Dec 31 2023 has found that there are 9 WWIS site(s) within approximately 0.25 kilometers of the project property.

<u>Equal/Higher Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	37 KIG STREET GEORGETOWN ON <i>Well ID: 7310132</i>	ENE	30.53	<u>5</u>
	55 QUEEN ST ON <i>Well ID: 7291954</i>	NW	61.43	<u>7</u>
	55 QUEEN ST ON <i>Well ID: 7291953</i>	NW	128.80	<u>13</u>
	55 QUEEN ST ON <i>Well ID: 7291952</i>	NW	203.46	<u>24</u>

<u>Lower Elevation</u>	<u>Address</u>	<u>Direction</u>	<u>Distance (m)</u>	<u>Map Key</u>
	37 KING STREET GEORGETOWN ON <i>Well ID: 7310130</i>	SE	13.58	<u>1</u>

37 KING ST GEORGETOWN ON <i>Well ID:</i> 7310131	W	21.31	<u>4</u>
55 QUEEN ST ON <i>Well ID:</i> 7291955	W	120.41	<u>12</u>
JOHN ST. AND MCNABB ST GEORGETOWN ON <i>Well ID:</i> 7191307	W	167.45	<u>18</u>
JOHN ST + MCNABB ST GEORGETOWN ON <i>Well ID:</i> 7191309	WNW	173.20	<u>20</u>



Map: 0.25 Kilometer Radius

Order Number: 25012400440

Address: 37 King Street, Georgetown, ON



- | | | | |
|-----------------------------------|------------------------------------|--------------------|------------------------|
| ★ Project Property | Freeways; Highways | Beach | Shopping & Sports Area |
| Buffer Outline | Traffic Circle; Ramp | Airport | University/College |
| Eris Sites with Higher Elevation | Major Arterial; Minor Arterial | Industrial Area | Cemetery; Golf Course |
| Eris Sites with Same Elevation | Local Road | Military Base | Parkt (National) |
| Eris Sites with Lower Elevation | Service Road; Traffic Circle; Ramp | Aircraft Roads | Park (City/County) |
| Eris Sites with Unknown Elevation | Rail | Native Reservation | |
| | | Hospital | |

79°55'30"W

43°39'N

43°39'N



Aerial

Year: 2023

Order Number: 25012400440

Address: 37 King Street, Georgetown, ON



Source: ESRI World Imagery

© ERIS Information Limited Partnership

79°55'30"W


79°54'W

43°40'30"N

43°40'30"N

43°39'N

43°39'N



Topographic Map

Address: 37 King Street, ON

Source: ESRI World Topographic Map

Order Number: 25012400440



© ERIS Information Limited Partnership

Detail Report

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
1	1 of 1	SE/13.6	256.2 / -0.37	37 KING STREET GEORGETOWN ON	WWIS
Well ID:		7310130	Flowing (Y/N):		
Construction Date:			Flow Rate:		
Use 1st:		Monitoring	Data Entry Status:		
Use 2nd:			Data Src:		
Final Well Status:		Observation Wells	Date Received:		04/24/2018
Water Type:			Selected Flag:		TRUE
Casing Material:			Abandonment Rec:		
Audit No:		Z273086	Contractor:		7238
Tag:		A237210	Form Version:		7
Constructn Method:			Owner:		
Elevation (m):			County:		HALTON
Elevatn Reliabilty:			Lot:		
Depth to Bedrock:			Concession:		
Well Depth:			Concession Name:		
Overburden/Bedrock:			Easting NAD83:		
Pump Rate:			Northing NAD83:		
Static Water Level:			Zone:		
Clear/Cloudy:			UTM Reliability:		
Municipality:		HALTON HILLS TOWN (ESQUESING)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/731\7310130.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		03/21/2018			
Year Completed:		2018			
Depth (m):		21.336			
Latitude:		43.6547696761771			
Longitude:		-79.9187323915029			
X:		-79.91873224270032			
Y:		43.6547696740125			
Path:		731\7310130.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1007031769		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	
Code OB:				17	
Code OB Desc:				East83:	
Open Hole:				587191.00	
Cluster Kind:				North83:	
Date Completed:		03/21/2018		4834098.00	
Remarks:				Org CS:	
Location Method Desc:		on Water Well Record		UTM83	
Elevrc Desc:				UTMRC:	
Location Source Date:				4	
Improvement Location Source:				UTMRC Desc:	
Improvement Location Method:				margin of error : 30 m - 100 m	
Source Revision Comment:				Location Method:	
				wwr	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Supplier Comment:					
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007257760			
Layer:		1			
Color:					
General Color:					
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007257761			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1007257762			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		70.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257770			
Layer:		2			
Plug From:		10.0			
Plug To:		50.0			
Plug Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257772			
Layer:		4			
Plug From:		58.0			
Plug To:		70.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257771			
Layer:		3			
Plug From:		50.0			
Plug To:		58.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257769			
Layer:		1			
Plug From:		0.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007257768			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007257759			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007257765			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		-2.0			
Depth To:		60.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007257766			
Layer:		1			
Slot:		10			
Screen Top Depth:		60.0			
Screen End Depth:		70.0			

35 erisinfo.com | Environmental Risk Information Services Order No: 25012400440

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Report Type:	Standard Report			Client Prov/State:	ON
Report Date:	26-JAN-18			Search Radius (km):	.25
Date Received:	19-JAN-18			X:	-79.918658
Previous Site Name:				Y:	43.65496
Lot/Building Size:					
Additional Info Ordered:	Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos				

4	1 of 1	W/21.3	255.2 / -1.38	37 KING ST GEORGETOWN ON	WWIS
Well ID:	7310131			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/24/2018
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z273085			Contractor:	7238
Tag:	A237212			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	HALTON HILLS TOWN (ESQUESING)				
Site Info:					

PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/731\7310131.pdf

Additional Detail(s) (Map)

Well Completed Date: 03/22/2018
Year Completed: 2018
Depth (m): 22.098
Latitude: 43.654881106485
Longitude: -79.9190900235175
X: -79.91908987446766
Y: 43.65488110452607
Path: 731\7310131.pdf

Bore Hole Information

Bore Hole ID:	1007031772	Elevation:	
DP2BR:		Elevrc:	
Spatial Status:		Zone:	17
Code OB:		East83:	587162.00
Code OB Desc:		North83:	4834110.00
Open Hole:		Org CS:	UTM83
Cluster Kind:		UTMRC:	4
Date Completed:	03/22/2018	UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:		Location Method:	wwr
Location Method Desc:	on Water Well Record		
Elevrc Desc:			
Location Source Date:			
Improvement Location Source:			
Improvement Location Method:			
Source Revision Comment:			
Supplier Comment:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007257777			
Layer:		1			
Color:					
General Color:					
Material 1:		01			
Material 1 Desc:		FILL			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007257779			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		40.0			
Formation End Depth:		72.5			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1007257778			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1007257787			
Layer:		2			
Plug From:		10.0			
Plug To:		50.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Sealing Record</u>					
Plug ID:		1007257789			
Layer:		4			
Plug From:		58.0			
Plug To:		72.5			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257788			
Layer:		3			
Plug From:		50.0			
Plug To:		58.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257786			
Layer:		1			
Plug From:		0.0			
Plug To:		10.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007257785			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007257776			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007257782			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		-2.0			
Depth To:		62.5			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007257783			
Layer:		1			
Slot:		10			
Screen Top Depth:		62.5			
Screen End Depth:		72.5			
Screen Material:		5			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1007257781			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		67.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007257780			
Diameter:		8.0			
Depth From:		0.0			
Depth To:		72.5			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			

<u>5</u>	1 of 1	ENE/30.5	257.6 / 1.07	37 KIG STREET GEORGETOWN ON	WWIS
Well ID:	7310132			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	04/24/2018
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z273084			Contractor:	7238
Tag:	A237211			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	HALTON HILLS TOWN (ESQUESING)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/731\7310132.pdf				

Additional Detail(s) (Map)

Well Completed Date: 03/22/2018
 Year Completed: 2018
 Depth (m): 22.86
 Latitude: 43.6550015110537
 Longitude: -79.9184926101465
 X: -79.91849245994857
 Y: 43.65500150915248
 Path: 731\7310132.pdf

Bore Hole Information

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Bore Hole ID:	1007031775			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	587210.00
Code OB Desc:				North83:	4834124.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	03/22/2018			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007257791				
Layer:	1				
Color:					
General Color:					
Material 1:	01				
Material 1 Desc:	FILL				
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:	0.0				
Formation End Depth:	5.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007257793				
Layer:	3				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:	11				
Material 2 Desc:	GRAVEL				
Material 3:					
Material 3 Desc:					
Formation Top Depth:	40.0				
Formation End Depth:	75.0				
Formation End Depth UOM:	ft				
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1007257792				
Layer:	2				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:					
Material 2 Desc:					
Material 3:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Material 3 Desc:					
Formation Top Depth:		5.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257800			
Layer:		1			
Plug From:		0.0			
Plug To:		7.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257801			
Layer:		2			
Plug From:		7.0			
Plug To:		60.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257802			
Layer:		3			
Plug From:		60.0			
Plug To:		64.0			
Plug Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1007257803			
Layer:		4			
Plug From:		64.0			
Plug To:		75.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1007257799			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1007257790			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1007257796			
Layer:		1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		-2.0			
Depth To:		65.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1007257797			
Layer:		1			
Slot:		10			
Screen Top Depth:		65.0			
Screen End Depth:		75.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:					
<u>Water Details</u>					
Water ID:		1007257795			
Layer:		1			
Kind Code:		8			
Kind:		Untested			
Water Found Depth:		73.0			
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1007257794			
Diameter:		8.0			
Depth From:		0.0			
Depth To:		75.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
6	1 of 1	NNW/54.1	257.5 / 0.95	King St Queen St Georgetown ON	EHS
Order No:		20130426036		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Standard Report		Client Prov/State: ON	
Report Date:		07-MAY-13		Search Radius (km): .25	
Date Received:		26-APR-13		X: -79.919017	
Previous Site Name:				Y: 43.655338	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; Aerial Photos			
<hr/>					
7	1 of 1	NW/61.4	257.2 / 0.66	55 QUEEN ST ON	WWIS
Well ID:		7291954		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received: 08/04/2017	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		Z257362		Contractor: 7360	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Tag:	A226115			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		HALTON HILLS TOWN (GEORGETOWN)			
Site Info:					
<hr/>					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7291954.pdf			
<hr/>					
<u>Additional Detail(s) (Map)</u>					
<hr/>					
Well Completed Date:		06/20/2017			
Year Completed:		2017			
Depth (m):		10.668			
Latitude:		43.6553151000014			
Longitude:		-79.9192806570227			
X:		-79.91928050765127			
Y:		43.655315098308876			
Path:		729\7291954.pdf			
<hr/>					
<u>Bore Hole Information</u>					
<hr/>					
Bore Hole ID:		1006699070		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	587146.00
Code OB Desc:				North83:	4834158.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		06/20/2017		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<hr/>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<hr/>					
Formation ID:		1006817258			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		7.5			
Formation End Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1006817259			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		7.5			
Formation End Depth:		35.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1006817266			
Layer:		1			
Plug From:		0.0			
Plug To:		26.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006817265			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006817257			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006817262			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		29.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006817263			
Layer:		1			
Slot:		.10			
Screen Top Depth:		29.0			
Screen End Depth:		34.0			
Screen Material:		5			
Screen Depth UOM:		ft			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Screen Diameter UOM: inch Screen Diameter: 2.5					
<u>Water Details</u>					
Water ID: 1006817261 Layer: Kind Code: Kind: Water Found Depth: Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1006817260 Diameter: 6.0 Depth From: 0.0 Depth To: 35.0 Hole Depth UOM: ft Hole Diameter UOM: inch					
<u>8</u>	1 of 15	N/62.7	257.9 / 1.36	GO Transit 55 Queen Street Georgetown ON L7G 2E5	GEN
<u>Generator Info</u>					
Generator No: ON6699964 Approval Years: 04,05,06,07,08 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:					
<u>Waste Detail(s)</u>					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
<u>8</u>	2 of 15	N/62.7	257.9 / 1.36	GO Transit 55 Queen Street Georgetown ON	GEN
<u>Generator Info</u>					
Generator No: ON6699964 Approval Years: 2009 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: Urban Transit Systems					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 485110					
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
8	3 of 15	N/62.7	257.9 / 1.36	GO Transit 55 Queen Street Georgetown ON	GEN
<u>Generator Info</u>					
Generator No:		ON6699964		Choice of Contact:	
Approval Years:		2010		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 485110	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Urban Transit Systems			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
8	4 of 15	N/62.7	257.9 / 1.36	GO Transit 55 Queen Street Georgetown ON	GEN
<u>Generator Info</u>					
Generator No:		ON6699964		Choice of Contact:	
Approval Years:		2011		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 485110	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Urban Transit Systems			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
8	5 of 15	N/62.7	257.9 / 1.36	GO Transit 55 Queen Street Georgetown ON L7G 2E5	GEN
<u>Generator Info</u>					
Generator No:		ON6699964		Choice of Contact:	
Approval Years:		2012		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 485110	
Country:					
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Phone No Admin: SIC Description: Urban Transit Systems					
Waste Detail(s)					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
<u>8</u>	6 of 15	N/62.7	257.9 / 1.36	55 Queen St Halton Hills ON L7G2G2	EHS
Order No: 20131119061 Status: C Report Type: Custom Report Report Date: 28-NOV-13 Date Received: 19-NOV-13 Previous Site Name: Georgetown GO Station, Canadian National Railway, VIA Rail Lot/Building Size: Additional Info Ordered:					
Nearest Intersection: Municipality: Georgetown Client Prov/State: ON Search Radius (km): .25 X: -79.918535 Y: 43.655459					
<u>8</u>	7 of 15	N/62.7	257.9 / 1.36	Metrolinx 55 Queen Street Georgetown ON L7G 2E5	GEN
Generator Info					
Generator No: ON6699964 Approval Years: 2015 Status: PO Box No: Country: Canada Co Admin: Cathy Lumsden Phone No Admin: 905.803.8008 Ext.2607 SIC Description: 485110					
Choice of Contact: CO_ADMIN Contaminated Fac: No MHSW Facility: No SIC Code: 485110					
Waste Detail(s)					
Waste Class: 252 Waste Class Name: WASTE OILS & LUBRICANTS					
<u>8</u>	8 of 15	N/62.7	257.9 / 1.36	Metrolinx 55 Queen Street Georgetown ON L7G 2E5	GEN
Generator Info					
Generator No: ON6699964 Approval Years: 2016 Status: PO Box No: Country: Canada Co Admin: Cathy Lumsden Phone No Admin: 416-202-5167 Ext. SIC Description: 485110					
Choice of Contact: CO_ADMIN Contaminated Fac: No MHSW Facility: No SIC Code: 485110					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>8</u>	9 of 15	N/62.7	257.9 / 1.36	GO Transit 55 Queen Street Georgetown ON L7G 2E5	GEN
<u>Generator Info</u>					
Generator No:	ON6699964			Choice of Contact:	CO_OFFICIAL
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	485110
Country:	Canada				
Co Admin:	Andrew Cooper				
Phone No Admin:	905.803.8008 Ext.2628				
SIC Description:	485110				
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>8</u>	10 of 15	N/62.7	257.9 / 1.36	Metrolinx 55 Queen Street Georgetown ON L7G 2E5	GEN
<u>Generator Info</u>					
Generator No:	ON6699964			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
<u>8</u>	11 of 15	N/62.7	257.9 / 1.36	55 Queen St Halton Hills ON L7G2G2	EHS
Order No:	20171027053			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	08-NOV-17			Search Radius (km):	.5
Date Received:	27-OCT-17			X:	-79.918444
Previous Site Name:				Y:	43.65502
Lot/Building Size:					
Additional Info Ordered:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
8	12 of 15	N/62.7	257.9 / 1.36	Metrolinx 55 Queen Street Georgetown ON L7G 2E5	GEN
<u>Generator Info</u>					
Generator No:	ON6699964			Choice of Contact:	
Approval Years:	As of Jul 2020			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	252 L				
Waste Class Name:	Waste crankcase oils and lubricants				

8	13 of 15	N/62.7	257.9 / 1.36	Metrolinx 55 Queen St Georgetown Halton Hills ON L7G 2G9	SPL
Ref No:	5223-BMA9W2			Municipality No:	
Year:				Nature of Damage:	
Incident Dt:	2020/02/29			Discharger Report:	
Dt MOE Arvl on Scn:				Material Group:	
MOE Reported Dt:	2020/03/01			Impact to Health:	2 - Minor Environment
Dt Document Closed:	2020/04/09			Agency Involved:	
Site No:	0014-9YQP6B				
MOE Response:	No				
Site County/District:	Regional Municipality of Halton				
Site Geo Ref Meth:	NA				
Site District Office:	Halton-Peel				
Nearest Watercourse:					
Site Name:	Go Transit Georgetown				
Site Address:	55 Queen St Georgetown				
Site Region:	Central				
Site Municipality:	Halton Hills				
Site Lot:					
Site Conc:	NA				
Site Geo Ref Accu:	NA				
Site Map Datum:	NA				
Northings:	NA				
Easting:	NA				
Entity Operating Name:					
Client Name:	Metrolinx				
Client Type:	Corporation				
Source Type:	Train				
Incident Cause:					
Incident Preceding Spill:	Leak/Break				
Incident Reason:	Material Failure - Poor Design/Substandard Material				
Incident Summary:	Metrolinx: 160 gal coolant to ballast/cleaned/no impacts				
Environment Impact:					
Health Env Consequence:					
Nature of Impact:					
Contaminant Qty:	606 L				
Contaminant Qty 1:	606				
Contaminant Unit:	L				
Contaminant Code:	27				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:		COOLANT (N.O.S.) n/a n/a Land; Source Water Zone Miscellaneous Communal Land Spills			

<u>8</u>	14 of 15	N/62.7	257.9 / 1.36	Metrolinx 55 Queen Street Georgetown ON L7G 2E5	GEN
--------------------------	----------	--------	--------------	---	-----

Generator Info

Generator No:	ON6699964	Choice of Contact:
Approval Years:	As of Nov 2021	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	252 L
Waste Class Name:	Waste crankcase oils and lubricants

<u>8</u>	15 of 15	N/62.7	257.9 / 1.36	Metrolinx 55 Queen Street Georgetown ON L7G 2E5	GEN
--------------------------	----------	--------	--------------	---	-----

Generator Info

Generator No:	ON6699964	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	252 L
Waste Class Name:	WASTE OILS & LUBRICANTS

2017 Generator Info

Gen No:	ON6699964	Choice of Contact:	CO_ADMIN
----------------	-----------	---------------------------	----------

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
ID:	26355			Phone No Official:	416-869-3600 Ext.5209
Contaminated Fac:	N			Phone No Admin:	416-202-5167 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	485110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Metrolinx			
Gen Div:					
Gen Op Name:		GO Transit			
Gen Op Div:		Station Operations West			
Site Adrs1:		55 Queen Street			
Site Bldg:		Georgetown GO Station			
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Georgetown			
Province Out:					
Site Postal Code:		L7G 2E5			
Site Country:		Canada			
Co Official:		Emily Cosburn			
Co Admin:		Cathy Lumsden			
<u>2018 Generator Info</u>					
Gen No:	ON6699964			Choice of Contact:	CO_ADMIN
ID:	26706			Phone No Official:	416-869-3600 Ext.5209
Contaminated Fac:	N			Phone No Admin:	416-202-1899 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	485110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Metrolinx			
Gen Div:					
Gen Op Name:		GO Transit			
Gen Op Div:		Station Operations West			
Site Adrs1:		55 Queen Street			
Site Bldg:		Georgetown GO Station			
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Georgetown			
Province Out:					
Site Postal Code:		L7G 2E5			
Site Country:		Canada			
Co Official:		Emily Cosburn			
Co Admin:		Marlene Labog			
<u>2019 Generator Info</u>					
Gen No:	ON6699964			Choice of Contact:	CO_ADMIN
ID:	26930			Phone No Official:	416-869-3600 Ext.5209
Contaminated Fac:	N			Phone No Admin:	416-202-1899 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	485110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Metrolinx			
Gen Div:					
Gen Op Name:		GO Transit			
Gen Op Div:		Station Operations West			
Site Adrs1:		55 Queen Street			
Site Bldg:		Georgetown GO Station			
Site Pobox:					
Province In:		ONTARIO			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Adrs2:					
Site City:		Georgetown			
Province Out:					
Site Postal Code:		L7G 2E5			
Site Country:		Canada			
Co Official:		Emily Cosburn			
Co Admin:		Marlene Labog			
2019 Generator Manifest					
ID:	52049			Sum Received Qty:	2660.0
Generator No:	ON6699964			Waste Class Name:	WASTE OILS & LUBRICANTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	301
Waste Code:	252				
2020 Generator Info					
Gen No:	ON6699964			Choice of Contact:	CO_OFFICIAL
ID:	26658			Phone No Official:	6472899741 Ext.
Contaminated Fac:	N			Phone No Admin:	416-202-5167 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	485110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Metrolinx			
Gen Div:					
Gen Op Name:		GO Transit			
Gen Op Div:		Station Operations West			
Site Adrs1:		55 Queen Street			
Site Bldg:		Georgetown GO Station			
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Georgetown			
Province Out:					
Site Postal Code:		L7G 2E5			
Site Country:		Canada			
Co Official:		Catherine Catherine Lumsden			
Co Admin:		Cathy Lumsden			
2021 Generator Info					
Gen No:	ON6699964			Choice of Contact:	CO_OFFICIAL
ID:	27129			Phone No Official:	6472899741 Ext.
Contaminated Fac:	N			Phone No Admin:	416-202-5167 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	485110			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		Metrolinx			
Gen Div:					
Gen Op Name:		GO Transit			
Gen Op Div:		Station Operations West			
Site Adrs1:		55 Queen Street			
Site Bldg:		Georgetown GO Station			
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		Georgetown			
Province Out:					
Site Postal Code:		L7G 2E5			
Site Country:		Canada			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Co Official:		Catherine Catherine Lumsden			
Co Admin:		Cathy Lumsden			
9	1 of 1	N/73.6	258.3 / 1.78	between John St. and King St. Halton Hills ON	EHS
Order No: 20170529061		Nearest Intersection:			
Status: C		Municipality:			
Report Type: Custom Report		Client Prov/State: ON			
Report Date: 02-JUN-17		Search Radius (km): .25			
Date Received: 30-MAY-17		X: -79.918956			
Previous Site Name:		Y: 43.655527			
Lot/Building Size:					
Additional Info Ordered:					
10	1 of 1	S/109.5	252.8 / -3.79	50 Queen Street, Georgetown ON	INC
Incident No: 433986		Any Health Impact: No			
Incident ID: 2585776		Any Enviro Impact: Unknown			
Instance No:		Service Intrap: Yes			
Status Code: Causal Analysis Complete		Was Prop Damaged: Yes			
Incident Status:		Reside App. Type:			
Incident Severity:		Commer App. Type:			
Task No: 3016378		Indus App. Type:			
Attribute Category: FS-Perform L1 Incident Insp		Institut App. Type:			
Context:		Depth Ground Cover: 1			
Date of Occurrence: 2010/06/14 00:00:00		Operation Pressure: ip			
Time of Occurrence: 10:29:00		Equipment Type:			
Occr Insp Start Dt: 2010/08/13 00:00:00		Equipment Model:			
Incident Creat On:		Serial No:			
Instance Creat Dt:		Cylinder Capacity:			
Instance Install Dt:		Cylinder Cap Units:			
Approx Quant Rel:		Cylinder Mat Type:			
Tank Capacity:		Pump Flow Rate Cap:			
Fuels Occur Type: Vapour Release		Contam. Migrated:			
Occur Type Rpt:		Near Body of Water:			
Occur Category:		Drainage System:			
Fuel Type Involved: Natural Gas		Sub Surface Contam:			
Fuel Type Reported:		Tank Material Type:			
Enforcement Policy: NULL		Tank Storage Type:			
Prc Escalation Req: NULL		Tank Location Type:			
Item:					
Item Description:					
Device Installed Location:					
Venting Type:					
Vent Conn Mater:					
Vent Chimney Mater:					
Pipeline Type:		Service / Riser Distribution Pipeline			
Pipeline Involved:					
Pipe Material:		Plastic			
Regulator Location:		Outside			
Regulator Type:		Service Regulator (up to 60 psi intake)			
Liquid Prop Make:					
Liquid Prop Model:					
Liquid Prop Serial No:					
Liquid Prop Notes:					
Inventory Address:		50 Queen Street, Georgetown - 1 1/4" Pipeline Hit			
Invent Postal Code:					
Notes:					
Contact Natural Env:					
Aff Prop Use Water:					
Occurrence Narrative:		Expired locates			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Operation Type Involved:		Construction Site (pipeline strike)			
11	1 of 1	NE/110.4	259.6 / 3.08	Georgetown GO Station Halton Hills ON	EHS
Order No:		22081500409		Nearest Intersection:	
Status:		C		Municipality:	
Report Type:		Custom Report		Client Prov/State: ON	
Report Date:		23-AUG-22		Search Radius (km): .25	
Date Received:		15-AUG-22		X: -79.9182049	
Previous Site Name:				Y: 43.65575742	
Lot/Building Size:					
Additional Info Ordered:		Fire Insur. Maps and/or Site Plans; City Directory; Aerial Photos			
12	1 of 1	W/120.4	252.5 / -4.07	55 QUEEN ST ON	WWIS
Well ID:		7291955		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		0		Date Received: 08/04/2017	
Water Type:				Selected Flag: TRUE	
Casing Material:				Abandonment Rec:	
Audit No:		Z257351		Contractor: 7360	
Tag:		A226113		Form Version: 7	
Constructn Method:				Owner:	
Elevation (m):				County: HALTON	
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		HALTON HILLS TOWN (GEORGETOWN)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7291955.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/21/2017			
Year Completed:		2017			
Depth (m):		15.24			
Latitude:		43.6548386932569			
Longitude:		-79.9203184913289			
X:		-79.92031834089322			
Y:		43.65483869138494			
Path:		729\7291955.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1006699073		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone: 17	
Code OB:				East83: 587063.00	
Code OB Desc:				North83: 4834104.00	
Open Hole:				Org CS: UTM83	
Cluster Kind:				UTMRC: 4	
Date Completed:		06/21/2017		UTMRC Desc: margin of error : 30 m - 100 m	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Remarks:		Location Method:			wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006817270			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		85			
Material 2 Desc:		SOFT			
Material 3:		75			
Material 3 Desc:		LIGHT-COLOURED			
Formation Top Depth:		19.0			
Formation End Depth:		50.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006817268			
Layer:		1			
Color:		8			
General Color:		BLACK			
Material 1:					
Material 1 Desc:					
Material 2:					
Material 2 Desc:					
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		18.0			
Formation End Depth UOM:		ft			
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006817269			
Layer:		2			
Color:					
General Color:					
Material 1:					
Material 1 Desc:					
Material 2:		35			
Material 2 Desc:		WOOD FRAGMENTS			
Material 3:					
Material 3 Desc:					
Formation Top Depth:		18.0			
Formation End Depth:		19.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Plug ID:		1006817277			
Layer:		1			
Plug From:		0.0			
Plug To:		38.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1006817276			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006817267			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006817273			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		40.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006817274			
Layer:		1			
Slot:		.10			
Screen Top Depth:		40.0			
Screen End Depth:		45.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006817272			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006817271			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		50.0			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
13	1 of 1	NW/128.8	258.6 / 2.01	55 QUEEN ST ON	WWIS
Well ID:		7291953		Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:		Monitoring		Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:		Observation Wells		Date Received:	08/04/2017
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:		Z257363		Contractor:	7360
Tag:		A226127		Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		HALTON HILLS TOWN (GEORGETOWN)			
Site Info:					
PDF URL (Map):		https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7291953.pdf			
<u>Additional Detail(s) (Map)</u>					
Well Completed Date:		06/20/2017			
Year Completed:		2017			
Depth (m):		12.192			
Latitude:		43.6559029553167			
Longitude:		-79.919555343114			
X:		-79.91955519346058			
Y:		43.655902953513305			
Path:		729\7291953.pdf			
<u>Bore Hole Information</u>					
Bore Hole ID:		1006699055		Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	587123.00
Code OB Desc:				North83:	4834223.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:		06/20/2017		UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:		on Water Well Record			
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		1006817247			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		0.0			
Formation End Depth:		30.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006817249			
Layer:		3			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:		84			
Material 2 Desc:		SILTY			
Material 3:		85			
Material 3 Desc:		SOFT			
Formation Top Depth:		36.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u> <u>Materials Interval</u>					
Formation ID:		1006817248			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		05			
Material 1 Desc:		CLAY			
Material 2:		34			
Material 2 Desc:		TILL			
Material 3:		84			
Material 3 Desc:		SILTY			
Formation Top Depth:		30.0			
Formation End Depth:		36.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u> <u>Sealing Record</u>					
Plug ID:		1006817256			
Layer:		1			
Plug From:		0.0			
Plug To:		30.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u> <u>Use</u>					
Method Construction ID:		1006817255			
Method Construction Code:		E			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Method Construction:		Auger			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1006817246			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1006817252			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		33.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1006817253			
Layer:		1			
Slot:		.10			
Screen Top Depth:		33.0			
Screen End Depth:		38.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
<u>Water Details</u>					
Water ID:		1006817251			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
<u>Hole Diameter</u>					
Hole ID:		1006817250			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		40.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
14	1 of 2	SW/132.5	250.2 / -6.36	The Regional Municipality of Halton Within the right-of-way of Queen Street and Murdock St Georgetown Halton Hills ON	CA
Certificate #:		4417-82ZMUF			
Application Year:		2010			
Issue Date:		3/1/2010			
Approval Type:		Municipal and Private Sewage Works			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:		Approved			
14	2 of 2	SW/132.5	250.2 / -6.36	The Regional Municipality of Halton Within the right-of-way of Queen Street and Murdock St Georgetown Halton Hills ON L6M 3L1	ECA
Approval No: 4417-82ZMUF Approval Date: 2010-03-01 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Halton Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: The Regional Municipality of Halton Address: Within the right-of-way of Queen Street and Murdock St Georgetown Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/6585-82QPVb-14.pdf PDF Site Location:				MOE District: Halton-Peel City: Longitude: -79.75063 Latitude: 43.41735 Geometry X: Geometry Y:	
15	1 of 1	SSE/134.3	254.1 / -2.42	DOUG WILTSHIRE 35 ALBERT ST GEORGETOWN ON	CFOT
Inventory No: 61218173 Inventory Status: Active Installation Year: 0 Capacity: 0 Capacity Unit: Tank Type: Manufacturer: Model: Description:				Tank Material: Steel Corrosion Protect: Overfill Protection: Inventory Context: FS Fuel Oil Tank Inventory Item: FS FUEL OIL TANK	
16	1 of 1	S/139.0	252.9 / -3.69	4 Murdock Street, Georgetown ON	INC
Incident No: 433844 Incident ID: 2585630 Instance No: Status Code: Causal Analysis Complete Incident Status: Incident Severity: Task No: 3016113 Attribute Category: FS-Perform L1 Incident Insp Context: Date of Occurrence: 2010/06/25 00:00:00 Time of Occurrence: 15:25:00 Occr Insp Start Dt: 2010/08/13 00:00:00 Incident Creat On: Instance Creat Dt:				Any Health Impact: No Any Enviro Impact: No Service Intrap: Yes Was Prop Damaged: Yes Reside App. Type: Commer App. Type: Indus App. Type: Institut App. Type: Depth Ground Cover: 1 Operation Pressure: ip Equipment Type: Equipment Model: Serial No: Cylinder Capacity:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Instance Install Dt: Approx Quant Rel: Tank Capacity: Fuels Occur Type: Vapour Release Occur Type Rpt: Occur Category: Fuel Type Involved: Natural Gas Fuel Type Reported: Enforcement Policy: NULL Prc Escalation Req: NULL Item: Item Description: Device Installed Location: Venting Type: Vent Conn Mater: Vent Chimney Mater: Pipeline Type: Service / Riser Distribution Pipeline Pipeline Involved: Pipe Material: Plastic Regulator Location: Outside Regulator Type: Service Regulator (up to 60 psi intake) Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes: Inventory Address: 4 Murdock Street, Georgetown - 1/2" Pipeline Hit Invent Postal Code: Notes: Contact Natural Env: Aff Prop Use Water: Occurence Narrative: Line damage. Road collapse. Operation Type Involved: Construction Site (pipeline strike) </div> <div> Cylinder Cap Units: Cylinder Mat Type: Pump Flow Rate Cap: Contam. Migrated: Near Body of Water: Drainage System: Sub Surface Contam: Tank Material Type: Tank Storage Type: Tank Location Type: </div> </div>					
17	1 of 22	NNE/163.7	259.9 / 3.31	PROVINCIAL PAPERS DIV. OF ABITIBI-PRICE; 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NPCB
<div> Company Code: O0081 Industry: Forestry/Pulp/Paper Site Status: Transaction Date: 10/25/1990 Inspection Date: </div>					
17	2 of 22	NNE/163.7	259.9 / 3.31	ABITIBI/PROVINCIAL PAPERS 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	GEN
Generator Info <div> Generator No: A210207 Approval Years: 86 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: </div> <div> Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 002 </div>					
17	3 of 22	NNE/163.7	259.9 / 3.31	ABITIBI-PRICE INC.	GEN

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div>PROVINCIAL PAPERS DIV. 1 ROSETTA ST. HALTON HILLS ON L7G 3P1</div> <div> <div>Generator Info</div> <div> Generator No: ON0008606 Approval Years: 86,87,88,89,90 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: COATED & TREATED PAP. </div> <div> Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 2791 </div> </div> </div>					
<div> <div>Waste Detail(s)</div> <div> Waste Class: 145 Waste Class Name: PAINT/PIGMENT/COATING RESIDUES </div> </div>					
<div> <div>Waste Detail(s)</div> <div> Waste Class: 212 Waste Class Name: ALIPHATIC SOLVENTS </div> </div>					
<div> <div>Waste Detail(s)</div> <div> Waste Class: 253 Waste Class Name: EMULSIFIED OILS </div> </div>					
<div> <div>Waste Detail(s)</div> <div> Waste Class: 148 Waste Class Name: INORGANIC LABORATORY CHEMICALS </div> </div>					
<div> <div>Waste Detail(s)</div> <div> Waste Class: 211 Waste Class Name: AROMATIC SOLVENTS </div> </div>					
<div> <div>Waste Detail(s)</div> <div> Waste Class: 263 Waste Class Name: ORGANIC LABORATORY CHEMICALS </div> </div>					

[17](#)

4 of 22

NNE/163.7

259.9 / 3.31

 ABITIBI-PRICE (OUT OF BUS) 01-001
 PROVINCIAL PAPERS DIV. 1 ROSETTA ST.
 HALTON HILLS ON L7G 3P1

GEN

Generator Info

Generator No: ON0008606
 Approval Years: 92,93,94,95,96,97
 Status:
 PO Box No:
 Country:
 Co Admin:

Choice of Contact:
 Contaminated Fac:
 MHSW Facility:
 SIC Code: 2791

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Phone No Admin:					
SIC Description:		COATED & TREATED PAP			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		211			
Waste Class Name:		AROMATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		243			
Waste Class Name:		PCB'S			
<u>Waste Detail(s)</u>					
Waste Class:		253			
Waste Class Name:		EMULSIFIED OILS			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			

<u>17</u>	5 of 22	NNE/163.7	259.9 / 3.31	ABITIBI-PRICE (OUT OF BUS) PROVINCIAL PAPERS DIVISION 1 ROSETTA STREET HALTON HILLS ON L7C 3P1	GEN
-----------	---------	-----------	--------------	---	-----

Generator Info

Generator No:	ON0008606	Choice of Contact:	
Approval Years:	98	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	2791
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	COATED & TREATED PAP.		

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Waste Class:		243			
Waste Class Name:		PCB'S			
<u>Waste Detail(s)</u>					
Waste Class:		253			
Waste Class Name:		EMULSIFIED OILS			
<u>Waste Detail(s)</u>					
Waste Class:		263			
Waste Class Name:		ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		211			
Waste Class Name:		AROMATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		212			
Waste Class Name:		ALIPHATIC SOLVENTS			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<hr/>					
<u>17</u>	6 of 22	NNE/163.7	259.9 / 3.31	Kingsbury Technologies 1 Rosetta St., Unit 4 Georgetown ON L7G 3P1	GEN
<u>Generator Info</u>					
Generator No:	ON9454835			Choice of Contact:	
Approval Years:	03,04,06			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	339990
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		All Other Miscellaneous Mfg.			
<u>Waste Detail(s)</u>					
Waste Class:		211			
Waste Class Name:		AROMATIC SOLVENTS			
<hr/>					
<u>17</u>	7 of 22	NNE/163.7	259.9 / 3.31	Abitibi- Price (was PROVINCIAL PAPERS) 1 ROSETTA STREET DIV. OF ABITIBI- PRICE Georgetown ON L7G 3P1	NPCB

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Company Code:		O0081			
Industry:		Forestry/Pulp/Paper			
Site Status:		Stored for Disposal			
Transaction Date:		11/9/1989			
Inspection Date:					
--Details--					
Label:					
Serial No.:					
PCB Type/Code:		Askarel/Askarel			
Location:					
Item/State:					
No. of Items:					
Manufacturer:					
Status:		Stored for disposal			
Contents:					
17	8 of 22	NNE/163.7	259.9 / 3.31	Toronto Ornamental Precast Inc 1 Rosetta St Unit 7 Georgetown ON L7G 3P1	SCT
Established:		01-AUG-01			
Plant Size (ft²):		30000			
Employment:					
--Details--					
Description:		Other Ornamental and Architectural Metal Product Manufacturing			
SIC/NAICS Code:		332329			
Description:		Other Plate Work and Fabricated Structural Product Manufacturing			
SIC/NAICS Code:		332319			
Description:		Other Concrete Product Manufacturing			
SIC/NAICS Code:		327390			
Description:		Other Concrete Product Manufacturing			
SIC/NAICS Code:		327390			
Description:		All Other Miscellaneous Wood Product Manufacturing			
SIC/NAICS Code:		321999			
Description:		Wood Window and Door Manufacturing			
SIC/NAICS Code:		321911			
17	9 of 22	NNE/163.7	259.9 / 3.31	ABITIBI-PRICE(WAS PROVINCIAL PAPERS) DIV. OF ABITIBI-PRICE 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	NPCB
Company Code:		O0081			
Industry:		FORESTRY/PULP/PAPER			
Site Status:		STORAGE ONLY (NON FEDERAL)			
Transaction Date:		10/25/1990			
Inspection Date:					
--Details--					
Label:		OR00153			
Serial No.:		578C291A13			
PCB Type/Code:		MINERAL OIL/ASKAREL			
Location:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Item/State: No. of Items: Manufacturer: Status: Contents:		CAPACITOR/FULL 1 STORED FOR DISPOSAL 4.5 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00151 66L393CY MINERAL OIL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 4.5 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00150 66M171AX MINERAL OIL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 4.5 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00145 66M157AX MINERAL OIL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 4.5 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00143 1800 ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 51 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00144 1801 ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 51 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00154 578C291A14 ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 4.5 L			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00149 578C291A13 ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 4.5 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR04010 X2689/61 ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 1.15 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00146 66M173AX ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 4.5 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR00159 P18398 ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 4.5 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR04006 X1037/17 ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 5.5 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items: Manufacturer: Status: Contents:		OR04007 X2925/4 ASKAREL/ASKAREL CAPACITOR/FULL 1 STORED FOR DISPOSAL 2.76 L			
Label: Serial No.: PCB Type/Code: Location: Item/State: No. of Items:		OR04008 66S290C ASKAREL/ASKAREL CAPACITOR/FULL 1			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Manufacturer:					
Status:		STORED FOR DISPOSAL			
Contents:		4 L			
Label:		OR04009			
Serial No.:		X2699/61			
PCB Type/Code:		ASKAREL/ASKAREL			
Location:					
Item/State:		CAPACITOR/FULL			
No. of Items:		1			
Manufacturer:					
Status:		STORED FOR DISPOSAL			
Contents:		1.15 L			
Label:		OR00148			
Serial No.:		662115AY			
PCB Type/Code:		MINERAL OIL/ASKAREL			
Location:					
Item/State:		CAPACITOR/FULL			
No. of Items:		1			
Manufacturer:					
Status:		STORED FOR DISPOSAL			
Contents:		4.5 L			
Label:		OR00142			
Serial No.:		2492			
PCB Type/Code:		MINERAL OIL/ASKAREL			
Location:					
Item/State:		CAPACITOR/FULL			
No. of Items:		1			
Manufacturer:					
Status:		STORED FOR DISPOSAL			
Contents:		51 L			
Label:		OR00158			
Serial No.:		P19948			
PCB Type/Code:		MINERAL OIL/ASKAREL			
Location:					
Item/State:		CAPACITOR/FULL			
No. of Items:		1			
Manufacturer:					
Status:		STORED FOR DISPOSAL			
Contents:		4.5 L			
Label:		OR00157			
Serial No.:		P17399			
PCB Type/Code:		MINERAL OIL/ASKAREL			
Location:					
Item/State:		CAPACITOR/FULL			
No. of Items:		1			
Manufacturer:					
Status:		STORED FOR DISPOSAL			
Contents:		4.5 L			
Label:		OR00156			
Serial No.:		60L061BX			
PCB Type/Code:		MINERAL OIL/ASKAREL			
Location:					
Item/State:		CAPACITOR/FULL			
No. of Items:		1			
Manufacturer:					
Status:		STORED FOR DISPOSAL			
Contents:		4.5 L			
Label:		OR00155			
Serial No.:		60L070BX			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
PCB Type/Code: MINERAL OIL/ASKAREL Location: Item/State: CAPACITOR/FULL No. of Items: 1 Manufacturer: Status: STORED FOR DISPOSAL Contents: 4.5 L Label: OR00147 Serial No.: 578C291A13 PCB Type/Code: MINERAL OIL/ASKAREL Location: Item/State: CAPACITOR/FULL No. of Items: 1 Manufacturer: Status: STORED FOR DISPOSAL Contents: 4.5 L Label: OR00152 Serial No.: 664468C7 PCB Type/Code: MINERAL OIL/ASKAREL Location: Item/State: CAPACITOR/FULL No. of Items: 1 Manufacturer: Status: STORED FOR DISPOSAL Contents: 4.5 L					
17	10 of 22	NNE/163.7	259.9 / 3.31	792873 Ontario Limited 1 Rosetta St Halton Hills ON	CA
Certificate #: 1356-7RQPQT Application Year: 2009 Issue Date: 5/11/2009 Approval Type: Waste Management Systems Status: Approved Application Type: Client Name: Client Address: Client City: Client Postal Code: Project Description: Contaminants: Emission Control:					
17	11 of 22	NNE/163.7	259.9 / 3.31	Kingsbury Technologies 1 Rosetta St., Unit 4 Georgetown ON	GEN
Generator Info Generator No: ON9454835 Approval Years: 2009 Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description: All Other Miscellaneous Manufacturing					
Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 339990					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:	211				
Waste Class Name:	AROMATIC SOLVENTS				
<u>17</u>	12 of 22	NNE/163.7	259.9 / 3.31	792873 Ontario Limited 1 Rosetta St Halton Hills ON L5N 3E7	ECA
Approval No:	1356-7RQPQT			MOE District:	Halton-Peel
Approval Date:	2009-05-11			City:	
Status:	Amended			Longitude:	-79.91828
Record Type:	ECA			Latitude:	43.656773
Link Source:	IDS			Geometry X:	
SWP Area Name:	Credit Valley			Geometry Y:	
Approval Type:	ECA-WASTE MANAGEMENT SYSTEMS				
Project Type:	WASTE MANAGEMENT SYSTEMS				
Business Name:	792873 Ontario Limited				
Address:	1 Rosetta St				
Full Address:					
Full PDF Link:	https://www.accessenvironment.ene.gov.on.ca/instruments/4753-7PMJLN-14.pdf				
PDF Site Location:					
<u>17</u>	13 of 22	NNE/163.7	259.9 / 3.31	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<u>Generator Info</u>					
Generator No:	ON3913154			Choice of Contact:	CO_ADMIN
Approval Years:	2015			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	321999
Country:	Canada				
Co Admin:	MARIO CABRAL				
Phone No Admin:	(905)877-9471 Ext.				
SIC Description:	ALL OTHER MISCELLANEOUS WOOD PRODUCT MANUFACTURING				
<u>Waste Detail(s)</u>					
Waste Class:	211				
Waste Class Name:	AROMATIC SOLVENTS				
<u>17</u>	14 of 22	NNE/163.7	259.9 / 3.31	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<u>Generator Info</u>					
Generator No:	ON3913154			Choice of Contact:	CO_ADMIN
Approval Years:	2014			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	321999
Country:	Canada				
Co Admin:	MARIO CABRAL				
Phone No Admin:	(905)877-9471 Ext.				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		ALL OTHER MISCELLANEOUS WOOD PRODUCT MANUFACTURING			
<u>Waste Detail(s)</u>					
Waste Class:		211			
Waste Class Name:		AROMATIC SOLVENTS			

17	15 of 22	NNE/163.7	259.9 / 3.31	Byron Equities Inc 1 Rosetta St Unit 1 Georgetown ON L7G 3P1	GEN
--------------------	----------	-----------	--------------	--	-----

Generator Info

Generator No:	ON7223382	Choice of Contact:	
Approval Years:	As of Dec 2017	Contaminated Fac:	
Status:	Registered	MHSW Facility:	
PO Box No:		SIC Code:	
Country:	Canada		
Co Admin:			
Phone No Admin:			
SIC Description:			

Waste Detail(s)

Waste Class:	251 T
Waste Class Name:	Waste oils/sludges (petroleum based)

2017 Generator Info

Gen No:	ON7223382	Choice of Contact:	CO_OFFICIAL
ID:	28313	Phone No Official:	4168495030 Ext.100
Contaminated Fac:	N	Phone No Admin:	
MHSW Facility:	N	County Ont:	HALTON (R. M.)
NAICS Code1:	236210	County Out:	
NAICS Code2:		District:	305
NAICS Code3:			
Gen Name:	Byron Equities Inc		
Gen Div:			
Gen Op Name:	Byron Equities Inc		
Gen Op Div:			
Site Adrs1:	1 Rosetta St Unit 1		
Site Bldg:			
Site Pobox:			
Province In:	ONTARIO		
Site Adrs2:			
Site City:	Georgetown		
Province Out:			
Site Postal Code:	L7G 3P1		
Site Country:	Canada		
Co Official:	Kathy Christenson		
Co Admin:			

2017 Generator Manifest

ID:	54781	Sum Received Qty:	350.0
Generator No:	ON7223382	Waste Class Name:	OIL SKIMMINGS & SLUDGES
Receiver Type:	035	Count Manifests:	1
Waste Char:	T	District:	305
Waste Code:	251		

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
17	16 of 22	NNE/163.7	259.9 / 3.31	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<u>Generator Info</u>					
Generator No:	ON3913154			Choice of Contact:	
Approval Years:	As of Dec 2018			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	211 L				
Waste Class Name:	Aromatic solvents and residues				
17	17 of 22	NNE/163.7	259.9 / 3.31	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<u>Generator Info</u>					
Generator No:	ON3913154			Choice of Contact:	CO_ADMIN
Approval Years:	2016			Contaminated Fac:	No
Status:				MHSW Facility:	No
PO Box No:				SIC Code:	321999
Country:	Canada				
Co Admin:	MARIO CABRAL				
Phone No Admin:	(905)877-9471 Ext.				
SIC Description:	ALL OTHER MISCELLANEOUS WOOD PRODUCT MANUFACTURING				
<u>Waste Detail(s)</u>					
Waste Class:	211				
Waste Class Name:	AROMATIC SOLVENTS				
17	18 of 22	NNE/163.7	259.9 / 3.31	Furniture Renew Inc 1 Rosetta St. Unit 12 Georgetown ON L7G 3P1	GEN
<u>Generator Info</u>					
Generator No:	ON9889412			Choice of Contact:	
Approval Years:	As of Jul 2020			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
<u>Waste Detail(s)</u>					
Waste Class:		241 H			
Waste Class Name:		Halogenated solvents and residues			
<u>2019 Generator Info</u>					
Gen No:	ON9889412			Choice of Contact:	CO_OFFICIAL
ID:	39989			Phone No Official:	6474798200 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	337121			County Out:	
NAICS Code2:	337123			District:	305
NAICS Code3:	337213				
Gen Name:		Furniture Renew Inc			
Gen Div:					
Gen Op Name:		Furniture Renew Inc			
Gen Op Div:					
Site Adrs1:		1 Rosetta St.			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Unit 12			
Site City:		Georgetown			
Province Out:					
Site Postal Code:		L7G 3P1			
Site Country:		Canada			
Co Official:		Scott W Page			
Co Admin:					
<u>2019 Generator Manifest</u>					
ID:	68282			Sum Received Qty:	200.0
Generator No:	ON9889412			Waste Class Name:	HALOGENATED SOLVENTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	H			District:	203
Waste Code:	241				
<u>2020 Generator Info</u>					
Gen No:	ON9889412			Choice of Contact:	CO_OFFICIAL
ID:	39747			Phone No Official:	6474798200 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	337121			County Out:	
NAICS Code2:	337123			District:	305
NAICS Code3:	337213				
Gen Name:		Furniture Renew Inc			
Gen Div:					
Gen Op Name:		Furniture Renew Inc			
Gen Op Div:					
Site Adrs1:		1 Rosetta St.			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:		Unit 12			
Site City:		Georgetown			
Province Out:					
Site Postal Code:		L7G 3P1			
Site Country:		Canada			
Co Official:		Scott W Page			
Co Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2020 Generator Manifest</u>					
ID:	64144			Sum Received Qty:	80.0
Generator No:	ON9889412			Waste Class Name:	HALOGENATED SOLVENTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	H			District:	203
Waste Code:	241				
17	19 of 22	NNE/163.7	259.9 / 3.31	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<u>Generator Info</u>					
Generator No:	ON3913154			Choice of Contact:	
Approval Years:	As of Jul 2020			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	211 L				
Waste Class Name:	Aromatic solvents and residues				
17	20 of 22	NNE/163.7	259.9 / 3.31	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN
<u>Generator Info</u>					
Generator No:	ON3913154			Choice of Contact:	
Approval Years:	As of Nov 2021			Contaminated Fac:	
Status:	Registered			MHSW Facility:	
PO Box No:				SIC Code:	
Country:	Canada				
Co Admin:					
Phone No Admin:					
SIC Description:					
<u>Waste Detail(s)</u>					
Waste Class:	211 L				
Waste Class Name:	Aromatic solvents and residues				
17	21 of 22	NNE/163.7	259.9 / 3.31	ABITIBI/PROVINCIAL PAPERS 1/2LOT 30 CONC. 5, HALTON HILLS 1 ROSETTA STREET GEORGETOWN ON L7G 3P1	REC
ID:				Province In:	ONT
Company ID:				Province Out:	
Receiver No:	A210207			County Out:	
Co Admin:				Mail Addr:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Choice of Contact:				Site PO Box:	
Rec Div:					
Rec Op Div:					
Rec Op Name:					
Site Bldg:					
Facility Type:		PRIV LANDFILL/SLUDGE FARM			
Approval Yrs:		1986; 1987; 1988; 1989; 1990; 1992; 1993; 1994; 1995; 1996; 1997; 1998			
1986 Receiver Manifest Details					
Gen Dist:		100			
Gen District Office Name:		LONDON, ONT			
Gen Region Code:		01			
Gen Region Office Name:		SOUTHWESTERN REGION			
Gen SIC:		2791			
NAICS Desc:		COATED & TREATED PAP.			
Wastecode:		112			
Waste Class:		ACID WASTE - HEAVY METALS			
Waste Chara:					
Waste Count:		1			
Qty Recvd:		7962			
Gen Dist:		100			
Gen District Office Name:		LONDON, ONT			
Gen Region Code:		01			
Gen Region Office Name:		SOUTHWESTERN REGION			
Gen SIC:		2791			
NAICS Desc:		COATED & TREATED PAP.			
Wastecode:		145			
Waste Class:		PAINT/PIGMENT/COATING RESIDUES			
Waste Chara:					
Waste Count:		287			
Qty Recvd:		1168400			
1987 Receiver Manifest Details					
Gen Dist:		100			
Gen District Office Name:		ONTARIO			
Gen Region Code:		00			
Gen Region Office Name:		**UNDEFINED*			
Gen Sic:		2791			
NAICS Desc:		COATED & TREATED PAP			
Waste Code:		145			
Waste Class:		PAINT/PIGMENT/COATING RESIDUES			
No Wastes:		235			
Quantity:		1198080			
Waste Type:		INORGANIC MISCELL.			
Date From:		870101			
Date To:		871231			
Rec Date:		880226			
1988 Receiver Manifest Details					
Gen Dist:		100			
Gen District Office Name:		ONTARIO			
Gen Region Code:		00			
Gen Region Office Name:		**UNDEFINED*			
Gen SIC:		2791			
NAICS Desc:		COATED & TREATED PAP			
Waste Code:		145			
Waste Class:		PAINT/PIGMENT/COATING RESIDUES			
Quantity:		728000.01			
Waste Type:		INORGANIC MISCELL.			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Date From:		880101			
Date To:		881231			
Rec Date:		890501			
<u>1989 Receiver Manifest Details</u>					
Gen Dist:		100			
Distname:		ONTARIO			
Gen Region Code:		00			
Gen Region Office Name:		**UNDEFINED*			
Gen SIC:		2791			
NAICS Desc:		COATED & TREATED PAP			
Waste Code:		145			
Waste Class:		PAINT/PIGMENT/COATING RESIDUES			
No Wastes:		17			
Quantity:		925080			
NAICS 2 Desc:					
NAICS 3 Desc:					
Waste Type:		INORGANIC MISCELL.			
Date From:		890101			
Date To:		891231			
Rec Date:		900419			
<u>1990 Receiver Manifest Details</u>					
Conumber:		A210207			
Gen Dist:		100			
Gen District Office Name:		ONTARIO			
Gen Region Code:		00			
Gen Region Office Name:		**UNDEFINED*			
Gen Sic:		2791			
NAICS Desc:		COATED & TREATED PAP			
Waste Code:		145			
Waste Class:		PAINT/PIGMENT/COATING RESIDUES			
No Wastes:		14			
Quantity:		898560			
Old New:		N			
Waste Type:		INORGANIC MISCELL.			
Date From:		900101			
Date To:		901231			
Rec Date:		910411			
17	22 of 22	NNE/163.7	259.9 / 3.31	KINGSBURY WOOD FINISHING INC. 1 ROSETTA ST., UNIT 4 GEORGETOWN ON L7G3P1	GEN

Generator Info

Generator No:	ON3913154	Choice of Contact:
Approval Years:	As of Oct 2022	Contaminated Fac:
Status:	Registered	MHSW Facility:
PO Box No:		SIC Code:
Country:	Canada	
Co Admin:		
Phone No Admin:		
SIC Description:		

Waste Detail(s)

Waste Class:	211 L
Waste Class Name:	AROMATIC SOLVENTS

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>2017 Generator Info</u>					
Gen No:	ON3913154			Choice of Contact:	CO_ADMIN
ID:	15643			Phone No Official:	(905)877-9471 Ext.
Contaminated Fac:	N			Phone No Admin:	(905)877-9471 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	321999			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		KINGSBURY WOOD FINISHING INC.			
Gen Div:					
Gen Op Name:		KINGSBURY WOOD FINISHING INC.			
Gen Op Div:					
Site Adrs1:		1 ROSETTA ST., UNIT 4			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		GEORGETOWN			
Province Out:					
Site Postal Code:		L7G3P1			
Site Country:		Canada			
Co Official:		ANDREI GOUSKOV			
Co Admin:		MARIO CABRAL			
<u>2017 Generator Manifest</u>					
ID:	38645			Sum Received Qty:	16020.0
Generator No:	ON3913154			Waste Class Name:	AROMATIC SOLVENTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	305
Waste Code:	211				
<u>2018 Generator Info</u>					
Gen No:	ON3913154			Choice of Contact:	CO_ADMIN
ID:	15587			Phone No Official:	(905)877-9471 Ext.
Contaminated Fac:	N			Phone No Admin:	(905)877-9471 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	321999			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		KINGSBURY WOOD FINISHING INC.			
Gen Div:					
Gen Op Name:		KINGSBURY WOOD FINISHING INC.			
Gen Op Div:					
Site Adrs1:		1 ROSETTA ST., UNIT 4			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		GEORGETOWN			
Province Out:					
Site Postal Code:		L7G3P1			
Site Country:		Canada			
Co Official:		ANDREI GOUSKOV			
Co Admin:		MARIO CABRAL			
<u>2019 Generator Info</u>					
Gen No:	ON3913154			Choice of Contact:	CO_ADMIN

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
ID:	15427			Phone No Official:	(905)877-9471 Ext.
Contaminated Fac:	N			Phone No Admin:	(905)877-9471 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	321999			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		KINGSBURY WOOD FINISHING INC.			
Gen Div:					
Gen Op Name:		KINGSBURY WOOD FINISHING INC.			
Gen Op Div:					
Site Adrs1:		1 ROSETTA ST., UNIT 4			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		GEORGETOWN			
Province Out:					
Site Postal Code:		L7G3P1			
Site Country:		Canada			
Co Official:		ANDREI GOUSKOV			
Co Admin:		MARIO CABRAL			
<u>2019 Generator Manifest</u>					
ID:	37676			Sum Received Qty:	17760.0
Generator No:	ON3913154			Waste Class Name:	AROMATIC SOLVENTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	305
Waste Code:	211				
<u>2020 Generator Info</u>					
Gen No:	ON3913154			Choice of Contact:	CO_ADMIN
ID:	15100			Phone No Official:	(905)877-9471 Ext.
Contaminated Fac:	N			Phone No Admin:	(905)877-9471 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	321999			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		KINGSBURY WOOD FINISHING INC.			
Gen Div:					
Gen Op Name:		KINGSBURY WOOD FINISHING INC.			
Gen Op Div:					
Site Adrs1:		1 ROSETTA ST., UNIT 4			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		GEORGETOWN			
Province Out:					
Site Postal Code:		L7G3P1			
Site Country:		Canada			
Co Official:		ANDREI GOUSKOV			
Co Admin:		MARIO CABRAL			
<u>2021 Generator Info</u>					
Gen No:	ON3913154			Choice of Contact:	CO_ADMIN
ID:	15041			Phone No Official:	(905)877-9471 Ext.
Contaminated Fac:	N			Phone No Admin:	(905)877-9471 Ext.
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	321999			County Out:	
NAICS Code2:				District:	305

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
NAICS Code3:					
Gen Name:		KINGSBURY WOOD FINISHING INC.			
Gen Div:					
Gen Op Name:		KINGSBURY WOOD FINISHING INC.			
Gen Op Div:					
Site Adrs1:		1 ROSETTA ST., UNIT 4			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		GEORGETOWN			
Province Out:					
Site Postal Code:		L7G3P1			
Site Country:		Canada			
Co Official:		ANDREI GOUSKOV			
Co Admin:		MARIO CABRAL			
2021 Generator Manifest					
ID:	35493			Sum Received Qty:	8160.0
Generator No:	ON3913154			Waste Class Name:	AROMATIC SOLVENTS
Receiver Type:	035			Count Manifests:	1
Waste Char:	L			District:	305
Waste Code:	211				
18	1 of 1	W/167.5	251.6 / -4.90	JOHN ST. AND MCNABB ST GEORGETOWN ON	WWIS
Well ID:	7191307			Flowing (Y/N):	
Construction Date:				Flow Rate:	
Use 1st:	Monitoring			Data Entry Status:	
Use 2nd:				Data Src:	
Final Well Status:	Observation Wells			Date Received:	11/13/2012
Water Type:				Selected Flag:	TRUE
Casing Material:				Abandonment Rec:	
Audit No:	Z146796			Contractor:	7238
Tag:	A102195			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:	HALTON HILLS TOWN (ESQUESING)				
Site Info:					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7191307.pdf				
Additional Detail(s) (Map)					
Well Completed Date:	06/05/2012				
Year Completed:	2012				
Depth (m):	9.144				
Latitude:	43.6548261915028				
Longitude:	-79.9209015660122				
X:	-79.92090141649865				
Y:	43.65482619044175				
Path:	719\7191307.pdf				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Bore Hole Information</u>					
Bore Hole ID:	1004202087			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	587016.00
Code OB Desc:				North83:	4834102.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06/05/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:	1004497300				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	06				
Material 1 Desc:	SILT				
Material 2:	28				
Material 2 Desc:	SAND				
Material 3:	11				
Material 3 Desc:	GRAVEL				
Formation Top Depth:	0.0				
Formation End Depth:	30.0				
Formation End Depth UOM:	ft				
<u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:	1004497307				
Layer:	1				
Plug From:	0.0				
Plug To:	23.0				
Plug Depth UOM:	ft				
<u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:	1004497306				
Method Construction Code:	E				
Method Construction:	Auger				
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:	1004497299				
Casing No:	0				
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Casing ID: 1004497303					
Layer: 1					
Material: 5					
Open Hole or Material: PLASTIC					
Depth From: 0.0					
Depth To: 25.0					
Casing Diameter: 1.25					
Casing Diameter UOM: inch					
Casing Depth UOM: ft					
<u>Construction Record - Screen</u>					
Screen ID: 1004497304					
Layer: 1					
Slot: 10					
Screen Top Depth: 25.0					
Screen End Depth: 30.0					
Screen Material: 5					
Screen Depth UOM: ft					
Screen Diameter UOM: inch					
Screen Diameter: 1.25					
<u>Water Details</u>					
Water ID: 1004497302					
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM: ft					
<u>Hole Diameter</u>					
Hole ID: 1004497301					
Diameter: 8.0					
Depth From: 0.0					
Depth To: 30.0					
Hole Depth UOM: ft					
Hole Diameter UOM: inch					
<u>19</u>	1 of 1	WNW/169.6	258.3 / 1.73	Georgetwn Layover Halton Hills ON L7G	EHS
Order No: 20200320116					
Status: C					
Report Type: RSC Report (Urban)					
Report Date: 25-MAR-20					
Date Received: 20-MAR-20					
Previous Site Name:					
Lot/Building Size:					
Additional Info Ordered: Fire Insur. Maps and/or Site Plans; Aerial Photos					
<u>20</u>	1 of 1	WNW/173.2	255.4 / -1.12	JOHN ST + MCNABB ST GEORGETOWN ON	WWIS
Well ID: 7191309					
Construction Date:					
Use 1st: Monitoring					
Use 2nd:					
Final Well Status: Observation Wells					
Water Type:					
Flowing (Y/N):					
Flow Rate:					
Data Entry Status:					
Data Src:					
Date Received: 11/13/2012					
Selected Flag: TRUE					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Casing Material:			Abandonment Rec:		
Audit No:	Z146813			Contractor:	7238
Tag:	A130085			Form Version:	7
Constructn Method:				Owner:	
Elevation (m):				County:	HALTON
Elevatn Reliabilty:				Lot:	
Depth to Bedrock:				Concession:	
Well Depth:				Concession Name:	
Overburden/Bedrock:				Easting NAD83:	
Pump Rate:				Northing NAD83:	
Static Water Level:				Zone:	
Clear/Cloudy:				UTM Reliability:	
Municipality:		HALTON HILLS TOWN (ESQUESING)			
Site Info:					
<hr/>					
PDF URL (Map):	https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/719\7191309.pdf				
<hr/>					
<u>Additional Detail(s) (Map)</u>					
<hr/>					
Well Completed Date:	06/11/2012				
Year Completed:	2012				
Depth (m):	12.192				
Latitude:	43.655294319192				
Longitude:	-79.9208931824187				
X:	-79.92089303248287				
Y:	43.65529431732573				
Path:	719\7191309.pdf				
<hr/>					
<u>Bore Hole Information</u>					
<hr/>					
Bore Hole ID:	1004202093			Elevation:	
DP2BR:				Elevrc:	
Spatial Status:				Zone:	17
Code OB:				East83:	587016.00
Code OB Desc:				North83:	4834154.00
Open Hole:				Org CS:	UTM83
Cluster Kind:				UTMRC:	4
Date Completed:	06/11/2012			UTMRC Desc:	margin of error : 30 m - 100 m
Remarks:				Location Method:	wwr
Location Method Desc:	on Water Well Record				
Elevrc Desc:					
Location Source Date:					
Improvement Location Source:					
Improvement Location Method:					
Source Revision Comment:					
Supplier Comment:					
<hr/>					
<u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
<hr/>					
Formation ID:	1004497320				
Layer:	1				
Color:	6				
General Color:	BROWN				
Material 1:	28				
Material 1 Desc:	SAND				
Material 2:	06				
Material 2 Desc:	SILT				
Material 3:	85				
Material 3 Desc:	SOFT				
Formation Top Depth:	0.0				
Formation End Depth:	35.0				
Formation End Depth UOM:	ft				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Overburden and Bedrock Materials Interval</u>					
Formation ID:		1004497321			
Layer:		2			
Color:		6			
General Color:		BROWN			
Material 1:		06			
Material 1 Desc:		SILT			
Material 2:		34			
Material 2 Desc:		TILL			
Material 3:		66			
Material 3 Desc:		DENSE			
Formation Top Depth:		35.0			
Formation End Depth:		40.0			
Formation End Depth UOM:		ft			
<u>Annular Space/Abandonment Sealing Record</u>					
Plug ID:		1004497328			
Layer:		1			
Plug From:		0.0			
Plug To:		28.0			
Plug Depth UOM:		ft			
<u>Method of Construction & Well Use</u>					
Method Construction ID:		1004497327			
Method Construction Code:		6			
Method Construction:		Boring			
Other Method Construction:					
<u>Pipe Information</u>					
Pipe ID:		1004497319			
Casing No:		0			
Comment:					
Alt Name:					
<u>Construction Record - Casing</u>					
Casing ID:		1004497324			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			
Depth From:		0.0			
Depth To:		30.0			
Casing Diameter:					
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
<u>Construction Record - Screen</u>					
Screen ID:		1004497325			
Layer:		1			
Slot:		10			
Screen Top Depth:		40.0			
Screen End Depth:		30.0			

84 erisinfo.com | Environmental Risk Information Services Order No: 25012400440

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: AIR Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
23	2 of 6	ENE/193.6	259.9 / 3.31	1 Elgin Street Halton Hills (Georgetown) ON L7G 3M2	EHS
Order No: 20100722048 Status: C Report Type: Custom Report Report Date: 7/28/2010 Date Received: 7/22/2010 Previous Site Name: Lot/Building Size: Additional Info Ordered:		Nearest Intersection: King Street Municipality: Client Prov/State: ON Search Radius (km): 0.25 X: -79.916535 Y: 43.655581			
23	3 of 6	ENE/193.6	259.9 / 3.31	1 Elgin St Halton Hills ON L7G3M2	EHS
Order No: 20160531137 Status: C Report Type: Site Report Report Date: 01-JUN-16 Date Received: 31-MAY-16 Previous Site Name: W. McNally Construction Ltd. Lot/Building Size: 0.15 hectares Additional Info Ordered: Aerial Photos		Nearest Intersection: Municipality: Georgetown Client Prov/State: ON Search Radius (km): .001 X: -79.916486 Y: 43.655678			
23	4 of 6	ENE/193.6	259.9 / 3.31	FRB Five Inc. 1 Elgin St Halton Hills ON L7G 3M2	ECA
Approval No: 1621-AYDGUIV Approval Date: 2018-05-14 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: FRB Five Inc. Address: 1 Elgin St Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/9265-AXYM89-14.pdf PDF Site Location:		MOE District: City: Longitude: Latitude: Geometry X: Geometry Y:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
23	5 of 6	ENE/193.6	259.9 / 3.31	Canadian National Railway 1 Elgin St Halton Hills ON L7G 3M2	SPL
<div> <div> Ref No: 1745-BKPPL6 Year: Incident Dt: 2020/01/10 Dt MOE Arvl on Scn: MOE Reported Dt: 2020/01/10 Dt Document Closed: 2020/01/23 Site No: 5059-AXYM76 MOE Response: No Site County/District: Regional Municipality of Halton Site Geo Ref Meth: NA Site District Office: Halton-Peel Nearest Watercourse: Site Name: 1 Elgin Street Site Address: 1 Elgin St Site Region: Central Site Municipality: Halton Hills Site Lot: Site Conc: NA Site Geo Ref Accu: NA Site Map Datum: NA Northing: NA Easting: NA Entity Operating Name: Client Name: Canadian National Railway Client Type: Corporation Source Type: Motor Vehicle Incident Cause: Incident Preceding Spill: Operator/Human error Incident Reason: Operator/Human Error Incident Summary: MOETIPS: rainbow sheen streaming from CN Rail site - confirmed by CN. Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: 10 L Contaminant Qty 1: 10 Contaminant Unit: L Contaminant Code: 13 Contaminant Name: DIESEL FUEL Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: 1202 Receiving Medium: Land Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: Miscellaneous Industrial SAC Action Class: Pollution Hotline Calls Call Report Locatn Geodata: Time Reported: System Facility Address: </div> <div> Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: 2 - Minor Environment Agency Involved: </div> </div>					
23	6 of 6	ENE/193.6	259.9 / 3.31	1 Elgin Street Georgetown ON L7G 3M2	EHS
<div> <div> Order No: 22051100421 Status: C Report Type: Standard Report Report Date: 16-MAY-22 Date Received: 11-MAY-22 Previous Site Name: </div> <div> Nearest Intersection: Municipality: Client Prov/State: ON Search Radius (km): .25 X: -79.91672 Y: 43.655708 </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Lot/Building Size: Additional Info Ordered: Fire Insur. Maps and/or Site Plans					
24	1 of 1	NW/203.5	259.9 / 3.31	55 QUEEN ST ON	WWIS
Well ID: 7291952 Construction Date: Use 1st: Monitoring Use 2nd: Final Well Status: Test Hole Water Type: Casing Material: Audit No: Z257352 Tag: A226109 Constructn Method: Elevation (m): Elevatn Reliabilty: Depth to Bedrock: Well Depth: Overburden/Bedrock: Pump Rate: Static Water Level: Clear/Cloudy: Municipality: HALTON HILLS TOWN (GEORGETOWN) Site Info:					
Flowing (Y/N): Flow Rate: Data Entry Status: Data Src: Date Received: 08/04/2017 Selected Flag: TRUE Abandonment Rec: Contractor: 7360 Form Version: 7 Owner: County: HALTON Lot: Concession: Concession Name: Easting NAD83: Northing NAD83: Zone: UTM Reliability:					
PDF URL (Map): https://d2khazk8e83rdv.cloudfront.net/moe_mapping/downloads/2Water/Wells_pdfs/729\7291952.pdf					
<u>Additional Detail(s) (Map)</u>					
Well Completed Date: 06/21/2017 Year Completed: 2017 Depth (m): 3.048 Latitude: 43.6565099865671 Longitude: -79.9199537049253 X: -79.91995355568392 Y: 43.65650998545297 Path: 729\7291952.pdf					
<u>Bore Hole Information</u>					
Bore Hole ID: 1006699052 DP2BR: Spatial Status: Code OB: Code OB Desc: Open Hole: Cluster Kind: Date Completed: 06/21/2017 Remarks: Location Method Desc: on Water Well Record Elevrc Desc: Location Source Date: Improvement Location Source: Improvement Location Method: Source Revision Comment: Supplier Comment:					
Elevation: Elevrc: Zone: 17 East83: 587090.00 North83: 4834290.00 Org CS: UTM83 UTMRC: 4 UTMRC Desc: margin of error : 30 m - 100 m Location Method: wwr					
<u>Overburden and Bedrock</u> <u>Materials Interval</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Formation ID:		1006817238			
Layer:		2			
Color:					
General Color:					
Material 1:		34			
Material 1 Desc:		TILL			
Material 2:		11			
Material 2 Desc:		GRAVEL			
Material 3:		73			
Material 3 Desc:		HARD			
Formation Top Depth:		5.0			
Formation End Depth:		10.0			
Formation End Depth UOM:		ft			
 <u>Overburden and Bedrock</u>					
<u>Materials Interval</u>					
Formation ID:		1006817237			
Layer:		1			
Color:		6			
General Color:		BROWN			
Material 1:		28			
Material 1 Desc:		SAND			
Material 2:					
Material 2 Desc:					
Material 3:					
Material 3 Desc:					
Formation Top Depth:		0.0			
Formation End Depth:		5.0			
Formation End Depth UOM:		ft			
 <u>Annular Space/Abandonment</u>					
<u>Sealing Record</u>					
Plug ID:		1006817245			
Layer:		1			
Plug From:		0.0			
Plug To:		3.0			
Plug Depth UOM:		ft			
 <u>Method of Construction & Well</u>					
<u>Use</u>					
Method Construction ID:		1006817244			
Method Construction Code:		E			
Method Construction:		Auger			
Other Method Construction:					
 <u>Pipe Information</u>					
Pipe ID:		1006817236			
Casing No:		0			
Comment:					
Alt Name:					
 <u>Construction Record - Casing</u>					
Casing ID:		1006817241			
Layer:		1			
Material:		5			
Open Hole or Material:		PLASTIC			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Depth From:		0.0			
Depth To:		5.0			
Casing Diameter:		2.0			
Casing Diameter UOM:		inch			
Casing Depth UOM:		ft			
 <u>Construction Record - Screen</u>					
Screen ID:		1006817242			
Layer:		1			
Slot:		.10			
Screen Top Depth:		5.0			
Screen End Depth:		10.0			
Screen Material:		5			
Screen Depth UOM:		ft			
Screen Diameter UOM:		inch			
Screen Diameter:		2.5			
 <u>Water Details</u>					
Water ID:		1006817240			
Layer:					
Kind Code:					
Kind:					
Water Found Depth:					
Water Found Depth UOM:		ft			
 <u>Hole Diameter</u>					
Hole ID:		1006817239			
Diameter:		6.0			
Depth From:		0.0			
Depth To:		10.0			
Hole Depth UOM:		ft			
Hole Diameter UOM:		inch			
<hr/>					
<u>25</u>	1 of 1	E/205.8	259.9 / 3.31	59-63 King Street Halton Hills ON	EHS
Order No:	21022300014			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	RSC Report (Urban)			Client Prov/State:	ON
Report Date:	26-FEB-21			Search Radius (km):	.3
Date Received:	23-FEB-21			X:	-79.91635758
Previous Site Name:				Y:	43.65534249
Lot/Building Size:					
Additional Info Ordered:					
<hr/>					
<u>26</u>	1 of 1	NNE/206.6	260.1 / 3.57	1 Rosetta Street Georgetown ON L7G 3P1	EHS
Order No:	20200705002			Nearest Intersection:	
Status:	C			Municipality:	
Report Type:	Custom Report			Client Prov/State:	ON
Report Date:	08-JUL-20			Search Radius (km):	.25
Date Received:	05-JUL-20			X:	-79.91834968
Previous Site Name:				Y:	43.65669856
Lot/Building Size:					
Additional Info Ordered:	City Directory				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	1 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 1277-5P9PBH Approval Date: 2003-07-16 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:		MOE District: Halton-Peel City: Longitude: -79.9186 Latitude: 43.6527 Geometry X: Geometry Y:			
27	2 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 8112-6J8RAH Approval Date: 2005-11-18 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:		MOE District: Halton-Peel City: Longitude: -79.9186 Latitude: 43.6527 Geometry X: Geometry Y:			
27	3 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 2035-772S3L Approval Date: 2007-09-18 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:		MOE District: Halton-Peel City: Longitude: -79.9186 Latitude: 43.6527 Geometry X: Geometry Y:			
27	4 of 11	S/241.9	253.2 / -3.33	Corporation of the Town of Halton Hills Halton Hills ON L7G 5G2	ECA
Approval No: 4770-4T9RYU Approval Date: 2001-01-24		MOE District: Halton-Peel City:			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: Corporation of the Town of Halton Hills Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/2068-4T9L6F-14.pdf PDF Site Location:					
27	5 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 2196-543M6H Approval Date: 2002-02-13 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal and Private Water Works Project Type: Municipal and Private Water Works Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:					
27	6 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 9987-5TPQBF Approval Date: 2003-12-01 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:					
27	7 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 9239-6RZGYQ Approval Date: 2006-09-08 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:					
27	8 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 3523-775NZR Approval Date: 2007-09-24 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: https://www.accessenvironment.ene.gov.on.ca/instruments/4833-76ZM9A-14.pdf PDF Site Location:					
27	9 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 0823-59NQ5V Approval Date: 2002-09-19 Status: Revoked and/or Replaced Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal and Private Water Works Project Type: Municipal and Private Water Works Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:					
27	10 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L5J 1L3	ECA
Approval No: 0317-7BMPAF Approval Date: 2008-02-22 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
27	11 of 11	S/241.9	253.2 / -3.33	The Regional Municipality of Halton Halton Hills ON L6M 3L1	ECA
Approval No: 8122-64TR3W Approval Date: 2004-09-22 Status: Approved Record Type: ECA Link Source: IDS SWP Area Name: Credit Valley Approval Type: ECA-Municipal Drinking Water Systems Project Type: Municipal Drinking Water Systems Business Name: The Regional Municipality of Halton Address: Full Address: Full PDF Link: PDF Site Location:		MOE District: Halton-Peel City: Longitude: -79.9186 Latitude: 43.6527 Geometry X: Geometry Y:			
28	1 of 26	NE/242.6	259.3 / 2.75	ENGINEERED DATA PRODUCTS INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NPCB
Company Code: 00160 Industry: Other Site Status: Transaction Date: 9/6/1990 Inspection Date: 2/16/1989 --Details-- Label: Serial No.: PCB Type/Code: Askarel Location: Item/State: No. of Items: Manufacturer: Status: In-Use Contents: 1047.00 L					
28	2 of 26	NE/242.6	259.3 / 2.75	LABELMASTERS 2 ROSETTA ST GEORGETOWN ON L7G 3P2	SCT
Established: 1967 Plant Size (ft²): 0 Employment: 35 --Details-- Description: COATED AND LAMINATED PAPER, NOT ELSEWHERE CLASSIFIED SIC/NAICS Code: 2672					
28	3 of 26	NE/242.6	259.3 / 2.75	CANADIAN COATED PAPERS INC. 2 ROSETTA ST GEORGETOWN ON L7G 3P2	SCT
Established: 1983 Plant Size (ft²): 10000 Employment: 5					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div>--Details--</div> <div>Description:COATED AND LAMINATED PAPER, NOT ELSEWHERE CLASSIFIED</div> <div>SIC/NAICS Code:2672</div>					
28	4 of 26	NE/242.6	259.3 / 2.75	Applied Wiring (Georgetown) Inc. 2 Rosetta St Georgetown ON L7G 3P2	SCT
Established:		1988			
Plant Size (ft²):					
Employment:		30			
28	5 of 26	NE/242.6	259.3 / 2.75	Applied Wiring Assemblies Inc. 2 Rosetta St Georgetown ON L7G 3P2	SCT
Established:		1988			
Plant Size (ft²):					
Employment:		100			
<div>--Details--</div> <div>Description:Communication and Energy Wire and Cable Manufacturing</div> <div>SIC/NAICS Code:335920</div>					
28	6 of 26	NE/242.6	259.3 / 2.75	LABELMASTERS 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<div>Generator Info</div> <div>Generator No:ON0742600</div> <div>Approval Years:86,87,88,89,90</div> <div>Status:</div> <div>PO Box No:</div> <div>Country:</div> <div>Co Admin:</div> <div>Phone No Admin:</div> <div>SIC Description:OTHER COMM. PRINTING</div> <div>Choice of Contact:</div> <div>Contaminated Fac:</div> <div>MHSW Facility:</div> <div>SIC Code:2819</div>					
<div>Waste Detail(s)</div> <div>Waste Class:241</div> <div>Waste Class Name:HALOGENATED SOLVENTS</div>					
28	7 of 26	NE/242.6	259.3 / 2.75	LABELMASTERS 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<div>Generator Info</div> <div>Generator No:ON0742600</div> <div>Approval Years:92,93,97,98,99,00,01</div> <div>Choice of Contact:</div> <div>Contaminated Fac:</div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:					
		OTHER COMM. PRINTING		MHSW Facility: SIC Code: 2819	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		241 HALOGENATED SOLVENTS			
28	8 of 26	NE/242.6	259.3 / 2.75	LABELMASTERS 24-330 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON0742600 94,95,96		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code: 2819	
		OTHER COMM. PRINTING			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		241 HALOGENATED SOLVENTS			
28	9 of 26	NE/242.6	259.3 / 2.75	Engineered Data Products Inc. 2 Rosetta Street Georgetown ON L7G 3P2	GEN
<u>Generator Info</u>					
Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:		ON1078418 02,03,04		Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		263 ORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:		331 WASTE COMPRESSED GASES			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
<u>Waste Detail(s)</u>					
Waste Class:		262			
Waste Class Name:		DETERGENTS/SOAPS			
<u>Waste Detail(s)</u>					
Waste Class:		145			
Waste Class Name:		PAINT/PIGMENT/COATING RESIDUES			
<u>Waste Detail(s)</u>					
Waste Class:		148			
Waste Class Name:		INORGANIC LABORATORY CHEMICALS			
<u>Waste Detail(s)</u>					
Waste Class:		213			
Waste Class Name:		PETROLEUM DISTILLATES			
28	10 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<u>Generator Info</u>					
Generator No:	ON2525101			Choice of Contact:	
Approval Years:	01,02,03,04,05,06,07,08			Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code:	3199
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:	OTHER MACHINERY				
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
28	11 of 26	NE/242.6	259.3 / 2.75	Applied Wiring Assemblies Inc. 2 Rosetta St Georgetown ON L7G 3P2	SCT
Established:	01-JUL-81				
Plant Size (ft²):					
Employment:					
<u>--Details--</u>					
Description:	Switchgear and Switchboard, and Relay and Industrial Control Apparatus Manufacturing				
SIC/NAICS Code:	335315				

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Description:		Semiconductor and Other Electronic Component Manufacturing			
SIC/NAICS Code:		334410			
Description:		Other Fabricated Wire Product Manufacturing			
SIC/NAICS Code:		332619			
28	12 of 26	NE/242.6	259.3 / 2.75	ENGINEERED DATA PRODUCTS INC. 2 ROSETTA STREET Georgetown ON L7G 3P2	NPCB
Company Code:		O0160			
Industry:		Other			
Site Status:		In- Use			
Transaction Date:		2/16/1989			
Inspection Date:		2/16/1989			
--Details--					
Label:					
Serial No.:					
PCB Type/Code:		Askarel/Askarel			
Location:		MILL BASEMENT			
Item/State:					
No. of Items:					
Manufacturer:					
Status:		In-Use			
Contents:					
28	13 of 26	NE/242.6	259.3 / 2.75	ENGINEERED DATA PRODUCTS INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	NPCB
Company Code:		O0160			
Industry:		OTHER			
Site Status:		STORAGE ONLY (NON FEDERAL)			
Transaction Date:		4/18/1994			
Inspection Date:		2/16/1989			
--Details--					
Label:		OR25271			
Serial No.:		NP5067-1			
PCB Type/Code:		ASKAREL/ASKAREL			
Location:					
Item/State:		TRANSFORMER/FULL			
No. of Items:		1			
Manufacturer:					
Status:		IN-USE			
Contents:		1047 L			
Label:		OR25272			
Serial No.:		NP5067-2			
PCB Type/Code:		ASKAREL/ASKAREL			
Location:					
Item/State:		TRANSFORMER/FULL			
No. of Items:		1			
Manufacturer:					
Status:		IN-USE			
Contents:		1047 L			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
28	14 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON	GEN

Generator Info

Generator No:	ON2525101	Choice of Contact:	
Approval Years:	2009	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	335930
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Wiring Device Manufacturing		

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

28	15 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON2525101	Choice of Contact:	
Approval Years:	2010	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	335930
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Wiring Device Manufacturing		

Waste Detail(s)

Waste Class:	252
Waste Class Name:	WASTE OILS & LUBRICANTS

28	16 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON	GEN
--------------------	----------	----------	--------------	---	-----

Generator Info

Generator No:	ON2525101	Choice of Contact:	
Approval Years:	2011	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	335930
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Wiring Device Manufacturing		

Waste Detail(s)

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
28	17 of 26	NE/242.6	259.3 / 2.75	engineered data products 2 Rosetta Street Georgetown ON	GEN
<u>Generator Info</u>					
Generator No:		ON9756079		Choice of Contact:	
Approval Years:		2012		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 493190	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Other Warehousing and Storage			
28	18 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
<u>Generator Info</u>					
Generator No:		ON2525101		Choice of Contact:	
Approval Years:		2012		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 335930	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		Wiring Device Manufacturing			
<u>Waste Detail(s)</u>					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
28	19 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON	GEN
<u>Generator Info</u>					
Generator No:		ON2525101		Choice of Contact:	
Approval Years:		2013		Contaminated Fac:	
Status:				MHSW Facility:	
PO Box No:				SIC Code: 335930	
Country:					
Co Admin:					
Phone No Admin:					
SIC Description:		WIRING DEVICE MANUFACTURING			
<u>Waste Detail(s)</u>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
28	20 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
Generator Info					
Generator No:		ON2525101	Choice of Contact:		CO_OFFICIAL
Approval Years:		2016	Contaminated Fac:		No
Status:			MHSW Facility:		No
PO Box No:			SIC Code:		335930
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:		WIRING DEVICE MANUFACTURING			
Waste Detail(s)					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
28	21 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
Generator Info					
Generator No:		ON2525101	Choice of Contact:		CO_OFFICIAL
Approval Years:		2015	Contaminated Fac:		No
Status:			MHSW Facility:		No
PO Box No:			SIC Code:		335930
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:		WIRING DEVICE MANUFACTURING			
Waste Detail(s)					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
28	22 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
Generator Info					
Generator No:		ON2525101	Choice of Contact:		CO_OFFICIAL
Approval Years:		2014	Contaminated Fac:		No
Status:			MHSW Facility:		No
PO Box No:			SIC Code:		335930
Country:		Canada			
Co Admin:					
Phone No Admin:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
SIC Description:		WIRING DEVICE MANUFACTURING			
Waste Detail(s)					
Waste Class:		252			
Waste Class Name:		WASTE OILS & LUBRICANTS			
28	23 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
Generator Info					
Generator No:		ON2525101		Choice of Contact:	
Approval Years:		As of Dec 2018		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
28	24 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
Generator Info					
Generator No:		ON2525101		Choice of Contact:	
Approval Years:		As of Jul 2020		Contaminated Fac:	
Status:		Registered		MHSW Facility:	
PO Box No:				SIC Code:	
Country:		Canada			
Co Admin:					
Phone No Admin:					
SIC Description:					
Waste Detail(s)					
Waste Class:		252 L			
Waste Class Name:		Waste crankcase oils and lubricants			
28	25 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
Generator Info					
Generator No:		ON2525101		Choice of Contact:	
Approval Years:		As of Nov 2021		Contaminated Fac:	

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:	Registered Canada			MHSW Facility: SIC Code:	
<u>Waste Detail(s)</u>					
Waste Class: Waste Class Name:	252 L Waste crankcase oils and lubricants				

28	26 of 26	NE/242.6	259.3 / 2.75	APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET GEORGETOWN ON L7G 3P2	GEN
--------------------	----------	----------	--------------	--	------------

Generator Info

Generator No: Approval Years: Status: PO Box No: Country: Co Admin: Phone No Admin: SIC Description:	ON2525101 As of Oct 2022 Registered Canada	Choice of Contact: Contaminated Fac: MHSW Facility: SIC Code:
---	---	--

Waste Detail(s)

Waste Class: Waste Class Name:	252 L WASTE OILS & LUBRICANTS
---	----------------------------------

2017 Generator Info

Gen No: ID: Contaminated Fac: MHSW Facility: NAICS Code1: NAICS Code2: NAICS Code3: Gen Name: Gen Div: Gen Op Name: Gen Op Div: Site Adrs1: Site Bldg: Site Pobox: Province In: Site Adrs2: Site City: Province Out: Site Postal Code: Site Country: Co Official: Co Admin:	ON2525101 9997 N N 335930 APPLIED WIRING ASSEMBLIES INC. APPLIED WIRING ASSEMBLIES INC. 2 ROSETTA STREET ONTARIO GEORGETOWN L7G 3P2 Canada Susan Geberl	Choice of Contact: Phone No Official: Phone No Admin: County Ont: County Out: District:	CO_OFFICIAL 9058731717 Ext. HALTON (R. M.) 305
--	---	--	---

2018 Generator Info

Gen No:	ON2525101	Choice of Contact:	CO_OFFICIAL
----------------	-----------	---------------------------	-------------

<i>Map Key</i>	<i>Number of Records</i>	<i>Direction/ Distance (m)</i>	<i>Elev/Diff (m)</i>	<i>Site</i>	<i>DB</i>
ID:	9750			Phone No Official:	9058731717 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	335930			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		APPLIED WIRING ASSEMBLIES INC.			
Gen Div:					
Gen Op Name:		APPLIED WIRING ASSEMBLIES INC.			
Gen Op Div:					
Site Adrs1:		2 ROSETTA STREET			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		GEORGETOWN			
Province Out:					
Site Postal Code:		L7G 3P2			
Site Country:		Canada			
Co Official:		Susan Geberl			
Co Admin:					
<u>2019 Generator Info</u>					
Gen No:	ON2525101			Choice of Contact:	CO_OFFICIAL
ID:	9446			Phone No Official:	9058731717 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	335930			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		APPLIED WIRING ASSEMBLIES INC.			
Gen Div:					
Gen Op Name:		APPLIED WIRING ASSEMBLIES INC.			
Gen Op Div:					
Site Adrs1:		2 ROSETTA STREET			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			
Site Adrs2:					
Site City:		GEORGETOWN			
Province Out:					
Site Postal Code:		L7G 3P2			
Site Country:		Canada			
Co Official:		Susan Geberl			
Co Admin:					
<u>2020 Generator Info</u>					
Gen No:	ON2525101			Choice of Contact:	CO_OFFICIAL
ID:	9101			Phone No Official:	9058731717 Ext.
Contaminated Fac:	N			Phone No Admin:	
MHSW Facility:	N			County Ont:	HALTON (R. M.)
NAICS Code1:	335930			County Out:	
NAICS Code2:				District:	305
NAICS Code3:					
Gen Name:		APPLIED WIRING ASSEMBLIES INC.			
Gen Div:					
Gen Op Name:		APPLIED WIRING ASSEMBLIES INC.			
Gen Op Div:					
Site Adrs1:		2 ROSETTA STREET			
Site Bldg:					
Site Pobox:					
Province In:		ONTARIO			

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Site Adrs2: Site City: GEORGETOWN Province Out: Site Postal Code: L7G 3P2 Site Country: Canada Co Official: Susan Geberl Co Admin:					
<u>2021 Generator Info</u>					
Gen No: ON2525101 ID: 8854 Contaminated Fac: N MHSW Facility: N NAICS Code1: 335930 NAICS Code2: NAICS Code3: Gen Name: APPLIED WIRING ASSEMBLIES INC. Gen Div: Gen Op Name: APPLIED WIRING ASSEMBLIES INC. Gen Op Div: Site Adrs1: 2 ROSETTA STREET Site Bldg: Site Pobox: Province In: ONTARIO Site Adrs2: Site City: GEORGETOWN Province Out: Site Postal Code: L7G 3P2 Site Country: Canada Co Official: Susan Geberl Co Admin:					
Choice of Contact: CO_OFFICIAL Phone No Official: 9058731717 Ext. Phone No Admin: County Ont: HALTON (R. M.) County Out: District: 305					
29	1 of 2	WNW/244.1	259.9 / 3.31	Union Gas Limited 24 John St. Halton Hills ON	SPL
Ref No: 4255-B5HTBC Year: Incident Dt: 2018/10/13 Dt MOE Arvl on Scn: MOE Reported Dt: 2018/10/13 Dt Document Closed: Site No: NA MOE Response: No Site County/District: Regional Municipality of Halton Site Geo Ref Meth: Site District Office: Halton-Peel Nearest Watercourse: Site Name: Inch and a Quarter Gas Main Damage<UNOFFICIAL> Site Address: 24 John St. Site Region: Central Site Municipality: Halton Hills Site Lot: Site Conc: Site Geo Ref Accu: Site Map Datum: Northing: Easting: Entity Operating Name: Client Name: Union Gas Limited Client Type: Corporation Source Type: Valve/Fitting/Piping Incident Cause:					
Municipality No: Nature of Damage: Discharger Report: Material Group: Impact to Health: 2 - Minor Environment Agency Involved:					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
Incident Preceding Spill: Incident Reason: Incident Summary: Environment Impact: Health Env Consequence: Nature of Impact: Contaminant Qty: Contaminant Qty 1: Contaminant Unit: Contaminant Code: Contaminant Name: Contaminant Limit 1: Contam Limit Freq 1: Contaminant UN No 1: Receiving Medium: Activity Preceding Spill: Property 2nd Watershed: Property Tertiary Watershed: Sector Type: SAC Action Class: Call Report Locatn Geodata: Time Reported: System Facility Address:					
		Leak/Break Operator/Human Error TSSA/FSB: 1¼" IP Plastic Main Damage - Made Safe			
		0 other - see incident description 0 other - see incident description 35 NATURAL GAS (METHANE)			
		1075 Air			
		Miscellaneous Communal TSSA - Fuel Safety Branch - Hydrocarbon Fuel Release/Spill			
29	2 of 2	WNW/244.1	259.9 / 3.31	PIPELINE HIT 1 1/4" 24 JOHN ST,,HALTON,ON,L7G 2J7,CA ON	PINC
Incident Id: Incident No: Incident Reported Dt: Type: Status Code: Tank Status: Task No: Spills Action Centre: Fuel Type: Fuel Occurrence Tp: Date of Occurrence: Occurrence Start Dt: Depth: Customer Acct Name: Incident Address: Operation Type: Pipeline Type: Regulator Type: Summary: Reported By: Affiliation: Occurrence Desc: Damage Reason: Notes:					
		2418308 10/15/2018 FS-Pipeline Incident Pipeline Damage Reason Est		Pipe Material: Fuel Category: Health Impact: Environment Impact: Property Damage: Service Interrupt: Enforce Policy: Public Relation: Pipeline System: PSIG: Attribute Category: Regulator Location: Method Details:	
		PIPELINE HIT 1 1/4" 24 JOHN ST,,HALTON,ON,L7G 2J7,CA			
30	1 of 1	WNW/247.3	257.4 / 0.84	10 JOHN STREET, HALTON HILLS ON	INC
Incident No: Incident ID: Instance No: Status Code: Incident Status: Incident Severity:					
		1897320		Any Health Impact: Any Enviro Impact: Service Intrap: Was Prop Damaged: Reside App. Type: Commer App. Type:	No Unknown Yes Yes

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<div> <div> Task No: 6236461 Attribute Category: FS-Perform L1 Incident Insp Context: Date of Occurrence: 2016/07/01 00:00:00 Time of Occurrence: NULL Occr Insp Start Dt: 2016/07/05 00:00:00 Incident Creat On: Instance Creat Dt: Instance Install Dt: Approx Quant Rel: Tank Capacity: Fuels Occur Type: Leak Occur Type Rpt: Occur Category: Fuel Type Involved: Fuel Oil Fuel Type Reported: Enforcement Policy: NULL Prc Escalation Req: NULL Item: Item Description: Device Installed Location: Venting Type: Vent Conn Mater: Vent Chimney Mater: Pipeline Type: Pipeline Involved: Pipe Material: Regulator Location: Regulator Type: Liquid Prop Make: Liquid Prop Model: Liquid Prop Serial No: Liquid Prop Notes: Inventory Address: 10 JOHN STREET, HALTON HILLS - LEAK Invent Postal Code: Notes: Contact Natural Env: Aff Prop Use Water: Occurrence Narrative: NULL Operation Type Involved: Private Dwelling </div> <div> Indus App. Type: Institut App. Type: Depth Ground Cover: Operation Pressure: Equipment Type: Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Pump Flow Rate Cap: Contam. Migrated: Near Body of Water: Drainage System: Sub Surface Contam: Tank Material Type: Tank Storage Type: Tank Location Type: </div> </div>					
31	1 of 1	W/248.0	256.8 / 0.26	8 JOHN STREET, GEORGETOWN ON L7G 2J7	INC
<div> <div> Incident No: 346362 Incident ID: 2497876 Instance No: Status Code: Causal Analysis Complete Incident Status: Incident Severity: Task No: Attribute Category: FS-Incident Context: Date of Occurrence: Time of Occurrence: Occr Insp Start Dt: Incident Creat On: Instance Creat Dt: Instance Install Dt: Approx Quant Rel: Tank Capacity: Fuels Occur Type: Occur Type Rpt: Occur Category: </div> <div> Any Health Impact: Any Enviro Impact: Service Intrap: Was Prop Damaged: Reside App. Type: Commer App. Type: Indus App. Type: Institut App. Type: Depth Ground Cover: Operation Pressure: Equipment Type: Equipment Model: Serial No: Cylinder Capacity: Cylinder Cap Units: Cylinder Mat Type: Pump Flow Rate Cap: Contam. Migrated: Near Body of Water: Drainage System: </div> </div>					

Map Key	Number of Records	Direction/ Distance (m)	Elev/Diff (m)	Site	DB
<hr/>					
Fuel Type Involved:				Sub Surface Contam:	
Fuel Type Reported:				Tank Material Type:	
Enforcement Policy:				Tank Storage Type:	
Prc Escalation Req:				Tank Location Type:	
Item:					
Item Description:					
Device Installed Location:					
Venting Type:					
Vent Conn Mater:					
Vent Chimney Mater:					
Pipeline Type:		Service / Riser Distribution Pipeline			
Pipeline Involved:					
Pipe Material:		Plastic			
Regulator Location:					
Regulator Type:					
Liquid Prop Make:					
Liquid Prop Model:					
Liquid Prop Serial No:					
Liquid Prop Notes:					
Inventory Address:		8 JOHN STREET, GEORGETOWN - 1/2" PIPELINE HIT			
Invent Postal Code:					
Notes:					
Contact Natural Env:					
Aff Prop Use Water:					
Occurrence Narrative:					
Operation Type Involved:					

Unplottable Summary

Total: **30** Unplottable sites

DB	Company Name/Site Name	Address	City	Postal
CA	336560 ONTARIO LTD.	EASEMENT JOHN STREET	HALTON HILLS TOWN ON	
CA	The Regional Municipality of Halton	Rosetta Street Georgetown	Halton Hills ON	
CA	TOWN	DURHAM ST.	HALTON HILLS ON	
CA	TOWN	DURHAM ST.	HALTON HILLS ON	
CA		Within the R.O.W. of River Drive	Halton Hills ON	
CA		Within the R.O.W. of River Drive	Halton Hills ON	
CA		King Street	Halton Hills ON	
CA	The Regional Municipality of Halton	Sarah Street	Halton Hills ON	
CA	COBBLEHILL HOMES CO-OP INC.	PVT. RD./VICTORIA STREET	HALTON HILLS TOWN ON	
CONV	APPLIED WIRING (GEORGETOWN) IN		ON	
DTNK	UPI ENERGY LP*	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON	
EBR	Maple Leaf Foods Inc.	Elgin Street Halton Hills Ontario Halton Hills	ON	
EBR	Maple Leaf Foods Inc.	Elgin Street Halton Hills Ontario Halton Hills	ON	
EBR	Maple Leaf Foods Inc.	Elgin Street Halton Hills Ontario Halton Hills	ON	
ECA	The Regional Municipality of Halton	Rosetta Street Georgetown	Halton Hills ON	L6M 3L1
ECA	The Regional Municipality of Halton	Sarah St from 45 metres south of King Street to Durham Street	Halton Hills ON	L6M 3L1
ECA	The Regional Municipality of Halton	Within the R.O.W. of River Dr	Halton Hills ON	L6M 3L1
ECA	The Regional Municipality of Halton	Rosetta Street Georgetown	Halton Hills ON	L6M 3L1

EXP	UPI ENERGY LP	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON
EXP	UPI ENERGY LP	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON
EXP	UPI ENERGY LP	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON
EXP	UPI ENERGY LP	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON
EXP	UPI ENERGY LP	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON
EXP	UPI ENERGY LP	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON
EXP	UPI ENERGY LP	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON
GEN	CANADIAN NATIONAL RAILWAY	VARIOUS SITES WITHIN THE MOEE CENTRAL REGION	(SEE SCHEDULE "B") ON
GEN	CANADIAN NATIONAL RAILWAY	VARIOUS SITES WITHIN THE MOEE CENTRAL REGION	(SEE SCHEDULE "B") ON
OPCB	GO TRANSIT	GEORGETOWN GO TRANSIT	GEORGETOWN ON
PRT	UCO PETROLEUM INC C/O SHIRLEY WONNELL	LOTS 2 & 18 CON 9 S E OF JOHN ST	GEORGETOWN ON
SPL	UNKNOWN	JOHN ST. GEORGETOWN	HALTON HILLS TOWN ON

Unplottable Report

Site: 336560 ONTARIO LTD.
EASEMENT JOHN STREET HALTON HILLS TOWN ON

Database:
CA

Certificate #: 3-1545-86-
Application Year: 86
Issue Date: 10/17/1986
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: The Regional Municipality of Halton
Rosetta Street Georgetown Halton Hills ON

Database:
CA

Certificate #: 1670-72NF8R
Application Year: 2007
Issue Date: 5/4/2007
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: TOWN
DURHAM ST. HALTON HILLS ON

Database:
CA

Certificate #: 7-0716-85-006
Application Year: 85
Issue Date: 9/19/85
Approval Type: Municipal water
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: TOWN
DURHAM ST. HALTON HILLS ON

Database:
CA

Certificate #: 3-0969-85-006
Application Year: 85

Issue Date: 9/19/85
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: Within the R.O.W. of River Drive Halton Hills ON

Database:
CA

Certificate #:
Application Year: 00
Issue Date: 6/9/00
Approval Type: Municipal & Private sewage
Status: Returned
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Halton
Client Address: 1151 Bronte Road
Client City: Oakville
Client Postal Code: L6M 3L1
Project Description:
Contaminants:
Emission Control:

Site: Within the R.O.W. of River Drive Halton Hills ON

Database:
CA

Certificate #: 1545-4J9RU4
Application Year: 00
Issue Date: 4/13/00
Approval Type: Municipal & Private water
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Regional Municipality of Halton
Client Address: 1151 Bronte Road
Client City: Oakville
Client Postal Code: L6M 3L1
Project Description: Watermains to be constructed in the Town of Halton Hills
Contaminants:
Emission Control:

Site: King Street Halton Hills ON

Database:
CA

Certificate #: 4770-4T9RYU
Application Year: 01
Issue Date: 1/24/01
Approval Type: Municipal & Private sewage
Status: Approved
Application Type: New Certificate of Approval
Client Name: Corporation of the Town of Halton Hills
Client Address: 1 Halton Hills Drive, P.O. Box 128
Client City: Halton Hills
Client Postal Code: L7G 5G2
Project Description: Installation of storm sewers on King Street
Contaminants:
Emission Control:

Site: The Regional Municipality of Halton
Sarah Street Halton Hills ON

Database:
CA

Certificate #: 0548-6KAQK8
Application Year: 2005
Issue Date: 12/23/2005
Approval Type: Municipal and Private Sewage Works
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: COBBLEHILL HOMES CO-OP INC.
PVT. RD./VICTORIA STREET HALTON HILLS TOWN ON

Database:
CA

Certificate #: 3-0771-91-
Application Year: 91
Issue Date: 6/10/1991
Approval Type: Municipal sewage
Status: Approved
Application Type:
Client Name:
Client Address:
Client City:
Client Postal Code:
Project Description:
Contaminants:
Emission Control:

Site: APPLIED WIRING (GEORGETOWN) IN
ON

Database:
CONV

File No:		Location:	
Crown Brief No:	98-0000-9003	Region:	CENTRAL REGION
Court Location:		Ministry District:	
Publication City:			
Publication Title:			
Act:			
Act(s):			
First Matter:			
Second Matter:			
Investigation 1:			
Investigation 2:			
Penalty Imposed:			
Description:	THIS IS THE CENTRAL BRIEF FOR ALL P.O.A. TICKETS		
Background:			
URL:			

Additional Details

Publication Date:
Count: 1
Act: EPA
Regulation: 347
Section: 18(1)
Act/Regulation/Section: EPA-347-18(1)
Date of Offence:
Date of Conviction:
Date Charged: 8/20/01
Charge Disposition: SUSPENDED SENTENCE
Fine: \$305.00

Synopsis:

Additional Details

Publication Date:
Count: 1
Act: EPA
Regulation: 347
Section: 18(8)
Act/Regulation/Section: EPA-347-18(8)
Date of Offence:
Date of Conviction:
Date Charged: 8/20/01
Charge Disposition: SUSPENDED SENTENCE
Fine: \$205.00
Synopsis:

Site: UPI ENERGY LP*
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
DTNK

**Delisted Expired Fuel Safety
Facilities**

Instance No:	9914987	Expired Date:	2/7/1992
Status:	EXPIRED	Max Hazard Rank:	
Instance ID:		Facility Location:	
Instance Type:	FS Facility	Facility Type:	
Instance Creation Dt:		Fuel Type 2:	
Instance Install Dt:		Fuel Type 3:	
Item Description:		Panam Related:	
Manufacturer:		Panam Venue Nm:	
Model:		External Identifier:	
Serial No:		Item:	
ULC Standard:		Piping Steel:	
Quantity:		Piping Galvanized:	
Unit of Measure:		Tank Single Wall St:	
Overfill Prot Type:		Piping Underground:	
Creation Date:		Tank Underground:	
Next Periodic Str DT:		Source:	
TSSA Base Sched Cycle 2:			
TSSAMax Hazard Rank 1:			
TSSA Risk Based Periodic Yn:			
TSSA Volume of Directives:			
TSSA Periodic Exempt:			
TSSA Statutory Interval:			
TSSA Recd Insp Interva:			
TSSA Recd Tolerance:			
TSSA Program Area:			
TSSA Program Area 2:			
Description:			
Original Source:	EXP		
Record Date:	Up to May 2013		

Site: Maple Leaf Foods Inc.
Elgin Street Halton Hills Ontario Halton Hills ON

Database:
EBR

EBR Registry No:	IA02E1509	Decision Posted:	
Ministry Ref No:	9921-5D9LMU	Exception Posted:	
Notice Type:	Instrument Decision	Section:	
Notice Stage:		Act 1:	
Notice Date:	October 20, 2006	Act 2:	
Proposal Date:	November 29, 2002	Site Location Map:	
Year:	2002		
Instrument Type:	(EPA s. 27) - Approval for a waste disposal site.		
Off Instrument Name:			
Posted By:			

Company Name: Maple Leaf Foods Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 30 St. Clair Avenue West , 1500, Toronto Ontario, M4V 3A2
Comment Period:
URL:
Summary:

Site Location Details:

Elgin Street Halton Hills Ontario Halton Hills

Site: **Maple Leaf Foods Inc.**
Elgin Street Halton Hills Ontario Halton Hills ON

Database:
EBR

EBR Registry No: IA02E1008
Ministry Ref No: 7923-5D8TGV
Notice Type: Instrument Decision
Notice Stage:
Notice Date: October 29, 2002
Proposal Date: August 28, 2002
Year: 2002
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Maple Leaf Foods Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 30 St. Clair Avenue West , 1500, Toronto Ontario, M4V 3A2
Comment Period:
URL:
Summary:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Elgin Street Halton Hills Ontario Halton Hills

Site: **Maple Leaf Foods Inc.**
Elgin Street Halton Hills Ontario Halton Hills ON

Database:
EBR

EBR Registry No: IA05E1791
Ministry Ref No: 2327-6JEQX8
Notice Type: Instrument Decision
Notice Stage:
Notice Date: June 15, 2006
Proposal Date: April 24, 2006
Year: 2006
Instrument Type: (EPA s. 9) - Approval for discharge into the natural environment other than water (i.e. Air)
Off Instrument Name:
Posted By:
Company Name: Maple Leaf Foods Inc.
Site Address:
Location Other:
Proponent Name:
Proponent Address: 30 St. Clair Avenue West , 1500, Toronto Ontario, M4V 3A2
Comment Period:
URL:
Summary:

Decision Posted:
Exception Posted:
Section:
Act 1:
Act 2:
Site Location Map:

Site Location Details:

Elgin Street Halton Hills Ontario Halton Hills

Site: The Regional Municipality of Halton
Rosetta Street Georgetown Halton Hills ON L6M 3L1

Database:
ECA

Approval No: 6691-72NFE8
Approval Date: 2007-05-04
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-Municipal Drinking Water Systems
Project Type: Municipal Drinking Water Systems
Business Name: The Regional Municipality of Halton
Address: Rosetta Street Georgetown
Full Address:
Full PDF Link:
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: The Regional Municipality of Halton
Sarah St from 45 metres south of King Street to Durham Street Halton Hills ON L6M 3L1

Database:
ECA

Approval No: 0548-6KAQK8
Approval Date: 2005-12-23
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS
Business Name: The Regional Municipality of Halton
Address: Sarah St from 45 metres south of King Street to Durham Street
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/8252-6K4R6T-14.pdf>
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: The Regional Municipality of Halton
Within the R.O.W. of River Dr Halton Hills ON L6M 3L1

Database:
ECA

Approval No: 1545-4J9RU4
Approval Date: 2000-04-13
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-Municipal and Private Water Works
Project Type: Municipal and Private Water Works
Business Name: The Regional Municipality of Halton
Address: Within the R.O.W. of River Dr
Full Address:
Full PDF Link:
PDF Site Location:

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Site: The Regional Municipality of Halton
Rosetta Street Georgetown Halton Hills ON L6M 3L1

Database:
ECA

Approval No: 1670-72NF8R
Approval Date: 2007-05-04
Status: Approved
Record Type: ECA
Link Source: IDS
SWP Area Name:
Approval Type: ECA-MUNICIPAL AND PRIVATE SEWAGE WORKS
Project Type: MUNICIPAL AND PRIVATE SEWAGE WORKS

MOE District:
City:
Longitude:
Latitude:
Geometry X:
Geometry Y:

Business Name: The Regional Municipality of Halton
Address: Rosetta Street Georgetown
Full Address:
Full PDF Link: <https://www.accessenvironment.ene.gov.on.ca/instruments/1578-72KK96-14.pdf>
PDF Site Location:

Site: UPI ENERGY LP
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
EXP

Inventory No:	11108934	Tank Material:	Steel
Inventory Status:	EXPIRED	Corrosion Protect:	Coating
Installation Year:	NULL	Overfill Protection:	
Capacity:	22700	Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:		Inventory Item:	FS LIQUID FUEL TANK
Tank Type:			
Manufacturer:			
Model:			
Description:	ABOVE GROUND TANK - HORIZONTAL		
Previous Fuel Type:	Diesel		

Site: UPI ENERGY LP
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
EXP

Inventory No:	11108981	Tank Material:	Steel
Inventory Status:	EXPIRED	Corrosion Protect:	Coating
Installation Year:	NULL	Overfill Protection:	
Capacity:	45400	Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:		Inventory Item:	FS LIQUID FUEL TANK
Tank Type:			
Manufacturer:			
Model:			
Description:	ABOVE GROUND VERTICAL TANK		
Previous Fuel Type:	Fuel Oil		

Site: UPI ENERGY LP
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
EXP

Inventory No:	11108950	Tank Material:	Steel
Inventory Status:	EXPIRED	Corrosion Protect:	Coating
Installation Year:	NULL	Overfill Protection:	
Capacity:	22700	Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:		Inventory Item:	FS LIQUID FUEL TANK
Tank Type:			
Manufacturer:			
Model:			
Description:	ABOVE GROUND TANK - HORIZONTAL		
Previous Fuel Type:	Fuel Oil		

Site: UPI ENERGY LP
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
EXP

Inventory No:	11108998	Tank Material:	Steel
Inventory Status:	EXPIRED	Corrosion Protect:	Coating
Installation Year:	NULL	Overfill Protection:	
Capacity:	22700	Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:		Inventory Item:	FS LIQUID FUEL TANK
Tank Type:			
Manufacturer:			
Model:			
Description:	ABOVE GROUND VERTICAL TANK		
Previous Fuel Type:	Diesel		

Site: UPI ENERGY LP
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
EXP

Inventory No:	11108919	Tank Material:	Steel
Inventory Status:	EXPIRED	Corrosion Protect:	Coating
Installation Year:	NULL	Overfill Protection:	
Capacity:	45400	Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:		Inventory Item:	FS LIQUID FUEL TANK
Tank Type:			
Manufacturer:			
Model:			
Description:	ABOVE GROUND TANK - HORIZONTAL		
Previous Fuel Type:	Diesel		

Site: UPI ENERGY LP
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
EXP

Inventory No:	11108905	Tank Material:	Steel
Inventory Status:	EXPIRED	Corrosion Protect:	Coating
Installation Year:	NULL	Overfill Protection:	
Capacity:	9000	Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:		Inventory Item:	FS LIQUID FUEL TANK
Tank Type:			
Manufacturer:			
Model:			
Description:	ABOVE GROUND TANK - HORIZONTAL		
Previous Fuel Type:	Gasoline		

Site: UPI ENERGY LP
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
EXP

Inventory No:	11108965	Tank Material:	Steel
Inventory Status:	EXPIRED	Corrosion Protect:	Coating
Installation Year:	NULL	Overfill Protection:	
Capacity:	9000	Inventory Context:	FS Liquid Fuel Tank
Capacity Unit:		Inventory Item:	FS LIQUID FUEL TANK
Tank Type:			
Manufacturer:			
Model:			
Description:	ABOVE GROUND TANK - HORIZONTAL		
Previous Fuel Type:	Diesel		

Site: CANADIAN NATIONAL RAILWAY
VARIOUS SITES WITHIN THE MOEE CENTRAL REGION (SEE SCHEDULE "B") ON

Database:
GEN

Generator Info

Generator No:	ONR000703	Choice of Contact:	
Approval Years:	2012	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	482113
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	Mainline Freight Rail Transportation		

Waste Detail(s)

Waste Class:	145
Waste Class Name:	PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class: 113
Waste Class Name: ACID WASTE - OTHER METALS

Waste Detail(s)

Waste Class: 331
Waste Class Name: WASTE COMPRESSED GASES

Waste Detail(s)

Waste Class: 211
Waste Class Name: AROMATIC SOLVENTS

Waste Detail(s)

Waste Class: 148
Waste Class Name: INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class: 222
Waste Class Name: HEAVY FUELS

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class: 212
Waste Class Name: ALIPHATIC SOLVENTS

Waste Detail(s)

Waste Class: 263
Waste Class Name: ORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class: 221
Waste Class Name: LIGHT FUELS

Waste Detail(s)

Waste Class: 146
Waste Class Name: OTHER SPECIFIED INORGANICS

Waste Detail(s)

Waste Class: 243
Waste Class Name: PCBS

Waste Detail(s)

Waste Class: 122
Waste Class Name: ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Waste Class: 262
Waste Class Name: DETERGENTS/SOAPS

Waste Detail(s)

Waste Class: 251
Waste Class Name: OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class: 253
Waste Class Name: EMULSIFIED OILS

Waste Detail(s)

Waste Class: 213
Waste Class Name: PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class: 270
Waste Class Name: OTHER SPECIFIED ORGANICS

Waste Detail(s)

Waste Class: 266
Waste Class Name: PHENOLIC WASTES

Waste Detail(s)

Waste Class: 114
Waste Class Name: OTHER INORGANIC ACID WASTES

Waste Detail(s)

Waste Class: 231
Waste Class Name: LATEX WASTES

Waste Detail(s)

Waste Class: 232
Waste Class Name: POLYMERIC RESINS

Waste Detail(s)

Waste Class: 269
Waste Class Name: NON-HALOGENATED PESTICIDES

Waste Detail(s)

Waste Class: 254
Waste Class Name: TRANSFER STATION OILS WASTES

Waste Detail(s)

Waste Class: 121
Waste Class Name: ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class: 268
Waste Class Name: AMINES

Waste Detail(s)

Waste Class: 135
Waste Class Name: REACTIVE ANION WASTES

Waste Detail(s)

Waste Class: 241
Waste Class Name: HALOGENATED SOLVENTS

Waste Detail(s)

Waste Class: 112
Waste Class Name: ACID WASTE - HEAVY METALS

Site: CANADIAN NATIONAL RAILWAY
VARIOUS SITES WITHIN THE MOEE CENTRAL REGION (SEE SCHEDULE "B") ON

Database:
GEN

Generator Info

Generator No:	ONR000703	Choice of Contact:	
Approval Years:	2013	Contaminated Fac:	
Status:		MHSW Facility:	
PO Box No:		SIC Code:	482113
Country:			
Co Admin:			
Phone No Admin:			
SIC Description:	MAINLINE FREIGHT RAIL TRANSPORTATION		

Waste Detail(s)

Waste Class: 270
Waste Class Name: OTHER SPECIFIED ORGANICS

Waste Detail(s)

Waste Class: 112
Waste Class Name: ACID WASTE - HEAVY METALS

Waste Detail(s)

Waste Class: 243
Waste Class Name: PCBS

Waste Detail(s)

Waste Class: 114
Waste Class Name: OTHER INORGANIC ACID WASTES

Waste Detail(s)

Waste Class: 212
Waste Class Name: ALIPHATIC SOLVENTS

Waste Detail(s)

Waste Class: 331
Waste Class Name: WASTE COMPRESSED GASES

Waste Detail(s)

Waste Class: 148
Waste Class Name: INORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class: 266
Waste Class Name: PHENOLIC WASTES

Waste Detail(s)

Waste Class: 312
Waste Class Name: PATHOLOGICAL WASTES

Waste Detail(s)

Waste Class: 221
Waste Class Name: LIGHT FUELS

Waste Detail(s)

Waste Class: 252
Waste Class Name: WASTE OILS & LUBRICANTS

Waste Detail(s)

Waste Class: 121
Waste Class Name: ALKALINE WASTES - HEAVY METALS

Waste Detail(s)

Waste Class: 262
Waste Class Name: DETERGENTS/SOAPS

Waste Detail(s)

Waste Class: 146
Waste Class Name: OTHER SPECIFIED INORGANICS

Waste Detail(s)

Waste Class: 213
Waste Class Name: PETROLEUM DISTILLATES

Waste Detail(s)

Waste Class: 241
Waste Class Name: HALOGENATED SOLVENTS

Waste Detail(s)

Waste Class: 251
Waste Class Name: OIL SKIMMINGS & SLUDGES

Waste Detail(s)

Waste Class: 211
Waste Class Name: AROMATIC SOLVENTS

Waste Detail(s)

Waste Class: 253
Waste Class Name: EMULSIFIED OILS

Waste Detail(s)

Waste Class: 135
Waste Class Name: REACTIVE ANION WASTES

Waste Detail(s)

Waste Class: 268
Waste Class Name: AMINES

Waste Detail(s)

Waste Class: 232
Waste Class Name: POLYMERIC RESINS

Waste Detail(s)

Waste Class: 254
Waste Class Name: TRANSFER STATION OILS WASTES

Waste Detail(s)

Waste Class: 269
Waste Class Name: NON-HALOGENATED PESTICIDES

Waste Detail(s)

Waste Class: 222
Waste Class Name: HEAVY FUELS

Waste Detail(s)

Waste Class: 113
Waste Class Name: ACID WASTE - OTHER METALS

Waste Detail(s)

Waste Class: 145
Waste Class Name: PAINT/PIGMENT/COATING RESIDUES

Waste Detail(s)

Waste Class: 122
Waste Class Name: ALKALINE WASTES - OTHER METALS

Waste Detail(s)

Waste Class: 263
Waste Class Name: ORGANIC LABORATORY CHEMICALS

Waste Detail(s)

Waste Class: 231
Waste Class Name: LATEX WASTES

Site: GO TRANSIT
GEORGETOWN GO TRANSIT GEORGETOWN ON

Database:
OPCB

Year: 1992
Site Number: 30289A101
Name Owner:
Additional Site Information:

Site: UCO PETROLEUM INC C/O SHIRLEY WONNELL
LOTS 2 & 18 CON 9 S E OF JOHN ST GEORGETOWN ON

Database:
PRT

Location ID: 19884
Type: retail
Expiry Date: 1993-02-28
Capacity (L): 131500
Licence #: 0076357334

Site: UNKNOWN
JOHN ST. GEORGETOWN HALTON HILLS TOWN ON

Database:
SPL

Ref No:	157	Municipality No:	14401
Year:		Nature of Damage:	
Incident Dt:	1/6/1988	Discharger Report:	
Dt MOE Arvl on Scn:		Material Group:	
MOE Reported Dt:	1/6/1988	Impact to Health:	
Dt Document Closed:		Agency Involved:	
Site No:			
MOE Response:			
Site County/District:			
Site Geo Ref Meth:			
Site District Office:			
Nearest Watercourse:			
Site Name:			
Site Address:			
Site Region:			
Site Municipality:	HALTON HILLS TOWN		
Site Lot:			
Site Conc:			
Site Geo Ref Accu:			
Site Map Datum:			
Northing:			
Easting:			
Entity Operating Name:			
Client Name:			
Client Type:			
Source Type:			
Incident Cause:	UNKNOWN		
Incident Preceding Spill:			
Incident Reason:	UNKNOWN		
Incident Summary:	EST. 45 LITRES OF OIL TO ROADSIDE DITCH. FROM A TRUCK.		
Environment Impact:	NOT ANTICIPATED		
Health Env Consequence:			
Nature of Impact:	SOIL CONTAMINATION		
Contaminant Qty:			
Contaminant Qty 1:			
Contaminant Unit:			
Contaminant Code:			

Contaminant Name:
Contaminant Limit 1:
Contam Limit Freq 1:
Contaminant UN No 1:
Receiving Medium: LAND
Activity Preceding Spill:
Property 2nd Watershed:
Property Tertiary Watershed:
Sector Type:
SAC Action Class:
Call Report Locatn Geodata:
Time Reported:
System Facility Address:

Appendix: Database Descriptions

*Environmental Risk Information Services (ERIS) can search the following databases. The extent of historical information varies with each database and current information is determined by what is publicly available to ERIS at the time of update. **Note:** Databases denoted with " * " indicates that the database will no longer be updated. See the individual database description for more information.*

Abandoned Aggregate Inventory:

Provincial

AAGR

The MAAP Program maintains a database of abandoned pits and quarries. Please note that the database is only referenced by lot and concession and city/town location. The database provides information regarding the location, type, size, land use, status and general comments.*

Government Publication Date: Sept 2002*

Aggregate Inventory:

Provincial

AGR

This database of licensed and permitted pits and quarries is maintained by the Ontario Ministry of Natural Resources and Forestry (MNRF), as regulated under the Aggregate Resources Act, R.S.O. 1990. Aggregate site data has been divided into active and inactive sites. Active sites may be further subdivided into partial surrenders. In partial surrenders, defined areas of a site are inactive while the rest of the site remains active.

Government Publication Date: Up to Nov 2024

Abandoned Mine Information System:

Provincial

AMIS

The Abandoned Mines Information System contains data on known abandoned and inactive mines located on both Crown and privately held lands. The information was provided by the Ministry of Northern Development and Mines (MNDM), with the following disclaimer: "the database provided has been compiled from various sources, and the Ministry of Northern Development and Mines makes no representation and takes no responsibility that such information is accurate, current or complete". Reported information includes official mine name, status, background information, mine start/end date, primary commodity, mine features, hazards and remediation.

Government Publication Date: 1800-Apr 2024

Anderson's Waste Disposal Sites:

Private

ANDR

The information provided in this database was collected by examining various historical documents which aimed to characterize the likely position of former waste disposal sites from 1860 to present. The research initiative behind the creation of this database was to identify those sites that are missing from the Ontario MOE Waste Disposal Site Inventory, as well as to provide revisions and corrections to the positions and descriptions of sites currently listed in the MOE inventory. In addition to historic waste disposal facilities, the database also identifies certain auto wreckers and scrap yards that have been extrapolated from documentary sources. Please note that the data is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1860s-Present

Aboveground Storage Tanks:

Provincial

AST

Historical listing of aboveground storage tanks made available by the Department of Natural Resources and Forestry. Includes tanks used to hold water or petroleum. This dataset has been retired as of September 25, 2014 and will no longer be updated.

Government Publication Date: May 31, 2014

Automobile Wrecking & Supplies:

Private

AUWR

This database provides an inventory of known locations that are involved in the scrap metal, automobile wrecking/recycling, and automobile parts & supplies industry. Information is provided on the company name, location and business type.

Government Publication Date: 1999-Apr 30, 2024

Borehole:

Provincial

BORE

A borehole is the generalized term for any narrow shaft drilled in the ground, either vertically or horizontally. The information here includes geotechnical investigations or environmental site assessments, mineral exploration, or as a pilot hole for installing piers or underground utilities. Information is from many sources such as the Ministry of Transportation (MTO) boreholes from engineering reports and projects from the 1950 to 1990's in Southern Ontario. Boreholes from the Ontario Geological Survey (OGS) including The Urban Geology Analysis Information System (UGAIS) and the York Peel Durham Toronto (YPDT) database of the Conservation Authority Moraine Coalition. This database will include fields such as location, stratigraphy, depth, elevation, year drilled, etc. For all water well data or oil and gas well data for Ontario please refer to WWIS and OOGW.

Government Publication Date: 1875-Jul 2018

Certificates of Approval:

Provincial CA

This database contains the following types of approvals: Air & Noise, Industrial Sewage, Municipal & Private Sewage, Waste Management Systems and Renewable Energy Approvals. The MOE in Ontario states that any facility that releases emissions to the atmosphere, discharges contaminants to ground or surface water, provides potable water supplies, or stores, transports or disposes of waste, must have a Certificate of Approval before it can operate lawfully. Fields include approval number, business name, address, approval date, approval type and status. This database will no longer be updated, as CofA's have been replaced by either Environmental Activity and Sector Registry (EASR) or Environmental Compliance Approval (ECA). Please refer to those individual databases for any information after Oct.31, 2011.

Government Publication Date: 1985-Oct 30, 2011*

Dry Cleaning Facilities:

Federal CDRY

List of dry cleaning facilities made available by Environment and Climate Change Canada. Environment and Climate Change Canada's Tetrachloroethylene (Use in Dry Cleaning and Reporting Requirements) Regulations (SOR/2003-79) are intended to reduce releases of tetrachloroethylene to the environment from dry cleaning facilities.

Government Publication Date: Jan 2004-Dec 2022

Commercial Fuel Oil Tanks:

Provincial CFOT

Locations of commercial underground fuel oil tanks. This is not a comprehensive or complete inventory of commercial fuel tanks in the province; this listing is a copy of records of registered commercial underground fuel oil tanks obtained under Access to Public Information.

Note that the following types of tanks do not require registration: waste oil tanks in apartments, office buildings, residences, etc.; aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Chemical Manufacturers and Distributors:

Private CHEM

This database includes information from both a one time study conducted in 1992 and private source and is a listing of facilities that manufacture or distribute chemicals. The production of these chemical substances may involve one or more chemical reactions and/or chemical separation processes (i.e. fractionation, solvent extraction, crystallization, etc.).

Government Publication Date: 1999-Jan 31, 2020

Chemical Register:

Private CHM

This database includes a listing of locations of facilities within the Province or Territory that either manufacture and/or distributes chemicals.

Government Publication Date: 1999-Apr 30, 2024

Compressed Natural Gas Stations:

Private CNG

Canada has a network of public access compressed natural gas (CNG) refuelling stations. These stations dispense natural gas in compressed form at 3,000 pounds per square inch (psi), the pressure which is allowed within the current Canadian codes and standards. The majority of natural gas refuelling is located at existing retail gasoline that have a separate refuelling island for natural gas. This list of stations is made available by the Canadian Natural Gas Vehicle Alliance.

Government Publication Date: Dec 2012 -May 2024

Inventory of Coal Gasification Plants and Coal Tar Sites:

Provincial COAL

This inventory includes both the "Inventory of Coal Gasification Plant Waste Sites in Ontario-April 1987" and the Inventory of Industrial Sites Producing or Using Coal Tar and Related Tars in Ontario-November 1988) collected by the MOE. It identifies industrial sites that produced and continue to produce or use coal tar and other related tars. Detailed information is available and includes: facility type, size, land use, information on adjoining properties, soil condition, site operators/occupants, site description, potential environmental impacts and historic maps available. This was a one-time inventory.*

Government Publication Date: Apr 1987 and Nov 1988*

Compliance and Convictions:

Provincial CONV

This database summarizes the fines and convictions handed down by the Ontario courts beginning in 1989. Companies and individuals named here have been found guilty of environmental offenses in Ontario courts of law.

Government Publication Date: 1989-Nov 2024

Certificates of Property Use:

Provincial CPU

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include CPU's on the registry such as (EPA s. 168.6) - Certificate of Property Use.

Government Publication Date: 1994 - Nov 30, 2024

Drill Hole Database:

Provincial

[DRL](#)

The Ontario Drill Hole Database (ODHD) is offered by the Province of Ontario's Ministry of Mines. The dataset contains information for over 164,000 percussion, overburden, sonic and diamond-drill holes. The presence of assay results with cutoff values for gold, silver, copper, zinc, lead, nickel and platinum group elements is noted. Drill hole data are compiled from assessment files that have been submitted to the ministry in accordance with the Ontario Mining Act (OMA). Source assessment file numbers are captured for cross reference with the Ontario Assessment File Database (OAFD). Please note that limited data is available for southern Ontario, as it was the last area to be completed. The database was created when surveys submitted to the Ministry were converted in the Assessment File Research Image Database (AFRI) project. However, the degree of accuracy (coordinates) as to the exact location of drill holes is dependent upon the source document submitted. Levels of accuracy used to locate holes are: centering on the mining claim; a sketch of the mining claim; a 1:50,000 map; a detailed company map; or from submitted a "Report of Work".

Government Publication Date: 1886 - Aug 2024**Delisted Fuel Tanks:**

Provincial

[DTNK](#)

List of fuel storage tank sites that were once found in - and have since been removed from - the list of fuel storage tanks made available by the regulatory agency under Access to Public Information.

Government Publication Date: Oct 2023**Environmental Activity and Sector Registry:**

Provincial

[EASR](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. The EASR allows businesses to register certain activities with the ministry, rather than apply for an approval. The registry is available for common systems and processes, to which preset rules of operation can be applied. The EASR is currently available for: heating systems, standby power systems and automotive refinishing. Businesses whose activities aren't subject to the EASR may apply for an ECA (Environmental Compliance Approval). Please see our ECA database.

Government Publication Date: Oct 2011-Oct 31, 2024**Environmental Registry:**

Provincial

[EBR](#)

The Environmental Registry lists proposals, decisions and exceptions regarding policies, Acts, instruments, or regulations that could significantly affect the environment. Through the Registry, thirteen provincial ministries notify the public of upcoming proposals and invite their comments. For example, if a local business is requesting a permit, license, or certificate of approval to release substances into the air or water; these are notified on the registry. Data includes: Approval for discharge into the natural environment other than water (i.e. Air) - EPA s. 9, Approval for sewage works - OWRA s. 53(1), and EPA s. 27 - Approval for a waste disposal site. For information regarding Permit to Take Water (PTTW), Certificate of Property Use (CPU) and (ORD) Orders please refer to those individual databases.

Government Publication Date: 1994 - Nov 30, 2024**Environmental Compliance Approval:**

Provincial

[ECA](#)

On October 31, 2011, a smarter, faster environmental approvals system came into effect in Ontario. In the past, a business had to apply for multiple approvals (known as certificates of approval) for individual processes and pieces of equipment. Today, a business either registers itself, or applies for a single approval, depending on the types of activities it conducts. Businesses whose activities aren't subject to the EASR may apply for an ECA. A single ECA addresses all of a business's emissions, discharges and wastes. Separate approvals for air, noise and waste are no longer required. This database will also include Renewable Energy Approvals. For certificates of approval prior to Nov 1st, 2011, please refer to the CA database. For all Waste Disposal Sites please refer to the WDS database.

Government Publication Date: Oct 2011-Oct 31, 2024**Environmental Effects Monitoring:**

Federal

[EEM](#)

The Environmental Effects Monitoring program assesses the effects of effluent from industrial or other sources on fish, fish habitat and human usage of fisheries resources. Since 1992, pulp and paper mills have been required to conduct EEM studies under the Pulp and Paper Effluent Regulations. This database provides information on the mill name, geographical location and sub-lethal toxicity data.

Government Publication Date: 1992-2007***ERIS Historical Searches:**

Private

[EHS](#)

ERIS has compiled a database of all environmental risk reports completed since March 1999. Available fields for this database include: site location, date of report, type of report, and search radius. As per all other databases, the ERIS database can be referenced on both the map and "Statistical Profile" page.

Government Publication Date: 1999-Aug 31, 2024**Environmental Issues Inventory System:**

Federal

[EIIS](#)

The Environmental Issues Inventory System was developed through the implementation of the Environmental Issues and Remediation Plan. This plan was established to determine the location and severity of contaminated sites on inhabited First Nation reserves, and where necessary, to remediate those that posed a risk to health and safety; and to prevent future environmental problems. The EIIS provides information on the reserve under investigation, inventory number, name of site, environmental issue, site action (Remediation, Site Assessment), and date investigation completed.

Government Publication Date: 1992-2001*

Emergency Management Historical Event:Provincial **EMHE**

List of locations of historical occurrences of emergency events, including those assigned to the Ministry of Natural Resources by Order-In-Council (OIC) under the Emergency Management and Civil Protection Act, as well as events where MNR provided requested emergency response assistance. Many of these events will have involved community evacuations, significant structural loss, and/or involvement of MNR emergency response staff. These events fall into one of ten (10) type categories: Dam Failure; Drought / Low Water; Erosion; Flood; Forest Fire; Soil and Bedrock Instability; Petroleum Resource Center Event, EMO Requested Assistance, Continuity of Operations Event, Other Requested Assistance. EMHE record details are reproduced by ERIIS under License with the Ontario Ministry of Natural Resources © Queen's Printer for Ontario, 2017.

Government Publication Date: Apr 30, 2022**Environmental Penalty Annual Report:**Provincial **EPAR**

This database contains data from Ontario's annual environmental penalty report published by the Ministry of the Environment and Climate Change. These reports provide information on environmental penalties for land or water violations issued to companies in one of the nine industrial sectors covered by the Municipal Industrial Strategy for Abatement (MISA) regulations.

Government Publication Date: Jan 1, 2011 - Dec 31, 2023**List of Expired Fuels Safety Facilities:**Provincial **EXP**

List of facilities and tanks for which there was once a fuel registration. This is not a comprehensive or complete inventory of expired tanks/tank facilities in the province; this listing is a copy of previously registered tanks and facilities obtained under Access to Public Information. Includes private fuel outlets, bulk plants, fuel oil tanks, gasoline stations, marinas, propane filling stations, liquid fuel tanks, piping systems, etc; includes tanks which have been removed from the ground.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023**Federal Convictions:**Federal **FCON**

Environment Canada maintains a database referred to as the "Environmental Registry" that details prosecutions under the Canadian Environmental Protection Act (CEPA) and the Fisheries Act (FA). Information is provided on the company name, location, charge date, offence and penalty.

Government Publication Date: 1988-Jun 2007***Contaminated Sites on Federal Land:**Federal **FCS**

The Federal Contaminated Sites Inventory includes information on known federal contaminated sites under the custodianship of departments, agencies and consolidated Crown corporations as well as those that are being or have been investigated to determine whether they have contamination arising from past use that could pose a risk to human health or the environment. The inventory also includes non-federal contaminated sites for which the Government of Canada has accepted some or all financial responsibility. It does not include sites where contamination has been caused by, and which are under the control of, enterprise Crown corporations, private individuals, firms or other levels of government. Includes fire training sites and sites at which Per- and Polyfluoroalkyl Substances (PFAS) are a concern.

Government Publication Date: Jun 2000-Sep 2024**Fisheries & Oceans Fuel Tanks:**Federal **FOFT**

Fisheries & Oceans Canada maintains an inventory of aboveground & underground fuel storage tanks located on Fisheries & Oceans property or controlled by DFO. Our inventory provides information on the site name, location, tank owner, tank operator, facility type, storage tank location, tank contents & capacity, and date of tank installation.

Government Publication Date: 1964-Sep 2019**Federal Identification Registry for Storage Tank Systems (FIRSTS):**Federal **FRST**

A list of federally regulated Storage tanks from the Federal Identification Registry for Storage Tank Systems (FIRSTS). FIRSTS is Environment and Climate Change Canada's database of storage tank systems subject to the Storage Tank for Petroleum Products and Allied Petroleum Products Regulations. The main objective of the Regulations is to prevent soil and groundwater contamination from storage tank systems located on federal and aboriginal lands. Storage tank systems that do not have a valid identification number displayed in a readily visible location on or near the storage tank system may be refused product delivery.

Government Publication Date: Oct 31, 2021**Fuel Storage Tank:**Provincial **FST**

List of registered private and retail fuel storage tanks. This is not a comprehensive or complete inventory of private and retail fuel storage tanks in the province; this listing is a copy of registered private and retail fuel storage tanks, obtained under Access to Public Information.

Notes: registration was not required for private fuel underground/aboveground storage tanks prior to January 1990, nor for furnace oil tanks prior to May 1, 2002; registration is not required for waste oil tanks in apartments, office buildings, residences, etc., or aboveground gas or diesel tanks. Records are not verified for accuracy or completeness.

Government Publication Date: Oct 2023

Fuel Storage Tank - Historic:

Provincial

FSTH

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks. Public records of private fuel storage tanks are only available since the registration became effective in September 1989. This information is now collected by the Technical Standards and Safety Authority.

Government Publication Date: Pre-Jan 2010*

Ontario Regulation 347 Waste Generators Summary:

Provincial

GEN

Regulation 347 of the Ontario EPA defines a waste generation site as any site, equipment and/or operation involved in the production, collection, handling and/or storage of regulated wastes. A generator of regulated waste is required to register the waste generation site and each waste produced, collected, handled, or stored at the site. This database contains the registration number, company name and address of registered generators including the types of hazardous wastes generated. It includes data on waste generating facilities such as: drycleaners, waste treatment and disposal facilities, machine shops, electric power distribution etc. This information is a summary of all years from 1986 including the most currently available data. Some records may contain, within the company name, the phrase "See & Use..." followed by a series of letters and numbers. This occurs when one company is amalgamated with or taken over by another registered company. The number listed as "See & Use", refers to the new ownership and the other identification number refers to the original ownership. This phrase serves as a link between the 2 companies until operations have been fully transferred.

Government Publication Date: 1986-Nov 30, 2022

Greenhouse Gas Emissions from Large Facilities:

Federal

GHG

List of greenhouse gas emissions from large facilities made available by Environment Canada. Greenhouse gas emissions in kilotonnes of carbon dioxide equivalents (kt CO2 eq).

Government Publication Date: 2013-Apr 2024

TSSA Historic Incidents:

Provincial

HINC

List of historic incidences of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen recorded by the TSSA in their previous incident tracking system. The TSSA's Fuels Safety Program administers the Technical Standards & Safety Act 2000, providing fuel-related safety services associated with the safe transportation, storage, handling and use of fuels such as gasoline, diesel, propane, natural gas and hydrogen. Under this Act, the TSSA regulates fuel suppliers, storage facilities, transport trucks, pipelines, contractors and equipment or appliances that use fuels. Records are not verified for accuracy or completeness. This is not a comprehensive or complete inventory of historical fuel spills and leaks in the province. This listing is a copy of the data captured at one moment in time and is hence limited by the record date provided here.

Government Publication Date: 2006-June 2009*

Indian & Northern Affairs Fuel Tanks:

Federal

IAFT

The Department of Indian & Northern Affairs Canada (INAC) maintains an inventory of aboveground & underground fuel storage tanks located on both federal and crown land. Our inventory provides information on the reserve name, location, facility type, site/facility name, tank type, material & ID number, tank contents & capacity, and date of tank installation.

Government Publication Date: 1950-Aug 2003*

Fuel Oil Spills and Leaks:

Provincial

INC

Listing of spills and leaks of diesel, fuel oil, gasoline, natural gas, propane, and hydrogen reported to the Spills Action Centre (SAC). This is not a comprehensive or complete inventory of fuel-related leaks, spills, and incidents in the province; this listing is a copy of incidents reported to the SAC, obtained under Access to Public Information. Includes incidents from fuel-related hazards such as spills, fires, and explosions. Records are not verified for accuracy or completeness.

Government Publication Date: 31 Oct, 2023

Landfill Inventory Management Ontario:

Provincial

LIMO

The Landfill Inventory Management Ontario (LIMO) database is updated every year, as the Ministry of the Environment, Conservation and Parks compiles new and updated information. Includes small and large landfills currently operating as well as those which are closed and historic. Operators of larger landfills provide landfill information for the previous operating year to the ministry for LIMO including: estimated amount of total waste received, landfill capacity, estimated total remaining landfill capacity, fill rates, engineering designs, reporting and monitoring details, size of location, service area, approved waste types, leachate of site treatment, contaminant attenuation zone and more. The small landfills include information such as site owner, site location and certificate of approval # and status.

Government Publication Date: Mar 31, 2022

Canadian Mine Locations:

Private

MINE

This information is collected from the Canadian & American Mines Handbook. The Mines database is a national database that provides over 290 listings on mines (listed as public companies) dealing primarily with precious metals and hard rocks. Listed are mines that are currently in operation, closed, suspended, or are still being developed (advanced projects). Their locations are provided as geographic coordinates (x, y and/or longitude, latitude). As of 2002, data pertaining to Canadian smelters and refineries has been appended to this database.

Government Publication Date: 1998-2009*

Mineral Occurrences:

Provincial

MNR

In the early 70's, the Ministry of Northern Development and Mines created an inventory of approximately 19,000 mineral occurrences in Ontario, in regard to metallic and industrial minerals, as well as some information on building stones and aggregate deposits. Please note that the "Horizontal Positional Accuracy" is approximately +/- 200 m. Many reference elements for each record were derived from field sketches using pace or chain/tape measurements against claim posts or topographic features in the area. The primary limiting factor for the level of positional accuracy is the scale of the source material. The testing of horizontal accuracy of the source materials was accomplished by comparing the plan metric (X and Y) coordinates of that point with the coordinates of the same point as defined from a source of higher accuracy.

Government Publication Date: 1846-Feb 2024

National Analysis of Trends in Emergencies System (NATES):

Federal

NATE

In 1974 Environment Canada established the National Analysis of Trends in Emergencies System (NATES) database, for the voluntary reporting of significant spill incidents. The data was to be used to assist in directing the work of the emergencies program. NATES ran from 1974 to 1994. Extensive information is available within this database including company names, place where the spill occurred, date of spill, cause, reason and source of spill, damage incurred, and amount, concentration, and volume of materials released.

Government Publication Date: 1974-1994*

Non-Compliance Reports:

Provincial

NCPL

The Ministry of the Environment provides information about non-compliant discharges of contaminants to air and water that exceed legal allowable limits, from regulated industrial and municipal facilities. A reported non-compliance failure may be in regard to a Control Order, Certificate of Approval, Sectoral Regulation or specific regulation/act.

Government Publication Date: Dec 31, 2022

National Defense & Canadian Forces Fuel Tanks:

Federal

NDFT

The Department of National Defense and the Canadian Forces maintains an inventory of all aboveground & underground fuel storage tanks located on DND lands. Our inventory provides information on the base name, location, tank type & capacity, tank contents, tank class, date of tank installation, date tank last used, and status of tank as of May 2001. This database will no longer be updated due to the new National Security protocols which have prohibited any release of this database.

Government Publication Date: Up to May 2001*

National Defense & Canadian Forces Spills:

Federal

NDSP

The Department of National Defense and the Canadian Forces maintains an inventory of spills to land and water. All spill sites have been classified under the "Transportation of Dangerous Goods Act - 1992". Our inventory provides information on the facility name, location, spill ID #, spill date, type of spill, as well as the quantity of substance spilled & recovered.

Government Publication Date: Mar 1999-Nov 2023

National Defence & Canadian Forces Waste Disposal Sites:

Federal

NDWD

The Department of National Defence and the Canadian Forces maintains an inventory of waste disposal sites located on DND lands. Where available, our inventory provides information on the base name, location, type of waste received, area of site, depth of site, year site opened/closed and status.

Government Publication Date: 2001-Apr 2007*

National Energy Board Pipeline Incidents:

Federal

NEBI

Locations of pipeline incidents from 2008 to present, made available by the Canada Energy Regulator (CER) - previously the National Energy Board (NEB). Includes incidents reported under the Onshore Pipeline Regulations and the Processing Plant Regulations related to pipelines under federal jurisdiction, does not include incident data related to pipelines under provincial or territorial jurisdiction.

Government Publication Date: 2008-Jun 30, 2021

National Energy Board Wells:

Federal

NEBP

The NEBW database contains information on onshore & offshore oil and gas wells that are outside provincial jurisdiction(s) and are thereby regulated by the National Energy Board. Data is provided regarding the operator, well name, well ID No./UWI, status, classification, well depth, spud and release date.

Government Publication Date: 1920-Feb 2003*

National Environmental Emergencies System (NEES):

Federal

NEES

In 2000, the Emergencies program implemented NEES, a reporting system for spills of hazardous substances. For the most part, this system only captured data from the Atlantic Provinces, some from Quebec and Ontario and a portion from British Columbia. Data for Alberta, Saskatchewan, Manitoba and the Territories was not captured. However, NEES is also a repository for previous Environment Canada spill datasets. NEES is composed of the historic datasets ' or Trends ' which dates from approximately 1974 to present. NEES Trends is a compilation of historic databases, which were merged and includes data from NATES (National Analysis of Trends in Emergencies System), ARTS (Atlantic Regional Trends System), and NEES. In 2001, the Emergencies Program determined that variations in reporting regimes and requirements between federal and provincial agencies made national spill reporting and trend analysis difficult to achieve. As a consequence, the department has focused efforts on capturing data on spills of substances which fall under its legislative authority only (CEPA and FA). As such, the NEES database will be decommissioned in December 2004.

Government Publication Date: 1974-2003***National PCB Inventory:**

Federal

NPCB

Environment Canada's National PCB inventory includes information on in-use PCB containing equipment in Canada including federal, provincial and private facilities. Federal out-of-service PCB containing equipment and PCB waste owned by the federal government or by federally regulated industries such as airlines, railway companies, broadcasting companies, telephone and telecommunications companies, pipeline companies, etc. are also listed. Although it is not Environment Canada's mandate to collect data on non-federal PCB waste, the National PCB inventory includes some information on provincial and private PCB waste and storage sites. Some addresses provided may be Head Office addresses and are not necessarily the location of where the waste is being used or stored.

Government Publication Date: 1988-2008***National Pollutant Release Inventory:**

Federal

NPR2

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of pollutant releases (to air, water and land), disposals, and transfers for recycling. The inventory, managed by Environment and Climate Change Canada, tracks over 300 substances. Under the authority of the Canadian Environmental Protection Act (CEPA), owners or operators of facilities that meet published reporting requirements are required to report to the NPRI.

Government Publication Date: Feb 2024**National Pollutant Release Inventory - Historic:**

Federal

NPRI

Environment Canada has defined the National Pollutant Release Inventory ("NPRI") as a federal government initiative designed to collect comprehensive national data regarding releases to air, water, or land, and waste transfers for recycling for more than 300 listed substances. This data holds historic records; current records are found in NPR2.

Government Publication Date: 1993-May 2017**Oil and Gas Wells:**

Private

OGWE

The Nickle's Energy Group (publisher of the Daily Oil Bulletin) collects information on drilling activity including operator and well statistics. The well information database includes name, location, class, status and depth. The main Nickle's database is updated on a daily basis, however, this database is updated on a monthly basis. More information is available at www.nickles.com.

Government Publication Date: 1988-May 31, 2024**Ontario Oil and Gas Wells:**

Provincial

OOGW

In 1998, the Ministry of Natural Resources (MNR) handed over to the Ontario Oil, Gas and Salt Resources (OGSR) Corporation, the responsibility of maintaining a database of oil and gas wells drilled in Ontario. The OGSR Library has over 20,000+ wells in their database. Information available for all wells in the ERIS database includes well owner/operator, location, permit issue date, and well cap date, license number, status, depth and the primary target (rock unit) of the well being drilled. All geology/stratigraphy table information, plus all water table information is also provided for each well record.

Government Publication Date: 1800-Aug 2024**Inventory of PCB Storage Sites:**

Provincial

OPCB

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of PCB storage sites within the province. Ontario Regulation 11/82 (Waste Management - PCB) and Regulation 347 (Generator Waste Management) under the Ontario EPA requires the registration of inactive PCB storage equipment and/or disposal sites of PCB waste with the Ontario Ministry of Environment. This database contains information on: 1) waste quantities; 2) major and minor sites storing liquid or solid waste; and 3) a waste storage inventory.

Government Publication Date: 1987-Oct 2004; 2012-Dec 2013**Orders:**

Provincial

ORD

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include Orders on the registry such as (EPA s. 17) - Order for remedial work, (EPA s. 18) - Order for preventative measures, (EPA s. 43) - Order for removal of waste and restoration of site, (EPA s. 44) - Order for conformity with Act for waste disposal sites, (EPA s. 136) - Order for performance of environmental measures.

Government Publication Date: 1994 - Nov 30, 2024

Canadian Pulp and Paper:

Private

PAP

This information is part of the Pulp and Paper Canada Directory. The Directory provides a comprehensive listing of the locations of pulp and paper mills and the products that they produce.

Government Publication Date: 1999, 2002, 2004, 2005, 2009-2014

Parks Canada Fuel Storage Tanks:

Federal

PCFT

Canadian Heritage maintains an inventory of known fuel storage tanks operated by Parks Canada, in both National Parks and at National Historic Sites. The database details information on site name, location, tank install/removal date, capacity, fuel type, facility type, tank design and owner/operator.

Government Publication Date: 1920-Jan 2005*

Pesticide Register:

Provincial

PES

The Ontario Ministry of the Environment and Climate Change maintains a database of licensed operators and vendors of registered pesticides.

Government Publication Date: Oct 2011-Oct 31, 2024

Ontario PFAS Spills:

Provincial

PFAS

This specific list of spills includes those incidents where one or more of the listed contaminants are identified in the PFAS Structure List and/or PFAS Chemicals Without Explicit Structure List made available by the United States Environmental Protection Agency (US EPA), is originally sourced from the Ministry of the Environment, Conservation and Parks spills related data. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Mar 2024; May 2024

NPRI Reporters - PFAS Substances:

Federal

PFCH

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This listing of PFAS substance reporters includes those NPRI facilities that reported substances that are found in either: a) the Comprehensive Global Database of PFASs compiled by the Organisation for Economic Co-operation and Development (OECD), b) the US Environmental Protection Agency (US EPA) Master List of PFAS Substances, c) the US EPA list of PFAS chemicals without explicit structures, or d) the US EPA list of PFAS structures (encompassing the largest set of structures having sufficient levels of fluorination to potentially impart PFAS-type properties).

Government Publication Date: Feb 2024

Potential PFAS Handlers from NPRI:

Federal

PFHA

The National Pollutant Release Inventory (NPRI) is Canada's public inventory of releases, disposals, and transfers, tracking over 320 pollutants. Per- and polyfluoroalkyl substances (PFAS) are a group of over 4,700 human-made substances for which adverse environmental and health effects have been observed. This list of potential PFAS handlers includes those NPRI facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used, or released by the facility - these are facilities that potentially handle PFAS based on their industrial profile.

Government Publication Date: Feb 2024

Pipeline Incidents:

Provincial

PINC

List of pipeline incidents (strikes, leaks, spills). This is not a comprehensive or complete inventory of pipeline incidents in the province; this listing is an historical copy of records previously obtained under Access to Public Information. Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2021

Potential PFAS Handlers from EASR:

Provincial

PPHA

The Ontario Environmental Activity and Sector Registry (EASR), described in Ontario Regulation 245/11, allows businesses with less complex operations - and hence not requiring an Environmental Compliance Approval - to register their activities with the Ontario Ministry of the Environment, Conservation and Parks (MECP). This list of potential PFAS handlers includes those EASR facilities that reported business activity (NAICS code) included in the US Environmental Protection Agency (US EPA) list of Potential PFAS-Handling Industry Sectors, further described as operating in industry sectors where literature reviews indicate that PFAS may be handled and/or released. Inclusion of a facility in this listing does not indicate that PFAS are being manufactured, processed, used.

Government Publication Date: Jun 30, 2024

Private and Retail Fuel Storage Tanks:

Provincial

PRT

The Fuels Safety Branch of the Ontario Ministry of Consumer and Commercial Relations maintained a database of all registered private fuel storage tanks and licensed retail fuel outlets. This database includes an inventory of locations that have gasoline, oil, waste oil, natural gas and/or propane storage tanks on their property. The MCCR no longer collects this information. This information is now collected by the Technical Standards and Safety Authority (TSSA).

Government Publication Date: 1989-1996*

Permit to Take Water:

Provincial

PTTW

This is a subset taken from Ontario's Environmental Registry (EBR) database. It will include PTTW's on the registry such as OWRA s. 34 - Permit to take water.

Government Publication Date: 1994 - Nov 30, 2024

Ontario Regulation 347 Waste Receivers Summary:

Provincial

REC

Part V of the Ontario Environmental Protection Act ("EPA") regulates the disposal of regulated waste through an operating waste management system or a waste disposal site operated or used pursuant to the terms and conditions of a Certificate of Approval or a Provisional Certificate of Approval. Regulation 347 of the Ontario EPA defines a waste receiving site as any site or facility to which waste is transferred by a waste carrier. A receiver of regulated waste is required to register the waste receiving facility. This database represents registered receivers of regulated wastes, identified by registration number, company name and address, and includes receivers of waste such as: landfills, incinerators, transfer stations, PCB storage sites, sludge farms and water pollution control plants. This information is a summary of all years from 1986 including the most currently available data.

Government Publication Date: 1986-1990, 1992-2021

Record of Site Condition:

Provincial

RSC

The Record of Site Condition (RSC) is part of the Ministry of the Environment's Brownfields Environmental Site Registry. Protection from environmental cleanup orders for property owners is contingent upon documentation known as a record of site condition (RSC) being filed in the Environmental Site Registry. In order to file an RSC, the property must have been properly assessed and shown to meet the soil, sediment and groundwater standards appropriate for the use (such as residential) proposed to take place on the property. The Record of Site Condition Regulation (O. Reg. 153/04) details requirements related to site assessment and clean up. RSCs filed after July 1, 2011 will also be included as part of the new (O.Reg. 511/09). The Government of Ontario states that it is not responsible for the accuracy of the information in this Registry.

Government Publication Date: 1997-Sept 2001, Oct 2004-Dec 2024

Retail Fuel Storage Tanks:

Private

RST

This database includes an inventory of retail fuel outlet locations (including marinas) that have on their property gasoline, oil, waste oil, natural gas and / or propane storage tanks.

Government Publication Date: 1999-Apr 30, 2024

Scott's Manufacturing Directory:

Private

SCT

Scott's Directories is a data bank containing information on over 200,000 manufacturers across Canada. Even though Scott's listings are voluntary, it is the most comprehensive database of Canadian manufacturers available. Information concerning a company's address, plant size, and main products are included in this database.

Government Publication Date: 1992-Mar 2011*

Ontario Spills:

Provincial

SPL

List of spills and incidents made available by the Ministry of the Environment, Conservation and Parks. This database identifies information such as location (approximate), type and quantity of contaminant, date of spill, environmental impact, cause, nature of impact, etc. Information from 1988-2002 was part of the ORIS (Occurrence Reporting Information System). The SAC (Spills Action Centre) handles all spills reported in Ontario. Regulations for spills in Ontario are part of the MOE's Environmental Protection Act, Part X.

Government Publication Date: 1988-Jun 2024; Aug 2024; Oct 2024

Wastewater Discharger Registration Database:

Provincial

SRDS

Facilities that report either municipal treated wastewater effluent or industrial wastewater discharges under the Effluent Monitoring and Effluent Limits (EMEL) and Municipal/Industrial Strategy for Abatement Regulations. The Municipal/Industrial Strategy for Abatement (MISA) division of the Ontario Ministry of Environment keeps record of direct dischargers of toxic pollutants within nine sectors including: Electric Power Generation, Mining, Petroleum Refining, Organic Chemicals, Inorganic Chemicals, Pulp & Paper, Metal Casting, Iron & Steel, and Quarries.

Government Publication Date: 1990-Dec 31, 2021

Anderson's Storage Tanks:

Private

TANK

The information provided in this database was collected by examining various historical documents, which identified the location of former storage tanks, containing substances such as fuel, water, gas, oil, and other various types of miscellaneous products. Information is available in regard to business operating at tank site, tank location, permit year, permit & installation type, no. of tanks installed & configuration and tank capacity. Data contained within this database pertains only to the city of Toronto and is not warranted to be complete, exhaustive or authoritative. The information was collected for research purposes only.

Government Publication Date: 1915-1953*

Transport Canada Fuel Storage Tanks:

Federal

TCFT

List of fuel storage tanks currently or previously owned or operated by Transport Canada. This inventory also includes tanks on The Pickering Lands, which refers to 7,530 hectares (18,600 acres) of land in Pickering, Markham, and Uxbridge owned by the Government of Canada since 1972; properties on this land has been leased by the government since 1975, and falls under the Site Management Policy of Transport Canada, but is administered by Public Works and Government Services Canada. This inventory provides information on the site name, location, tank age, capacity and fuel type.

Government Publication Date: 1970 - Apr 2024

Variances for Abandonment of Underground Storage Tanks:

Provincial

[VAR](#)

Listing of variances granted for storage tank abandonment. This is not a comprehensive or complete inventory of tank abandonment variances in the province; this listing is a copy of tank abandonment variance records previously obtained under Access to Public Information. In Ontario, registered underground storage tanks must be removed within two years of disuse; if removal of a tank is not feasible, an application may be sought for a variance from this code requirement.

Records are not verified for accuracy or completeness.

Government Publication Date: Feb 28, 2022

Waste Disposal Sites - MOE CA Inventory:

Provincial

[WDS](#)

The Ontario Ministry of Environment, Waste Management Branch, maintains an inventory of known open (active or inactive) and closed disposal sites in the Province of Ontario. Active sites maintain a Certificate of Approval, are approved to receive and are receiving waste. Inactive sites maintain Certificate(s) of Approval but are not receiving waste. Closed sites are not receiving waste. The data contained within this database was compiled from the MOE's Certificate of Approval database. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number. All new Environmental Compliance Approvals handed out after Oct 31, 2011 for Waste Disposal Sites will still be found in this database.

Government Publication Date: Oct 2011 - Oct 31, 2024

Waste Disposal Sites - MOE 1991 Historical Approval Inventory:

Provincial

[WDSH](#)

In June 1991, the Ontario Ministry of Environment, Waste Management Branch, published the "June 1991 Waste Disposal Site Inventory", of all known active and closed waste disposal sites as of October 30st, 1990. For each "active" site as of October 31st 1990, information is provided on site location, site/CA number, waste type, site status and site classification. For each "closed" site as of October 31st 1990, information is provided on site location, site/CA number, closure date and site classification. Locations of these sites may be cross-referenced to the Anderson database described under ERIS's Private Source Database section, by the CA number.

Government Publication Date: Up to Oct 1990*

Water Well Information System:

Provincial

[WWIS](#)

This database describes locations and characteristics of water wells found within Ontario in accordance with Regulation 903. It includes such information as coordinates, construction date, well depth, primary and secondary use, pump rate, static water level, well status, etc. Also included are detailed stratigraphy information, approximate depth to bedrock and the approximate depth to the water table.

Government Publication Date: Dec 31 2023

Definitions

Database Descriptions: This section provides a detailed explanation for each database including: source, information available, time coverage, and acronyms used. They are listed in alphabetic order.

Detail Report: This is the section of the report which provides the most detail for each individual record. Records are summarized by location, starting with the project property followed by records in closest proximity.

Distance: The distance value is the distance between plotted points, not necessarily the distance between the sites' boundaries. All values are an approximation.

Direction: The direction value is the compass direction of the site in respect to the project property and/or center point of the report.

Elevation: The elevation value is taken from the location at which the records for the site address have been plotted. All values are an approximation. Source: Google Elevation API.

Executive Summary: This portion of the report is divided into 3 sections:

'Report Summary'- Displays a chart indicating how many records fall on the project property and, within the report search radii.

'Site Report Summary'-Project Property'- This section lists all the records which fall on the project property. For more details, see the 'Detail Report' section.

'Site Report Summary-Surrounding Properties'- This section summarizes all records on adjacent properties, listing them in order of proximity from the project property. For more details, see the 'Detail Report' section.

Map Key: The map key number is assigned according to closest proximity from the project property. Map Key numbers always start at #1. The project property will always have a map key of '1' if records are available. If there is a number in brackets beside the main number, this will indicate the number of records on that specific property. If there is no number in brackets, there is only one record for that property.

The symbol and colour used indicates 'elevation': the red inverted triangle will dictate 'ERIS Sites with Lower Elevation', the yellow triangle will dictate 'ERIS Sites with Higher Elevation' and the orange square will dictate 'ERIS Sites with Same Elevation.'

Unplottables: These are records that could not be mapped due to various reasons, including limited geographic information. These records may or may not be in your study area, and are included as reference.

Appendix C

Site Photographs, Interview Questionnaire, Site Inspection



Photograph No. 1 – Southwest facing view of the Phase One Property.



Photograph No. 2 – Northwest facing view of the Phase One Property.



Photograph No. 3 – Former excavation area in the southwest corner of the Phase One Property



Photograph No. 4 – Northwest facing view of the north adjoining property (Georgetown GO Station)



Photograph No. 5 – Southwest facing view of the south adjoining King Street, beyond which are residential dwellings.



Photograph No. 6 – Northwest facing view of the east adjoining Queen Street.



Photograph No. 7 – Southeast facing view of the southeast adjoining roadway (intersection of Queen Street and King Street), beyond which are residential dwellings.



Photograph No. 8 – North facing view of the retaining wall at the southwest property boundary of the Phase One Property.



Note to interview candidate: please provide responses to each question, or note if unknown or not applicable as case may be. If needed, additional comments can be provided on last page.

Site Address:	37 King Street, Georgetown	MTE File No.:	60793_001
		Date:	January 29, 2025
MTE Representative:	Spencer Buck		
Name of Interview Candidate:	Sarah Golan		
Title of Interview Candidate:	Senior Manager, Family Builds		
Relationship to the Site:	Project Manager		
Years Familiar with the Site:	8 Years		

Section 1: Owner and Tenant Information

1.1 Who is/are the current owner(s) of the Site?
Please provide years or ownership and full legal names (if known).
Habitat for Humanity Halton-Mississauga-Dufferin (name changed March 19, 2024) - previous names during ownership of this property include "Habitat for Humanity Halton-Mississauga" (July 31, 2015) and "Habitat for Humanity Halton" (April 12, 2006)

1.2 Who is/are the current tenant(s) of the Site?
Please provide a brief description of operations and years or occupancy.
No tenants - lot has been vacant since

1.3 When was the Site first developed and by whom? ☐ Unknown
Original "Exchange Hotel" building erected in 1800's, Habitat purchased in December 2014. The structure was not sound enough to be moved as originally planned and the building was carefully dismantled in 2019 after several discussions with Town staff and outside professional opinion from a heritage specialist that Habitat contracted on the advice of the Town.

1.4 Who is/are the previous owner(s) of the Site? ☐ Unknown
Please provide years of ownership and full legal names (if known)
The estate of Dorothy Louise Hillock (sold to Habitat in 2014)

1.5 Who is/are the previous tenant(s) of the Site? ☒ Unknown
Please provide years of occupation and a brief description of operations.



Section 2: Building Information

2.1 Are there existing or former buildings at the Site?

☒ Yes ☐ No

If yes, list and indicate former or existing buildings including year(s) of construction/demolition, construction type, etc.

Existing building and foundation removed in early 2019, prior to RSC finalization in October of that year

2.2 Are there any floor plans or engineering drawings for existing or former buildings?

☐ Yes ☐ No ☐ Unknown ☒ Not Applicable

If yes, please provide.

2.3 Are there any major ongoing or previous renovations to the existing building(s)?

☐ Yes ☐ No ☐ Unknown ☒ Not Applicable

If yes, describe

2.4 Have any additions been constructed on the existing building(s)?

☐ Yes ☐ No ☐ Unknown ☒ Not Applicable

If yes, describe.

2.5 Are there heating systems associated with the building(s)?

☐ Yes ☐ No ☒ Not Applicable

If yes, describe fuel source, type of heating systems, and any waste products. (e.g., combustion gases or ash).



2.6 Are there any current or former heating systems that use fuel oil (furnace oil) as a fuel source?

☐ Yes ☐ No ☒ Unknown

If yes, describe.

2.7 Are there cooling systems associated with the buildings(s)?

☐ Yes ☐ No ☒ Unknown

If yes, describe fuel source, type of cooling systems, and any associated ozone- depleting materials.

2.8 Are there any loading docks or shipping/receiving bays?

☐ Yes ☒ No

If yes, describe.

2.9 Are there any former or current roof leaks?

☐ Yes ☐ No ☐ Unknown ☒ Not Applicable

If yes, describe.



2.10 Are there any sumps in the building(s)?

☐ Yes ☐ No ☐ Unknown ☒ Not Applicable

If yes, describe the sump pump discharge.

2.11 Are there any areas of mould/water damage in the building(s)?

☐ Yes ☐ No ☐ Unknown ☒ Not Applicable

If yes, describe.

2.12 Are there any concerns related to indoor air quality in the building(s)?

☐ Yes ☐ No ☐ Unknown ☒ Not Applicable

If yes, describe.

2.13 Has testing for radon gas been completed in any building(s) at the Site?

☐ Yes ☐ No ☒ Unknown

If yes, describe.

2.14 Are there any asbestos, lead, urea foam formaldehyde insulation (UFFI) or PCB-containing materials in the building(s), or any previous activities involving the removal of these substances?

☐ Yes ☐ No ☒ Not Applicable

If yes, describe.



Section 3: Site Services

3.1 Are any underground utility drawings available for the Site?

☒ Yes ☐ No ☐ Unknown

If yes, describe.

We have the first survey from when we bought the property that includes the bell and hydro line original locations but alot of that was decommissioned during the demolition.

3.2 Are there any easements on the Site (e.g., right-of-way, utility easements related to hydro, gas, telephone, etc.)?

☐ Yes ☐ No ☒ Unknown

If yes, describe.

I don't believe so, but there will be a noise and vibration easement from CN registered shortly

3.3 Are there back-up generators or emergency power systems at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe fuel source

3.4 What type of potable water supply is available at the Site?

☐ Municipal ☐ Private ☒ None

If private, describe water supply wells (number, locations, screen depths) and provide any available well logs or testing information.

Was municipal hookups, but have since been abandoned at property line.

3.5 Is a water treatment system present at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe and provide any available testing information and/or regulatory approvals.



3.6 What type of wastewater (sewage) system is available at the Site?

- ☐ Municipal ☐ Private ☒ None

If private, describe locations of septic bed and tank, and provide any available permits or testing information.

Was municipal hookups, but have since been abandoned at property line.

3.7 Is any pre-treatment of wastewater performed at the Site?

- ☐ Yes ☒ No ☐ Unknown

If yes, describe.

3.8 Are there any stormwater management ponds at the Site?

- ☐ Yes ☒ No ☐ Unknown

If yes, describe location.

3.9 Are there any catchbasins at the Site?

- ☐ Yes ☒ No ☐ Unknown

If yes, describe locations and discharge.

3.10 Are there any problems with Site drainage (e.g., basement flooding, surface water ponding, flooding, etc.)?

- ☐ Yes ☒ No ☐ Unknown

If yes, describe.



3.11 Are there any electrical transformers located on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, who owns them, do they contain PCBs, have they been tested?

3.12 Are there any existing or former rail lines/spurs on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

Section 4: Site Operations

4.1 Are any plans or drawings available showing areas of production, manufacturing, chemical or waste storage in the buildings or premises?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

4.2 Are any process, production and maintenance documents available related to site operations?

☐ Yes ☒ No ☐ Unknown

If yes, please provide.

4.3 Are there any current or previous agricultural activities on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, approximately what years, what crops, and what pesticides were applied?



4.4 Are there any pesticides/herbicides/sludge applications at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, when, and what products were used?

4.5 Are there any current or former vehicle maintenance, auto body or machine shop operations at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe how the waste liquid fluids are/were handled?

4.6 Is there any hydraulic lift equipment (e.g., in-ground vehicle hoists, elevators) on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

4.7 Is there any former or current equipment, vehicle or plant floor wash down at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

4.8 Were there any fires at the Site (e.g., building fires, waste incineration, brush fires, etc.)?

☐ Yes ☐ No ☒ Unknown

If yes, describe.



4.9 Are there any former or current dust control activities at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, list dust control methods and products used.

4.10 Has salt or any other de-icing chemical ever been used for winter maintenance of walkways or parking areas?

☐ Yes ☐ No ☒ Unknown

If yes, describe product used, storage and application practices.

Section 5: Fuel Storage and Handling

5.1 Are there any aboveground or underground fuel storage tanks located on Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe type, construction material, secondary containment, size, age, contents of each, and provide any testing and/or TSSA registration information.

5.2 Were any aboveground or underground fuel storage tanks removed in the past?

☐ Yes ☐ No ☒ Unknown

If yes, describe type, construction material, secondary containment, size, contents of each, date(s) of removal, details of removal.

Please provide any available reports related to tank removal and confirmatory testing.

5.3 Are there any current or former fuel pumps or fuelling systems on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.



5.4 Are there any jerry cans, drums or totes containing fuel/oil/lubricants on Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

Section 6: Waste Oils, Chemicals, Liquid Wastes, Solid Wastes

6.1 Are any waste oils generated and/or stored on Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe waste storage locations and disposal practices.

6.2 Are there any oil-water separators and/or floor drains at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe location, installation date, source of incoming liquid and effluent discharge location.

6.3 Are any chemicals or solvents stored or used at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, provide an inventory of chemicals, and describe chemical usage and chemical storage areas.

6.4 Are Material Safety Data Sheets (MSDS) or Safety Data Sheets (SDS) available for any chemical compounds used on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, provide a complete list of chemical compounds with MSDS or SDS.



6.5 Are any liquid industrial wastes generated at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, how are they disposed?

6.6 Are waste management records available for the Site, including current and historical waste storage locations and waste generator and waste receiver information maintained pursuant to Regulation 347?

☐ Yes ☒ No ☐ Unknown

If yes, please describe and provide copies of relevant records.

6.7 Are solid wastes (e.g., scrap, household waste, recycling) generated on-Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe storage and disposal practices.

6.8 Are batteries (non-household type) used on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe storage and disposal practices.

6.9 Has any liquid or solid waste been dumped, placed or buried on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.



6.10 Has any soil (fill, gravel, topsoil, etc.) been brought to and deposited on the Site (for construction, grading, filling low areas, berms, etc.)?

☐ Yes ☐ No ☒ Unknown

If yes, describe.

We completed some remediation during the original RSC process, but I believe we just removed the contaminated soil and didn't bring in any fill to replace it.

Section 7: Spills

7.1 Are there any records of spills (e.g., chemical, oil) or records of discharges of contaminants?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

7.2 Are spill prevention and contingency plans available (e.g., secondary containment measures, spill kits, spill response training for employees)?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

Section 8: Environmental Compliance

8.1 Is there any known or suspected soil and/or groundwater contamination at the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

8.2 Are there any contaminant discharges from the Site to the natural environment (e.g., stack emissions, fugitive air emissions)?

☐ Yes ☒ No ☐ Unknown

If yes, describe emissions contaminants, type, and operations.



8.3 Is the Site operating under and in accordance with an Environmental Compliance Approval (formerly Certificate of Approval)?

☐ Yes ☐ No ☒ Unknown

If yes, please describe and provide an Environmental Compliance Approval (ECA) number.

8.4 Is there a Joint Health and Safety Committee?

☐ Yes ☒ No ☐ Unknown

If yes, do they have any outstanding environmental concerns?

8.5 Are there any current or former regulatory compliance issues (such as zoning, labour or environment) related to the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

8.6 Are there any previous environmental reports, environmental audit reports or environmental monitoring data (including data created in response to an order or request of the Ministry of the Environment, Conservation and Parks) available for the Site?

☒ Yes ☐ No ☐ Unknown

If yes, please provide.

8.7 Are there any geotechnical reports for building/development available?

☒ Yes ☐ No ☐ Unknown

If yes, please provide.

8.8 Are there any property appraisal or insurance inspection reports available?

☒ Yes ☐ No ☐ Unknown

If yes, please provide.



8.9 Are there any existing monitoring wells on the Site?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

All were abandoned and removed after RSC

8.10 Are there any regulatory permits and records available related to potential environmental concerns?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

8.11 Have any other inspections occurred on the Site (i.e., Ministry of Labour, Ministry of the Environment, Conservation and Parks, Municipality, Insurance Agency, etc.)?

☐ Yes ☐ No ☒ Unknown

If yes, describe.

8.12 Are there any problems with the neighbouring properties such as chemical storage, contamination, etc.?

☐ Yes ☒ No ☐ Unknown

If yes, describe.

8.13 Are there any noise or odour problems related to the Site or surrounding neighbouring properties?

☒ Yes ☐ No ☐ Unknown

If yes, describe.

Next to Georgetown GO Station



Section 9: Additional Information

9.1 Is there another person we should contact for additional information?

☐ Yes ☒ No ☐ Unknown

If yes, please provide contact information.

9.2 Do you have any additional comments pertaining to the Site (environmental, operations, historical information)?

☒ Yes ☐ No

If yes, describe.

The site has been through ESA I and ESAII and received RSC on October 24, 2019. We are simply looking to update our ESAI for our OPA/ZBLA resubmission for the site. There has been nothing that has taken place on site since RSC and has been sitting vacant.

The above information is a true representation of my knowledge of the Site and operations. I understand that this information will be reviewed by MTE and compiled in the Environmental Site Assessment report.

Signature of Interview Candidate: Sarah Golan



Site Address:

37 King Street,
Georgetown, ON

MTE File No.:

60793_001

Date/Time:

February 18, 2025

MTE Representative:

Mahmoud Mousa

Name of Site Contact:

Sarah Golan - Habitat for Humanity Halton-Mississauga-Dufferin


Weather Conditions:

-5

°C

Section 1: Site Setting, Occupant Information, and Operations

Provide a sketch in the space below (or attach a site plan) showing topographic conditions and locations of structures, fuel storage tanks, watercourses, ditches, standing water, parking facilities, evidence of asphalt or floor repairs, roads, rights-of-way, and lagoons on or adjacent to the Site.





1.1 Who is/are the current occupant(s)/tenant(s) of the Site?

Provide a brief description of operations and housekeeping observed during the inspection.

The Site is currently unoccupied and no buildings are present.

1.2 What is the current type of property use (check all that apply)?

- | | |
|--|---|
| <input checked="" type="checkbox"/> Commercial use | <input type="checkbox"/> Industrial use |
| <input type="checkbox"/> Community use | <input type="checkbox"/> Residential use |
| <input type="checkbox"/> Institutional use | <input type="checkbox"/> Parkland use |
| <input type="checkbox"/> Agricultural or other use | <input checked="" type="checkbox"/> Vacant (confirm last known use) |

1.3 Was any evidence observed of the following operations at the Site?

- | | | |
|--|------------------------------|--|
| Agricultural / Potential Pesticide Use | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| Bulk liquid dispensing (e.g., gasoline outlet) | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| Dry Cleaning (Depot or Facility) | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| Machine Shop | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| Manufacturing | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| Rail yards, tracks and spurs | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| Vehicle maintenance or repairs | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| Waste Treatment, Disposal, or Recycling | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |

Section 2: Building Information and Special Attention Items

2.1 Are there existing buildings at the Site?

- ☐ Yes ☒ No

If yes, list the existing buildings and describe observed uses, construction type, additions, etc.



2.2 Was any evidence observed of loading docks or shipping/receiving bays?

☐ Yes ☒ No

If yes, describe.

2.3 Was any evidence observed of pits or other similar floor openings or depressions?

☒ Yes ☐ No

If yes, describe.

Previous excavation area from the MTE 2019 Phase Two ESA in the southwest portion of the Site.

2.4 Was any evidence observed of heating systems associated with the building(s)?

☐ Yes ☒ No

Fuel source: ☐ Natural Gas ☐ Fuel Oil ☐ Electric ☐ Other (describe below)

2.5 Was any evidence observed of mould/water damage or roof leaks in the building(s)?

☐ Yes ☒ No

If yes, describe.

2.6 Was any evidence noted of odours or other concerns related to indoor air quality?

☐ Yes ☒ No

If yes, please describe.

2.7 Was any evidence observed of the following suspected asbestos-containing material?

Building Insulation	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Transite wall board, siding, or roof panels	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Pipe Wrap/Insulation	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Boiler Insulation	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Tank Linings	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Ceiling Tiles	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Floor Tiles	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Plaster	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Expansion Joint	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Thermal Insulation	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Spray Fire-Proofing	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

If yes to any of the above, describe the location and condition.

2.8 Was any evidence observed of potential PCB-containing equipment, including transformers, florescent light ballasts/capacitors?

☐ Yes ☒ No

If yes, describe.

2.9 Was any evidence observed of potential lead-containing materials in the building(s), including interior/exterior paint or lead pipes?

☐ Yes ☒ No

If yes, describe.

2.10 Was any evidence observed of potential ozone-depleting substances (for example, refrigeration or air conditioning equipment in place before 1998)?

☐ Yes ☒ No

If yes, describe.

2.11 Was any evidence observed of potential UFFI-containing materials in the building(s)?

☐ Yes ☒ No

If yes, describe.

2.12 Was any evidence observed of potential major or persistent sources of noise and/or vibration, odours, or electric and magnetic fields (e.g., high voltage power lines)?

☐ Yes ☒ No

If yes, describe.

Section 3: Site Services

3.1 Was any evidence observed of the following site services (check all that apply)?

Potable Water Supply	<input type="checkbox"/> Municipal	<input type="checkbox"/> Private Well	<input checked="" type="checkbox"/> None
Wastewater (sewage) system	<input type="checkbox"/> Municipal	<input type="checkbox"/> Septic System	<input checked="" type="checkbox"/> None
Stormwater management ponds	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
Catch basins	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
Electricity Service	<input type="checkbox"/> Underground	<input type="checkbox"/> Overhead	<input checked="" type="checkbox"/> None
Telecommunication Service	<input type="checkbox"/> Underground	<input type="checkbox"/> Overhead	<input checked="" type="checkbox"/> None
Natural Gas Service	<input type="checkbox"/> Underground	<input checked="" type="checkbox"/> None	

If applicable, describe on-Site water supply wells (and any treatment systems) and/or septic systems.

3.2 Was any evidence observed of back-up generators or emergency power systems?

☐ Yes ☒ No

If yes, describe fuel source.

- 3.3 Was any evidence observed of potential drainage issues (e.g., floodplain, surface water ponding, flooding, etc.)?

☐ Yes ☒ No

If yes, describe.

Section 4: Site Operations

- 4.1 Was any evidence observed of hydraulic equipment (e.g., in-ground vehicle hoists, elevators, loading docks, cranes, presses, compactors) on the Site?

☐ Yes ☒ No

If yes, describe.

- 4.2 Was any evidence observed of equipment, vehicle or plant floor wash down at the Site?

☐ Yes ☒ No

If yes, describe.

- 4.3 Was any evidence observed of fires (e.g., building fires, waste incineration, brush fires, etc.)?

☐ Yes ☒ No

If yes, describe.

- 4.4 Was any evidence observed of dust control activities at the Site?

☐ Yes ☒ No

If yes, list dust control methods and products used.



4.5 Was any evidence observed of salt or any other de-icing chemical storage or application?

☐ Yes ☒ No

If yes, describe product(s) observed, storage and application practices.

Section 5: Fuel Storage and Handling

5.1 Was any evidence observed of existing aboveground or underground fuel storage tanks observed at the Site?

☐ Yes ☒ No

If yes, describe type and contents, any observations related to construction material, secondary containment, rusting, or surface spills, and any label information regarding capacity, year, spill containment type, etc.

5.2 Was any evidence observed of former aboveground or underground fuel storage tanks removed in the past (e.g., fill or vent pipes, copper fuel lines, boiler room pipe openings)?

☐ Yes ☒ No

If yes, describe.

5.3 Was any evidence observed of fuel pumps or fueling systems on the Site?

☐ Yes ☒ No

If yes, describe.

5.4 Was any evidence observed of jerry cans, drums or totes containing fuel/oil/lubricants?

☐ Yes ☒ No

If yes, describe.

Section 6: Waste Oils, Chemicals, Liquid Wastes, Solid Wastes

6.1 Was any evidence observed of waste oils or liquid industrial wastes?

☐ Yes ☒ No

If yes, describe locations of waste oil tanks or drums, and any evidence of spills or leaks.

6.2 Was any evidence observed of oil-water separators, sumps, and/or floor drains at the Site?

☐ Yes ☒ No

If yes, describe location, suspected source of incoming liquid, and effluent discharge location.

6.3 Was any evidence observed of chemicals, solvents, unidentified substances, or hazardous materials (e.g. mercury or nuclear gauges) stored or used at the Site, including washbasins?

☐ Yes ☒ No

If yes, provide an inventory of substances, obtain copies of Safety Data Sheets (SDS) where available, and describe usage and storage practices.

6.4 Was any evidence observed of the following solid waste storage practices?

Refuse dumpsters/bins	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Recycling dumpsters/bins	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Drums	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Waste piles	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Illegal dumping	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Surface impoundment	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Scrap metals	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Batteries (non-household type)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Other	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

If yes to any of the above, describe storage practices and locations on the Site.

Small pile of miscellaneous scrap observed in the north west portion of the Site.



6.5 Was any evidence observed of past placement of solid waste or soil (fill, gravel, topsoil, etc.) including stockpiles?

☐ Yes ☒ No

If yes, describe suspected purpose (e.g., grading, filling low areas, berms, etc.).

Section 7: Spills

7.1 Was any evidence observed of spills (e.g., chemical, oil), discharges of contaminants at the Site, or run-off from adjacent properties, including staining, stressed vegetation, etc.?

☐ Yes ☒ No

If yes, describe.

Section 8: Environmental Compliance

8.1 Was any evidence observed of contaminant discharges from the Site to the natural environment (e.g., stack emissions, fugitive air emissions)?

☐ Yes ☒ No

If yes, describe emissions contaminants, type, and operations.

8.2 Was any evidence observed of existing wells on the Site (e.g., water supply wells, monitoring wells, gas wells)?

☒ Yes ☐ No

If yes, describe, including reference to available online well records.

Three monitoring wells were observed on the Site that were installed during the MTE 2019 Phase Two ESA.
Well IDs: 7310130, 7310131, 7310132

Section 9: Study Area

- 9.1 Who is/are the current occupant(s)/tenant(s) of the adjacent property to the north of the Site?
Provide a brief description of operations and housekeeping observed during the inspection.

GO Station/Metrolinx; train station with the parking lot adjacent to the Site

- 9.2 Who is/are the current occupant(s)/tenant(s) of the adjacent property to the east of the Site?
Provide a brief description of operations and housekeeping observed during the inspection.

Queen Street (public road) then 39 King Street (residential)

- 9.3 Who is/are the current occupant(s)/tenant(s) of the adjacent property to the south of the Site?
Provide a brief description of operations and housekeeping observed during the inspection.

King Street (public road) then 60 Queen Street (residential)

- 9.4 Who is/are the current occupant(s)/tenant(s) of the adjacent property to the west of the Site?
Provide a brief description of operations and housekeeping observed during the inspection.

33 King Street (residential)

- 9.5 Was any evidence observed of water bodies, wetlands, or potential environmentally sensitive areas within 30 metres of the Site?

☐ Yes ☒ No

If yes, describe.



Section 10: Additional Information

10.1 Were there any limitations to the inspection (e.g., snow cover, inaccessible areas, inaccessible roof, locked rooms, etc.)?

☒ Yes ☐ No ☐ Unknown

If yes, describe.

During the Site inspection, snow covered the entire area.

10.2 Do you have any additional comments pertaining to the Site (environmental, operations, historical information)?

☐ Yes ☒ No

If yes, describe.

Signature of MTE Representative: _____

A handwritten signature in blue ink, appearing to be "MB", is written over the signature line.

Appendix D

PCA Summary Table

37 King Street, Georgetown, ON
PCA SUMMARY TABLE

PCA Location	MECP Potentially Contaminating Activity	Basis for PCA	PCA Results in an APEC	Rationale
On-Site PCAs				
Site	28. Gasoline and Associated Products Storage in Fixed Tanks	Heating oil ASTs were formerly located in the northwestern corner of the basement of the demolished portion of the hotel building.	Yes	On-Site PCA
Site	30. Importation of Fill of unknown Quality	A 1934 FIP identified three former structures on the western end of the Site. Fill may have been placed in the locations of the structures after they were removed to backfill basements or foundations. Historical fill may have also been placed on the Site when it was initially developed.	Yes	On-Site PCA
Site	Other	The Phase One ESA (MTE, 2019) identified the potential former use and storage of coal.	Yes	On-Site PCA
Off-Site PCAs Resulting in an APEC				
55 Queen Street (63m north)	46. Rail Yards, Tracks and Spurs	FIPs (1904, 1934, 1960) identified a railway corridor at the north adjoining property. This property is currently the Georgetown GO Station.	Yes	PCA located up-gradient of the Site based on the inferred groundwater flow direction (south/southeasterly).
1 Rosetta Street (120m north) 2 Rosetta Street (180m northeast)	45.Pulp, Paper and Paperboard Manufacturing and Processing	1934 and 1960 FIPs and municipal directories identified former paper mills operating at 1 Rosetta Street and 2 Rosetta Street.	Yes	PCA located up-gradient of the Site based on the inferred groundwater flow direction (south/southeasterly).
1 Elgin Street (140m northeast)	39. Paints Manufacturing, Processing and Bulk Storage 51. Solvent Manufacturing, Processing and Bulk Storage	1960 FIP and directory searches identified two former woodworking companies (furniture) at municipal address 1 Elgin Street. These companies may have used and stored paints and solvents.	Yes	PCA located up-gradient of the Site based on the inferred groundwater flow direction (south/southeasterly).
46-56 King Street (80m East)	40. Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-scale Applications	A 1934 FIP identified greenhouses at the property labeled "Georgetown Floral Co. Ltd. at municipal addresses of 46-56 King Street.	Yes	PCA located up-gradient of the Site based on the inferred groundwater flow direction (south/southeasterly).
49 King Street (100m northeast)	27. Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles 28. Gasoline and Associated Products Storage in Fixed Tanks	1960 FIP and directory searches identified an auto repair shop and UST at municipal address 49 king street (100m northeast).	Yes	PCA located up-gradient of the Site based on the inferred groundwater flow direction (south/southeasterly).

PCA Location	MECP Potentially Contaminating Activity	Basis for PCA	PCA Results in an APEC	Rationale
Off-Site PCAs Not Resulting in an APEC				
Imperial Oil Ltd. (140m southwest) 26 John Street (225 northwest) 31 King Street (35m southwest) 6 King Street (135m southwest) 35 Albert Street (95m southeast)	28. Gasoline and Associated Products Storage in Fixed Tanks	A 1934 FIP identified a property located 140m southwest of the Phase One Property labelled as “Imperial Oil Ltd.” with a total of 12,000 gallons of oil storage in three ASTs. A 1934 FIP identified a fuel oil UST at municipal address 26 John Street. 1960 FIP identified the property at municipal address 31 King Street as having one stove oil and two fuel oil ASTs and one gasoline UST. Tank database records identified fuel oil USTs at the properties located at municipal address 6 King Street and municipal address 35 Albert Street.	No	PCA located down-gradient or cross-gradient of the Site based on the inferred groundwater flow direction (south/southeasterly) and due to distance away.
64 King Street (215m east)	10. Commercial Autobody Shops	1960 FIP labeled this property as containing an Autobody Shop.	No	PCA located greater than 200m from the Site.
67 King Street (215m northeast)	34. Metal Fabrication	1934 FIP labeled this property as containing a foundry.	No	PCA located greater than 200m from the Site.
71 King Street (245m northeast)	55. Transformer Manufacturing, Processing and Use	1960 FIP depicted three transformers on this property.	No	PCA located greater than 200m from the Site.

Appendix E

APEC Table

"Table of areas of potential environmental concern"
 (Refer to clause 16(2)(a), Schedule D, O. Reg. 153/04)

Area of potential environmental concern ¹	Location of area of potential environmental concern on phase one property	Potentially contaminating activity ²	Location of PCA (on-site or off-site)	Contaminants of potential concern ³	Media potentially Impacted (Ground water, soil and/or sediment)
APEC 1 – Entire Phase One Property	Entire Phase One Property	30.Importation of Fill Material of Unknown Quality	On-Site	Metals As, Sb, Se Hg B-HWS CN- PAHs PHC BTEX VOCs SAR EC	Soil
APEC 2 – Former heating oil ASTs in the northwest portion of the basement of the demolished portion of the hotel building.	Northern portion of Phase One Property	28. Gasoline and Associated Products Storage in Fixed Tanks	On-site	PHCs BTEX	Soil
APEC 3 – Potential Former Coal Use	Entire Phase One Property	Other	On-site	Metals As, Sb, Se Hg PHC PAHs	Soil
APEC 4 – Railway corridor on north adjoining property	Northern portion of the Phase One Property	46. Rail Yards, Tracks and Spurs	Off-site	Metals As, Sb, Se OC Pesticides PHCs BTEX VOCs	Groundwater

Area of potential environmental concern ¹	Location of area of potential environmental concern on phase one property	Potentially contaminating activity ²	Location of PCA (on-site or off-site)	Contaminants of potential concern ³	Media potentially Impacted (Ground water, soil and/or sediment)
APEC 5 – Former paper mill operations to the north	Northern portion of the Phase One Property	45.Pulp, Paper and Paperboard Manufacturing and Processing	Off-site	Metals As, Sb, Se Hg Cr(VI) PHCs BTEX VOCs	Groundwater
APEC 6 – Former wood products and woodworking facility to the northeast	Northeastern portion of the Phase One Property	39. Paints Manufacturing, Processing and Bulk Storage 51. Solvent Manufacturing, Processing and Bulk Storage	Off-site	Metals As, Sb, Se Hg Cr(VI) OC Pesticides PHCs BTEX VOCs	Groundwater
APEC 7 – Former greenhouses to the east	Northeastern portion of the Phase One Property	40.Pesticides (including Herbicides, Fungicides and Anti-Fouling Agents) Manufacturing, Processing, Bulk Storage and Large-scale Applications	Off-Site	Metals As, Sb, Se Hg OC Pesticides	Groundwater
APEC 8 – Former auto repair shop to the northeast	Northeastern portion of the Phase One Property	27. Garages and Maintenance and Repair of Railcars, Marine Vehicles and Aviation Vehicles	Off-site	Metals As, Sb, Se PHCs BTEX VOCs	Groundwater
APEC 9 – Former gasoline UST to the northeast	Northeastern portion of the Phase One Property	28. Gasoline and Associated Products Storage in Fixed Tanks	Off-Site	PHCs BTEX	Groundwater

Notes:

- 1 - Areas of potential environmental concern means the area on, in or under a phase one property where one or more contaminants are potentially present, as determined through the phase one environmental site assessment, including through,
- (a) identification of past or present uses on, in or under the phase one property, and
 - (b) identification of potentially contaminating activity.
- 2 - Potentially contaminating activity means a use or activity set out in Column A of Table 2 of Schedule D that is occurring or has occurred in a phase one study area
- 3 - When completing this column, identify all contaminants of potential concern using the Method Groups as identified in the "Protocol for in the Assessment of Properties under Part XV.1 of the Environmental Protection Act, March 9, 2004, amended as of July 1, 2011, as specified below:

List of Method Groups:

ABNs	PCBs	Metals	Electrical Conductivity
CPs	PAHs	As, Sb, Se	Cr (VI)
1,4-Dioxane	THMs	Na	Hg
Dioxins/Furans, PCDDs/PCDFs	VOCs	B-HWS	Methyl Mercury
OCs	BTEX	Cl-	Low or high pH,
PHCs	Ca, Mg	CN-	SAR

- 4 - When submitting a record of site condition for filing, a copy of this table must be attached

*****Cette publication hautement spécialisée n'est disponible qu'en anglais en vertu du règlement 671/92, qui en exempte l'application de la Loi sur les services en français. Pour obtenir de l'aide en français, veuillez communiquer avec le ministère de l'Environnement et de l'Action en matière de changement climatique au 1-800-461-6290***

Appendix F

Table of Current and Past Uses

"Table of current and past uses of the phase one property" (Refer to clause 16(2)(b), Schedule D, O.Reg. 153/04)

Year	Name of Owner	Description of property use	Property use	Other observations from aerial photographs, fire insurance plans, etc.
Lot 8				
Jun 1821- May 1830	John Moore	Undeveloped	Agriculture or other use	<ul style="list-style-type: none"> Chain of Title information. There were no records to suggest development prior to 1850s.
May 1830- Mar 1863	George Kennedy	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Mar 1863- Feb 1871	Alexander McNab	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Feb 1871- Jul 1871	James Miller	Hotel	Commercial Use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Jul 1871- May 1872	John Higgins	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
May 1872- Nov 1893	Ann Edwards	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Nov 1893- Sep 1910	John Treanor	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Sep 1910- Jun 1913	John Edward Kaiser	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.

Year	Name of Owner	Description of property use	Property use	Other observations from aerial photographs, fire insurance plans, etc.
Lot 8				
Jun 1913- Jun 1967	Harold Wright & Arvilla Wright	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Historical information indicated that a hotel was in operation from the 1850s to 2003. A 1946 aerial photograph depicted the Site as developed with a building in the northeastern portion of the Site. 1934 and 1960 FIPs identified a building in the northeastern portion of the Site labelled as "hotel". The 1934 FIP also identified three structures of unknown use at the western portion of the Site.
Jun 1967- Feb 2013	Dorothy Louise Hillock	Hotel/Restaurant	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Historical information indicated that a hotel was in operation from the 1850s to 2003. 1977 and 1978 city directories identified the Site as being occupied by the Exchange Hotel. 1983 and 1989 city directories identified the Site as being occupied by the Exchange Tavern. 1969 to 1995 aerial photographs depicted the Site as developed with a building in the northeastern portion of the Site.
Feb 2013- Dec 2014	Arvilla Ellen Dianne Westwood Fallow	Unoccupied	Commercial use	<ul style="list-style-type: none"> Chain of Title information. A 2014 TankTek Environmental report indicated that the hotel building was vacant.
Dec 2014- present	Habitat For Humanity Halton	Unoccupied	Commercial use	<ul style="list-style-type: none"> Chain of Title information. A 2014 TankTek Environmental report indicated that the hotel building was vacant. Parcel register indicated that Habitat for Humanity purchased the Site in December 2014. Phase One ESA interview questionnaire indicated that partial demolition of the hotel was completed and the 1850s portion of the hotel structure remains. During the Phase One ESA site reconnaissance the 1850s portion of the hotel was present.

Year	Name of Owner	Description of property use	Property use	Other observations from aerial photographs, fire insurance plans, etc.
Lot 9				
Jun 1821- May 1830	John Moore	Undeveloped	Agriculture or other use	<ul style="list-style-type: none"> Chain of Title information. There were no records to suggest development prior to 1850s.
May 1830- Apr 1857	George Kennedy	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Apr 1857- Nov 1857	George Beckwith	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Nov 1857- Nov 1862	Robert Beckwith	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Nov 1862- Mar 1870	Thomas Elgie	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Mar 1870- Mar 1872	Thomas H. Edwards	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Mar 1872- Mar 1872	Thomas Hall	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Mar 1872- Apr 1882	Ann Edwards	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Apr 1882- Sep 1894	William Albert Thompson	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Sep 1894- Sep 1910	John Treanor	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.

Year	Name of Owner	Description of property use	Property use	Other observations from aerial photographs, fire insurance plans, etc.
Lot 9				
Sep 1910- Jun 1913	John Edward Kaiser	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Jun 1913- Jun 1967	Harold Wright & Arvilla Wright	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Historical information indicated that a hotel was in operation from the 1850s to 2003. A 1946 aerial photograph depicted the Site as developed with a building in the northeastern portion of the Site. 1934 and 1960 FIPs identified a building in the northeastern portion of the Site labelled as "hotel". The 1934 FIP also identified three structures of unknown use at the west portion of the Site.
Jun 1967- Feb 2013	Dorothy Louise Hillock	Hotel/Restaurant	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Historical information indicated that a hotel was in operation from the 1850s to 2003. 1977 and 1978 city directories identified the Site as being occupied by the Exchange Hotel. 1983 and 1989 city directories identified the Site as being occupied by the Exchange Tavern. 1969 to 1995 aerial photographs depicted the Site as developed with a building in the northeastern portion of the Site.
Feb 2013- Dec 2014	Arvilla Ellen Dianne Westwood Fallow	Unoccupied	Commercial use	<ul style="list-style-type: none"> Chain of Title information. A 2014 TankTek Environmental report indicated that the hotel building was vacant.
Dec 2014- present	Habitat For Humanity Halton	Unoccupied	Commercial	<ul style="list-style-type: none"> Chain of Title information. A 2014 TankTek Environmental report indicated that the hotel building was vacant. Parcel register indicated that Habitat for Humanity purchased the Site in December 2014. Phase One ESA interview questionnaire indicated that partial demolition of the hotel was completed and the 1850s portion of the hotel structure remains. During the Phase One ESA site reconnaissance the 1850s portion of the hotel was present.

Year	Name of Owner	Description of property use	Property use	Other observations from aerial photographs, fire insurance plans, etc.
Lot 10				
Jun 1821 – May 1830	John Moore	Undeveloped	Agriculture or other use	<ul style="list-style-type: none"> Chain of Title information There were no records to suggest development prior to 1850s.
May 1830- Feb 1856	George Kennedy	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Feb 1856- Feb 1856	Angus Mackinnon	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Feb 1856- Mar 1857	Colin Robertson	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Mar 1857- Mar 1857	Dugald Reid	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Mar 1857 – Mar 1857	Colin Robertson & Archibald Taylor	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Mar 1857- Nov 1857	George Beckwith	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Nov 1857- Nov 1862	Robert Beckwith	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Nov 1862- Mar 1870	Thomas Elgie	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.

Year	Name of Owner	Description of property use	Property use	Other observations from aerial photographs, fire insurance plans, etc.
Lot 10				
Mar 1870-Mar 1872	Thomas H. Edwards	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Mar 1872-Mar 1872	Thomas Hall	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from 1850s to 2003.
Mar 1872-Apr 1882	Ann Edwards	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Apr 1882-Sep 1894	William Albert Thompson	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Sep 1894-Sep 1910	John Treanor	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Sep 1910-Jun 1913	John Edward Kaiser	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Phase One ESA interview questionnaire. Historical information indicated that a hotel was in operation from the 1850s to 2003.
Jun 1913-Jun 1967	Harold Wright & Arvilla Wrigh	Hotel	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Historical information indicated that a hotel was in operation from the 1850s to 2003. A 1946 aerial photograph depicted the Site as developed with a building in the northeastern portion of the Site. 1934 and 1960 FIPs identified a building in the northeastern portion of the Site labelled as "hotel". The 1934 FIP also identified three structures of unknown use at the west portion of the Site. One structure was located at the northwestern portion of the Site and two structures were located at the southwestern portion of the Site.

Year	Name of Owner	Description of property use	Property use	Other observations from aerial photographs, fire insurance plans, etc.
Lot 10				
Jun 1967- Feb 2013	Dorothy Louise Hillock	Hotel/Restaurant	Commercial use	<ul style="list-style-type: none"> Chain of Title information. Historical information indicated that a hotel was in operation from the 1850s to 2003. 1977 and 1978 city directories identified the Site as being occupied by the Exchange Hotel. 1983 and 1989 city directories identified the Site as being occupied by the Exchange Tavern. 1969 to 1995 aerial photographs depicted the Site as developed with a building in the northeastern portion of the Site.
Feb 2013- Dec 2014	Arvilla Ellen Dianne Westwood Fallow	Unoccupied	Commercial use	<ul style="list-style-type: none"> Chain of Title information. A 2014 TankTek Environmental report indicated that the hotel building was vacant.
Dec 2014- Oct 2019	Habitat For Humanity Halton	Unoccupied	Commercial	<ul style="list-style-type: none"> Chain of Title information. A 2014 TankTek Environmental report indicated that the hotel building was vacant. Parcel register indicated that Habitat For Humanity purchased the Site in December 2014. Phase One ESA interview questionnaire indicated that partial demolition of the hotel was completed and the 1850s portion of the hotel structure remains. During the Phase One ESA site reconnaissance the 1850s portion of the hotel was present.
Oct 2019- Present	Habitat For Humanity Halton	Vacant	Commercial	<ul style="list-style-type: none"> Phase One ESA update interview questionnaire aerial photographs review indicated that a complete demolition and removal of the former hotel was done between sometime between October 2019 and July 2020. During the Phase One ESA site reconnaissance, the building and foundation were not present.

Notes:

1 - For each owner, specify one of the following types of property use (as defined in O.Reg. 153/04) that applies:

Agriculture or other use
 Commercial use
 Community use
 Industrial use
 Institutional use
 Parkland use

Residential use

2 - When submitting a record of site condition for filing, a copy of this table must be attached

*****Cette publication hautement spécialisée n'est disponible qu'en anglais en vertu du règlement 671/92, qui en exempte l'application de la Loi sur les services en français. Pour obtenir de l'aide en français, veuillez communiquer avec le ministère de l'Environnement et de l'Action en matière de changement climatique au 1-800-461-6290***