



TYPICAL SWALE SECTION  
N.T.S.



COOLING TRENCH TYPICAL DETAIL  
N.T.S.

NOTE:  
THE LAYOUT OF THE PROPOSED ROADS, SEWERS, CHANNELS, EASEMENTS, AND WATERMAINS ALONG WITH THE STORMWATER MANAGEMENT FACILITY AND ASSOCIATED INFRASTRUCTURE ARE CONCEPTUAL IN NATURE, INTENDED TO ILLUSTRATE THE SERVICEABILITY OF THE SUBJECT SITE



TYPICAL POND OUTLET SWALE SECTION  
N.T.S.

- LEGEND**
- 3.26 Ha.  
0.25 DRAINAGE AREA (Ha)
  - RUNOFF COEFFICIENT
  - \* AREA REQUIRING ROOFTOP DETENTION AND CONNECTION TO CLEAN WATER PIPE. ROOFTOP RELEASE RATE BASED ON SITE AREA (ha) x 0.3 x 100 l/s/ha
  - ➔ OVERLAND FLOW ROUTE
  - PROPOSED STORM SEWER
  - - - PROPOSED CLEAN WATER STORM SEWER
  - ▬ DRAINAGE AREA BOUNDARY
  - ⇨ DRAINAGE SWALE

REVISED MARCH 2007

TOWN OF HALTON HILLS  
REGIONAL MUNICIPALITY OF HALTON

401/STEELES EMPLOYMENT LANDS

STORM DRAINAGE PLAN—OPTION 2

**SERNAS ASSOCIATES**  
(A Member of the Sernas Group Inc.)

141 Brunel Road  
Mississauga, ON L4Z 1S3  
T: 416.213.7121  
F: 905.000.8400  
sernas.com

DATE : JUNE, 2006	DRAWN BY : I.T.	PROJECT No. 06157
SCALE : 1 : 2000	DESIGNED BY : T.D.	DRAWING No. STM-2
	CHECKED BY : K.C.	